

The Vaccine Adverse Event Reporting System (VAERS) Results

Age	Month Reported	VAERS ID	Adverse Event Description
6-17 years	Dec., 2020	905644-1	""felt like throat scratching""
18-29 years	Dec., 2020	902810-1	Patient complained of feeling dizzy, anxious, shortness of breath. Did have some pain with injection. Did have mask on while waiting standard 15 minutes.
18-29 years	Dec., 2020	902836-1	Patient received covid-19 vaccine. 20+ minutes later patient states she began feeling flushed and nauseous. Patient states she look at her injection site, and it was hot and red. Local reaction approx. 2 inches x 2 inches. Dr. ordered 25 mg oral Benadryl. Vitals stable at 1840 133/88, 66 for pulse and regular, SPO2 99% on room air, respirations 20. Patient continued having complaints of light headedness and nausea. 1850 119/79, 74, 99% RA. Dr. states patient may depart from clinic if able to sit up and walk out, patient given instructions go to ED in symptoms progress. 1857 120/82, 70, 99.4. Patient's face becomes flushed and hot on left side, patient states she is shaky, and does not feel well at all. 1905 patient transferred to ED on 2L O2 for further evaluation and workup. Narrative ER Medical decision making narrative: Accu-Chek was obtained noting a glucose to be at 80. She received IV fluids as well as Solu-Medrol Benadryl and IV Pepcid. She also received IV Tylenol as she developed a headache while in the emergency department. Headache resolved and she was able to ambulate without assistance. Requested to go home states she felt much improved near normal. Clinical Impression: Adverse reaction to drug Patient Education: Anaphylaxis (ED)
18-29 years	Dec., 2020	902837-1	Patient feeling very anxious before and after vaccination. Described having difficulty swallowing water shortly (~15 min) post vaccination. Patient was tearful but breathing normally. Walked under her own power from the pharmacy down to the Emergency Room for anxiety over anaphylaxis. Given dose of Vistaril in ER.
18-29 years	Dec., 2020	902894-1	"Allergic reaction with facial swelling, eye tearing, ""itchy"" throat"
18-29 years	Dec., 2020	902946-1	Swelling of hands follwed by angioedema
18-29 years	Dec., 2020	903004-1	17 minutes after vaccine, suddenly had a , crushing squeezing chest pain, very severe lasted 45 seconds. after 45 seconds continue to have moderate chest pain, light headiness, diaphoretic, very hot. NO fever, elevated BP. Mild to moderate chest and light headiness for about 3-4 hours and it self solved.
18-29 years	Dec., 2020	903175-1	sudden onset of rinorrhea 5 minutes after receiving vaccine. then itching near ears, 5 minutes later had diffuse itching a rash, was sent to ED. There was evaluated for mild shortness of breath and hives on wrists. Did NOT et epi but did get benedryl and steroids, discharge home
18-29 years	Dec., 2020	903210-1	Patient reported feeling fine for the first 15 minutes after the vaccination was given then reported itching of her face excluding her forehead. Patient was given 25mg IM diphenhydramine. Pulse ox was taken and read within normal limits. Within 5-10 minutes after the diphenhydramine was given patient reported itching involving her arms, facial flushing but no shortness of breath. An extra dose of 25mg IM diphenhydramine was given and an IM EpiPen.
18-29 years	Dec., 2020	903211-1	Facial swelling, slurred speech, taste in mouth (medicine like), heart palpitations, rash to chest and face.
18-29 years	Dec., 2020	903256-1	After vaccination in the medical office building adjacent to the hospital, the hospital employee felt palpitations (within 30 minutes of shot). Employee went to the ED at the hospital and was evaluated by medical personnel. Employee was SOB but did not have difficulty breathing. No other untoward reactions were observed. All other ROS was unremarkable. Sinus tachycardia of 140bpm observed in the ED, repeated ECG was sinus tachycardia of 119bpm, no other abnormalities. IVF, 50mg IV diphenhydramine, 40mg IV famotidine, and 125mg IV methylprednisolone given. Symptoms of palpitations and SOB resolved. Discharged with instruction to return to the ED if any symptoms returned.
18-29 years	Dec., 2020	903280-1	Patient reported she was pregnant at time of screening. Patient confirmed that her and her OB/GYN discussed the COVID19 vaccine and determined it was the right decision for her to receive the vaccine. Upon receipt of the vaccine, she stated she was feeling flushed, nauseated and felt she was going to pass out. The vaccine clinic team took her to the ED for evaluation and monitoring.
18-29 years	Dec., 2020	903407-1	Patient with a h/o syncope to vaccines, felt light headed and laid down on floor roughly 3-5 minutes after vaccination in the observation area. Patient pale, pulse regular in mid-60's, A&O x3, conversant. Medical assistance team called, bp 94/60, lightheaded after attempt at standing for 90 seconds. Transported to ED for observation.
18-29	Dec., 2020		Patient experienced mild alllergic reaction starting at 4:19pm. The ER staff came to tend to the patient. The patient reported dizziness and weakness. Her vitals are as follows: BP 142/80, O2-99%

years		903415-1	on room air, Pulse-98, Resp Rate-18, Temp-97.3F. The patient was taken to the ER and received Benadryl 50mg IV and an EpiPen. The patient's pain was 0/10. The patient was reported stable at 4:27pm.
18-29 years	Dec., 2020	903605-1	Headache and increased HR followed by dizziness (room spinning), and throat tightening. Evaluation in vaccination clinic revealed tachycardia and elevated BP. Brought to ER to monitor throat tightening. Upon trip to ER (roughly one minute), experienced nausea. Experienced chest pain after being admitted to ER, roughly 20 minutes after vaccination. Chest tightness and throat swelling lasted for roughly about 30 minutes. All symptoms subsided with the exception of the headache about an hour after injection. Discharged from ER and went back to work. Headache continued into the afternoon, along with general weakness.
18-29 years	Dec., 2020	903668-1	Fever 101, Headache, body aches, increased heart rate 140-160, chest pain.
18-29 years	Dec., 2020	903702-1	I felt a little bit dizzy and tasted like saline in my mouth. I kept feeling dizzy, like I had a brain fog and felt lightheaded and nauseous, I started having tunnelling vision, my BP as high, I got confused and nauseous, had headache and was sent to ER to be observed. Had fever last night and still feel weird and still have headaches, treating it with tylenol. Took the day off from work since symptoms did not subside.
18-29 years	Dec., 2020	903713-1	Patient reported feeling hot shortly after receiving her vaccine with an itchy arm. We provided and ice pack and laid her down on a stretcher. Patient became slightly erratic and we proceeded to wheel her down to ER. ER summary below. ED Course: Patient's pertinent past medical, social, family medical history were reviewed from both the nursing notes and the electronic medical record. This is a 27-year-old female with a past medical history as above presenting with a chief complaint of concern for urticarial rash in anaphylaxis following a COVID-19 vaccination. I did speak with Occupational Health who stated that this patient is well-known to the hospital, stating specifically that she becomes very anxious with vaccinations/needles and breaks out in hives on previous injections. This information was given to his after her initial presentation. Patient had already been removed provided epinephrine given concern of possible anaphylactic reaction given her area, diaphoresis, pruritus and diffuse urticaria. I was called into the room multiple times as patient continued to ask to be discharged. I did have multiple conversations with her in regards to need for continued monitoring given possibility of anaphylactic reaction. She feels that this was due to her anxiety and states that she is completely asymptomatic and at her baseline at this time. She once again is asking to leave. I did discuss my recommendation for continued monitoring as well as the risks of leaving without continued monitoring. The patient is able to choose, communicate and make choices clearly and understandably. The patient is able to understand risks, benefits and alternatives of therapy explained by myself. The patient can make a logical and rational decisions according to my assessment. The choice made by the patient is consistent with the patient's values and is consistent with character and decision capacity in the patient's past, according to friends and family present. There is no impending medical risk to this patient to warrant my holding the patient against their will. Patient will be discharged in stable condition at this time with strict return precautions and instructions for close outpatient follow-up. She was provided EpiPen given possibility of anaphylactic reaction in the future.
18-29 years	Dec., 2020	903739-1	Tongue and throat swelling about 30 minutes after receiving vaccine. Took Claritin about 15 minutes after onset of symptoms. Symptoms mostly subsided about 1 hour after taking Claritin. Slight throat swelling and difficulty swallowing until a dose of Benadryl was taken the following day.
18-29 years	Dec., 2020	903769-1	5 minutes after receiving vaccine I felt like I was going to pass out. They took me to the ER. Heart rate went up to 160 at one point. Was given steroids, Benadryl, and Pepcid and that helped. This helped and then heart rate went up again. Tremors and BP was up.
18-29 years	Dec., 2020	903777-1	Chest tightness, sob, tachycardia Treatment: Benadryl 50mg Solumedrol 125mg
18-29 years	Dec., 2020	903925-1	5 minutes after shot administered, became very hot and flushed. Felt tingle in throat. Turned bright red. Sent to ER. Throat tingle subsided after about 30 min. No anaphylaxis. Given Zyrtec for slight itchiness
18-29 years	Dec., 2020	903931-1	Presented with periumbilical pain to emergency department (patient works at Medical Center). Admitted to hospital for small bowel obstruction. Labs were consistent with dehydration (Hct 55, Cr 1.25), as well as CRP 1.10. A CT Abd/Pelvis identified proximal dilation and fecalization of small bowel, with a transition point in the left lower quadrant. Distal to the transition point, the small bowel appears thick, with hyperenhancement and inflammation progressing into the cecum. General Surgery was consulted and patient admitted to hospital for management of this small bowel obstruction.
18-29 years	Dec., 2020	903938-1	rash appeared at site of injection, very painful, hot to touch, hard, with rash spreading to torso
18-29 years	Dec., 2020	903967-1	Following COVID19 vaccine employee returned to work and began to feel dizzy/lightheaded/shakey. Went to ED for further eval.
18-29 years	Dec., 2020	903984-1	Throat closing sensation, lightheadedness
			12/18/2020 Patient developed a rash on forehead, burning sensation in the back of throat, and chest heaviness. Patient stated that she had similar reaction to a previous vaccine that she received. Patient was reluctant to go to the ED and refused to ride in wheelchair, but was walked assisted by

18-29 years	Dec., 2020	904025-1	staff. ED RN reported patient was feeling better approximately 1 hour after injection. FROM ED REPORT 12/18/2020 Had a vaccine about 10 minutes later she states she felt a little warm. A little tingly. Had some blotchiness to her forehead and chest. She reports that she also had some similar symptoms after receiving vaccines. These were short-lived. She presents now for evaluation. She denies any chest pain abdominal pain. No trouble breathing. Pulse ox on arrival is 100%. No abdominal pain Patient does have some papules to the forehead. She states this is chronic. It is little red. Cheeks are little red. I see no urticaria on inspection
18-29 years	Dec., 2020	904041-1	lol swelling , shortness of breath
18-29 years	Dec., 2020	904050-1	10/17/2020 after the injection on Thursday I had a sore body, sore throat ringing ears joint pain, my self esteem was very low, my boss sent me home because my voice sounded so rough, I checked my temp around 100 and 101 and I took Panolol and it went down to 99. Fri I woke up with sore throat every time I take a breath I have chest pain sore body ringing in ears, chills and I went to the ER Friday 12/18/2020 they gave me some anti inflammatory injection and I went back home that day, they gave me a medical order to take a covid test today 12/19/2020. ER Dr gave me good results on tests.I have a headache and sore my body feels heavy but other than that I'm trying to avoid contact and staying at home until the results come through
18-29 years	Dec., 2020	904079-1	Patient received dose one of the Pfizer vaccine at 1150am and around 1230 begun to feel tingling in the right of her face/cheek. She then noticed significant swelling of the left cheek and bottom lip. She was taken to the emergency department and received steroids, benadryl, and fluids. She was observed for a few hours and then discharged. She was feeling well the same day.
18-29 years	Dec., 2020	904111-1	Patient received vaccine 07:52 am at 08:11 am he reported hand tingling, we noticed some swelling to left hand. BP 143/94 sat 99% P-81, patient initially declined going to ER, administered Benadryl 25 mg by mouth per protocol at 08:21 am, repeat BP 08:23 139/96 P-84, sat 98%, 08:42 BP 141/97, P-92, sat 99%, 0843 noticed rash left forearm (not sure if there before) noticed after removing watch, patient agreed to Emergency Room check in, while waiting for ER check in patient had increased swelling, spread to forearm, notified ER intake nurse and transferred care to Emergency Room
18-29 years	Dec., 2020	904149-1	Patient reports she received at 1330 than was working and had a sudden onset of chest pain and became diaphoretic and skin appeared red/blotchy
18-29 years	Dec., 2020	904159-1	"Nurse injected the vaccine as she removed needle the employee started to feel weak and short of breath. The employee repeated said ""I am weak"" and ""I can't breath."" A rapid response was called, checked her oxygen level (94%). Due to employee stating she could not breath the team gave her a dose of epinephrine and started oxygen. Her oxygen saturation increased to 98%. They took a blood pressure - 150/88. EMS arrived and took her to local hospital for observation."
18-29 years	Dec., 2020	904175-1	Patient presents after a near syncopal episode. Was at work when she felt dizzy, nauseous and flushed. Felt like she was going to pass out. Patient appears pale and uncomfortable, but nontoxic. She is tachycardic but blood pressure stable. Has a faint erythematous rash on her neck. Give IV Benadryl, IV solu-Medrol and IV fluid in Emergency Department. Basic labs were obtained and are unremarkable.
18-29 years	Dec., 2020	904182-1	performed 30 min observation, left to go back to work, said he felt like his heart was racing and looked at his smart watch and HR was 168. Upon arriving back at clinic, denies dyspnea or resp concerns. Reports feeling hot, anxious, heart racing, pt was sweating. HR 152 BP 150/100, Pulse ox 99%. Patient taken to ED to be evaluated.
18-29 years	Dec., 2020	904191-1	Lightheaded, heart racing in initial monitoring station, placed supine, transported to triage via wheelchair. Initial pulse ox 98%, HR 76 at 1250, denied SOB, tingling, no rash. Pulse ox 98%, HR 91 at 1256, no SOB, tingling improved. At 1300, c/o lightheaded, fuzzy vision, shaky, some chest tightness, some throat tightness, increased saliva. Diphenhydramine 50 mg IM administered 1304. Pulse ox 98%, HR 92 at 1318. Solid food intake 1322. Continued lightheaded, bilateral arm tingling, still shaky, but less cold at 1327. Self-reported weight 130. 1339, throat tightness not resolved, no difficulty swallowing or breathing, pulmonary auscultation no stridor., continued body tingling, c/o throat tightness, Pulse ox 99, HR 96. 1343, continuous monitoring to Pulse ox 90%, HR 110. Medical director updated 1347, decision to move to ER and transport initiated 1352.
18-29 years	Dec., 2020	904199-1	Scratchy throat, lip swelling and numbness
18-29 years	Dec., 2020	904214-1	I got the vaccine at 0750 in the morning and was fine right after getting it, my arm was a little sore no big deal, then by 0900 both arms were sore and my neck, by 1100 I had aching and chills, but I powered through because those are common symptoms by 1300 I had a headache, by 1500 I had some abdominal cramping, by 1600 some dizziness and nausea, 1730 diarrhea, 1830 more diarrhea and 1850 hives all over my chest. By 1900 my tongue felt heavy and tingly So I walked down to the ER. When I got to the ER I felt like I was going to pass out. By 2040 I was admitted to the ER and given Benadryl, Prednisone, Pepcid, and Zofran. I was Held for observation until 0300.
18-29 years	Dec., 2020	904221-1	Employee developed rash at site on left deltoid, that spread across upper chest. No SOB, Chest Tightness or Itching. Transported to ED on-site.
18-29 years	Dec., 2020	904245-1	I felt fine other than a sore arm but then Friday morning I woke up coughing and i had a 100F fever and about an hour later it was 100.6F. I had chills, shivering, headache, took tylenol, fever was down to 100F. Went to the local UC and had a COVID 19 test and was negative (rapid test). Today I

			woke up, no fever, a headache in the morning, but now it is gone, no fever at all today.
18-29 years	Dec., 2020	904248-1	Throat closing, feeling faint, fast heart rate. Was taken to er, was given epinephrine as well as steroids. Kept me on er for awhile to watch me.
18-29 years	Dec., 2020	904270-1	Employee has history of allergies and was being monitored for 30 minutes. About 10 minutes the vaccine injections she began to feel faint. She was sitting at time and slide to floor and was unresponsive. The team begin checking vital signs and gave her a dose of epinephrine. A rapid response team and EMS was called. The rapid response team checked vitals: BP 100/60, HR 90, O2 99%, Glucose level-77. An IV was started and bolus of normal saline 500 ml given along with 50 mg of benadryl. Vitals checked: HR 108, BP-106/60, O2 93%-it was reported she was cold and shivering-hands were cold. Employee was calm, alert, and oriented.
18-29 years	Dec., 2020	904276-1	10 minutes after vaccination felt lightheaded and dizzy, pulse 64 resp 18 - given water and put feet up. 15 minutes later better but still woozy - pulse 80 resp 20. 15 minutes later walked around pulse 72 resp 18 20 minutes later - still feeling dizzy wishes to go to ER - transported via wheelchair.
18-29 years	Dec., 2020	904315-1	Patient felt throat was scratchy, then became flushed and slightly itchy. A rapid response was called and patient was brought immediately to ED by RN. Patient stabilized without any treatment within 10 minutes. Blood glucose found to be 44, given glucose and improved. Cetirizine 10mg was administered for itching, patient instructed to restart OTC antihistamines and see PCP the next day
18-29 years	Dec., 2020	904334-1	Angioedema, hives, tachycardia, shortness of breath
18-29 years	Dec., 2020	904337-1	Immediately (no delay) after injection, tingling in arm followed by flushing of face and subjective SOB, no wheezing noted, face and anterior chest with uniform erythema, no hives. Epinephrine administered immediately by vaccinating nurse. No further development of symptoms. Developed some palpitations and chest discomfort - normal EKG. Discharge home after 6 hour observation, no recurrence of symptoms.
18-29 years	Dec., 2020	904359-1	Within 5 minutes, started feeling very tired and dizzy, leaned head back trying to relax. Approximately 15 minutes after vaccine had seizure lasting up to 15 seconds possibly. Brought to floor carefully. Then had small second seizure (about 5 seconds in duration). Difficulty Breathing immediately. Then extreme trouble breathing/stopped breathing , given 0.3 mg EpiPen in right thigh, gasped and began breathing again. Checked pulse (80 b/pm) then waited about 3 minutes and EMTs arrived. BP was 140/90 ish. Both higher but not terribly high.
18-29 years	Dec., 2020	904364-1	I am an employee of Medical Center. I went to Hospital for my vaccine since it was only 5 minutes away from my house. At 5:00 PM I received the vaccine. 10 minutes after I noticed my throat felt tight and as if it was closing. This felt similar to the reaction I felt when I had morphine in Jan 2020 (that I am allergic to). I notified the nurses and they watched me for 10 minutes. It then stayed the same. They brought me back to their tent area and gave me 50 mg of benadryl. I immediately felt relief. However, maybe 3-5 minutes after the throat closing sensation came back. They then had to take me to the ER. I was then put on fluids, steroids, pepcid, and ativan. I was released after they watched me for a couple hours.
18-29 years	Dec., 2020	904433-1	Patient complained of tachycardia. Dr. examined the patient who stated he had a regular rhythm. After one minute of sitting, he felt better. After sitting for another 5 minutes the patient stated he was feeling tachycardia again. Denied any dizziness or lightheadedness. Dr called down to the ED. Patient escorted down to ED where they did an EKG and discharged him.
18-29 years	Dec., 2020	904500-1	12/16/2020 7:20am After the injection few later I felt my chest started to hurt gradually increased the pain and started to have palpitations it lasted hour and thrity. Vital Sigh the time of the event BP 138/80, HR 78, RR 24, Sat 99%. I was sent to ER they blood samples, EKG, Chest X-ray and monitor my heart rate.; all was normal. The same day I was discharged home.
18-29 years	Dec., 2020	904516-1	Pt stated she felt dizzy/lightheaded while on her phone nearing the end of her observation period. She got up to leave stating she thought she just needed fresh air and promptly returned to the observation area with dizziness and palpitations. This was 45 minutes roughly post vaccine administration. B/P and heart rate were elevated. Pt began feeling short of breath and a rapid response was initiated.
18-29 years	Dec., 2020	904534-1	About two to three minutes after the Covid vaccine was administered in the vaccine clinic at my hospital where I work, I began to experience pre-syncope symptoms (mostly light-headedness and nausea). I stood up to get help and walked to the back of the auditorium where they were observing us for 15 minutes post-vaccine, and due to standing and walking, I became much more dizzy and lightheaded and then sat down on the floor and was eased to a lying-down position on the floor by a nurse as I briefly lost consciousness. I regained consciousness very quickly (maybe 10-20 seconds, but I'm not sure) and was taken care of by a set of nurses who noted me to be hypotensive and pale, with I think a bit of a lower heart rate, though I'm not sure what my vitals were exactly. They had me then stand to do orthostatic vitals and I was orthostatic. I was too dizzy to remain standing and felt very nauseas so I was taken to the ED (in the hospital where I work) to be observed. I had a normal EKG, blood glucose, and urine sample there. After having some juice and lying down, I felt better but was very cold and had some chills. After a little over an hour, they released me from the ED and it seems to have all been an episode of vaso-vagal syncope. I've had vaso-vagal responses before, but not in response to a vaccine since I was about 13, so I was surprised by how quick and severe the vaso vagal response was. Later in the day, I felt better but was fatigued and had a headache. I also had a lot of pain at the injection site. The day after the vaccine I felt tired and had a headache, and for part of the day a mild sore throat. Now two days after the vaccine, I feel much

			better, and the arm pain is more mild.
18-29 years	Dec., 2020	904544-1	received COVID-19 vaccine on 12/19 at approx 1750. At 1804 pt c/o headache, racing heart, itching, and shakiness. Vaccine Commander called rapid response team (RRT). Upon arrival of RRT pt c/o increasing sx. Pt escorted via wheelchair to ED.
18-29 years	Dec., 2020	904558-1	Patient was sitting in a chair approximately 20 minutes after vaccine administration when she became pale and quiet. Monitor asked if she was ok, and she said she was itchy on her face and that her feet were really hot and hives were noted on her cheeks and forehead at 1803. She was moved to a bed with help from other staff and the rapid response team was called. Her blood pressure was noted to be 155/101, HR-115, O2 sat 99% on RA at 1807. 50 mg IM diphenhydramine administered to L arm by RN. Patient transported to ED for further evaluation.
18-29 years	Dec., 2020	904840-1	Became unable to swallow and mouth got dry. Was given Epinephrine, Benadryl and Famotidine. The symptoms subsided within 2.5 hours.
18-29 years	Dec., 2020	904861-1	Pfizer-BioNTech COVID-19 EUA After receiving the vaccine, during observation period (about 10 minutes after the dose administered), patient became tachycardic and nauseous. Patient was brought over to the ER at 7:05 am with non-intractable vomiting with nausea. Ondansetron inj 4mg IVP x1 given at 7:40am, at 7:45am P 135/95; P 105 ; R 20; WBC 16.2 Patient felt better, tolerating PO, asymptomatic and discharged home at 8:34am
18-29 years	Dec., 2020	904987-1	Throat and chest tightness following vaccination- went to ER and received epinephrine, solu-medrol, benadryl, famotidine, and EKG due to tachycardia.
18-29 years	Dec., 2020	905032-1	Employee reported itching to roof of her mouth and numbness to right side of her throat. She also had elevated HR of 113. She was taken to ED for further evaluation and treatment.
18-29 years	Dec., 2020	905117-1	left sided non positional chest pain. seen in ER . Was treated with Toradol and resolved. Negative work up in emergency room. for cardiogenic or pulmonary causes.
18-29 years	Dec., 2020	905141-1	throat and face swelling, headache rate 10/10, nausea, vomiting and diaphoretic-Was seen in the emergency room and was given Toradol, Benedryl, Pepcid
18-29 years	Dec., 2020	905345-1	Patient received Pfizer COVID 19 vaccine last Thursday 12/17. Admitted today (12/21) with bleeding and low platelet count - working up for ITP, TTP. Given recency of vaccination and no known contributory allergy or medical history, physician thought potentially associated with vaccination.
18-29 years	Dec., 2020	905437-1	Employee reported redness and swelling to Right Wrist. She also noted itching to left neck/back area. Employee was taken to ED for further evaluation and treatment.
18-29 years	Dec., 2020	905510-1	tingling in throat, rapid heart rate, flushing
18-29 years	Dec., 2020	905516-1	General malaise, nausea, chills, headache
18-29 years	Dec., 2020	905560-1	The vaccine was administered at 1130 without immediate complication. At approx 1800 the pt began to develop symptoms of general malaise. At approx 2200 the pt developed a fever and chills. Initial oral temperature was 101.3 The pt has continued to have a fever and general malaise since the injection, now for almost 5 days.
18-29 years	Dec., 2020	905671-1	After receiving dose of COVID 19 vaccine patient reports the following: rash to both arms, right neck. Heart rate increased to 102. Reports slight shortness of breath. ER visit- administered Benadryl/Solumedrol IM
18-29 years	Dec., 2020	905683-1	Pt received Covid vaccine and afterward developed hives on chest and arms
18-29 years	Dec., 2020	905706-1	mild fever; chest pressure; dizziness; This is a spontaneous report from a contactable consumer. A 29-year-old female patient received dose number 1 of BNT162B2 (solution for injection, lot number Eh9899/expiration date unknown) via an unspecified route of administration on her right arm on 16Dec2020 at a single dose for immunisation. Medical history included penicillin allergy and allergies to gluten. Concomitant medications were not reported. The patient experienced chest pressure and dizziness that later turned into a mild fever on 16Dec2020; all of which prompted visit to the emergency room/department or urgent care. The patient received Tylenol for the events. The patient did not receive any other vaccines within 4 weeks prior to the COVID-19 vaccine. She was not diagnosed with COVID-19 prior vaccination and was not tested for COVID-19 since vaccination. The outcome of the event was recovering.
18-29 years	Dec., 2020	905787-1	Initial arm pain, then nausea and dizziness while at work 2 hours after administration. Presented to the emergency department at the same facility where he works as instructed per occupational health. Symptoms were almost fully resolved 3 hours after receiving the vaccine, after a dose of ondansetron. Patient discharged and instructed to follow up with primary MD.
18-29 years	Dec., 2020	905814-1	Patient developed hives 30 minutes after receiving injection. Received Benadryl and seen in ER for evaluation. No further issues reported.
18-29 years	Dec., 2020	905875-1	Right arm weakness; heavy chest. Given Orange juice due to low blood sugar, transported to ED.
18-29 years	Dec., 2020	905905-1	Dizziness, Vertigo, Tachycardia, nausea, numbness and tingling of both arms
			Received the vaccine Wednesday evening, after work. Waited the recommended 15 minutes, then went home and went to bed. Woke up Thursday feeling fatigued and had injection site pain, no

18-29 years	Dec., 2020	905929-1	other side effects or fever. Thursday evening, I developed body aches and a low-grade fever. I took Tylenol and went to bed. Friday, when I woke up around 1pm, I noticed a small rash behind my left knee. I took Benadryl and ended up falling back asleep. When I woke up Friday evening, I had the rash, and hives, and red/white splotches all over my legs. I took Benadryl and consulted my doctor. The rash continued to spread to my arms, and stomach. The rash itched and burned. I went to the ER Friday night for it. Before they gave me medication, I started coughing, couldn't breathe for a minute, and got lightheaded. They gave a steroid, Pepcid, Benadryl, and fluids. They observed me for several hours. I felt better then was discharged. They told to continue to take Benadryl or Zyrtec for a couple days. 5 days later, the rash/hives are still red, itchy and present, especially when Benadryl wears off.
18-29 years	Dec., 2020	905964-1	After administration, employee stated feeling dizzy; place head btw knees; continued feeling dizzy; place employee lying on floor on side and attempted to give OJ - blood sugar 80; no LOC; called rapid response; vitals and EKG WNL; transported to ED via gurney; seen by ED MD; D/C home.
18-29 years	Dec., 2020	906002-1	2 min post injection developed tingling around site, and then urticaria on left upper arm. Then diffuse flushing diffusely and headache. HR=130's, normal BP. Difficulty swallowing during EMS transport. Received EPI sc, Pepcid IV, and Benadryl 50mg IV PTA. HR+140 on arrival post Epi 6 hour obs. NS 1L D/c home with precautions, epilepsy pen rx, and allergist follow-up
18-29 years	Dec., 2020	906041-1	Employee, 1st Pfizer COVID19 vaccine today. ~6min s/p shot, he felt a little itchy just @injection site, then got anxious & felt woozy, sweaty. Wearing big mask and a face shield, seemed anxious. Walked independently to go lay down. No syncope. BP up to 140/90, HR 90, RR 20, breathing fine, no itchy throat/swelling/hives. Improved w laying down. To ER out of an abundance of caution-- vitals nL, nL exam, still itchy at shot site. Got 1L NS IV, 25mg PO Benadryl for itchiness- likely anxiety > severe allergy
18-29 years	Dec., 2020	906045-1	30 minutes after receiving the vaccine, I (the patient) felt tingling in my lips, nose, and feet. I then developed a non-itchy, macular rash on my chest and back, associated with flushing. No fevers, chest pain, shortness of breath, nausea, vomiting, or diarrhea, I was taken to the emergency department, where I had normal vital signs. I was given Benadryl 25 mg PO with complete resolution of rash and tingling sensation within one hour.
18-29 years	Dec., 2020	906056-1	"Patient notes that she received the COVID vaccine around 1800 today. After receiving the vaccine she notes she had developed a headache. She was otherwise doing fine until around 2000-2100 when she noticed her left arm become numb with paresthesias from her left bicep to her hand with whole arm localization. She felt her hands and wrists were puffy at this time and somewhat swollen. She reports feeling ""floaty""/Dizzy at this time, and at least once had to sit down due to this. She started feeling her heart race and some associated SOB, this has since resolved. She notes that she had two loose stools around this time as well. This progressed to develop into right numbness/paresthesias from her mid right forearm down to her hands. As the evening progressed she developed itchiness of her bilateral arms and torso. She notes that she has had a waxing/waning reddish rash on her arms that has been pruritic. She has since developed intermittent nausea, and still endorses feeling some ""skipped beats."" While in the ED from Triage to repeat evaluations her lips began having progressive swelling. She had been given Benadryl 50mg, Zofran 4mg, 1L IVF. Given ongoing tachycardia and lip swelling she was given Prednisone 40mg and Epinephrine for allergic reaction and concern for anaphylaxis."
18-29 years	Dec., 2020	906178-1	Employee reported headache, flushing, and a sweaty feeling. He was taken to ED for evaluation and treatment.
18-29 years	Dec., 2020	906272-1	19 y/o fully immunized female with history of anxiety presents for dizziness and nausea x 2 hours. Received COVID vaccine at 14:30. At 16:30 went from sitting to standing, felt dizzy and nauseous. No syncope. No palpitations. Similar reaction to influenza vaccine. No intervention required to previous vaccination. No history of anaphylaxis. BP 125/88, pulse 88, RR 18, O2 95%, temp 37.3.
18-29 years	Dec., 2020	906312-1	dizziness, light headedness, severe nausea, rash/hives over chest and back and forearms, severe chills/shivering
18-29 years	Dec., 2020	906325-1	Tongue tingling, throat tightness @0520 Chest heaviness, lips numb @0525 Voice hoarseness @ 0530 IV Benadryl given approx 0550 PO prednisone given approx 1000 Left side of face still numb after 24 hours
18-29 years	Dec., 2020	906383-1	Headache, Chills, sore throat, muscle weakness, fatigue
18-29 years	Dec., 2020	906421-1	Developed numbness in legs and back of neck. Swelling on left side of face. Given Benadryl 50 mg PO and sent to emergency room.
18-29 years	Dec., 2020	906509-1	Next morning, patient had a rash and swelling on forehead and back of hands. She took a benadryl and went to the emergency room.
18-29 years	Dec., 2020	906537-1	She went to the Emergency department 12/20 and received a high dose of Benadryl. She reported tachycardia all day yesterday in the 130's and was itchy all over. Subsequently she developed a rash.
18-29 years	Dec., 2020	906557-1	Developed headache, tachycardia and urticaria 12 minutes post immunization. Transfer to ER for care. Had NS 100 ml. bolus, Benadryl 25 mg IV, Solumedrol 125 mg IV, Pepcid 20 mg IV, Tylenol 1 Gm PO. Symptoms resolved. Discharged home from ER same day with Rx for Benadryl and Pepcid.
18-29 years	Dec., 2020	906828-1	COMPLAINT OF REDNESS TO FACE

18-29 years	Dec., 2020	906829-1	COMPLAINT OF REDNESS TO FACE
18-29 years	Dec., 2020	906835-1	bilateral rash/itching on ear lobes, rash/itching/swelling suborbital region, diffuse rash on forehead. bump on right side cervical region.
18-29 years	Dec., 2020	906876-1	Started with Rash/Hives on Neck and upper chest and shoulder. Inside of nose rash and mouth itchiness. Progressed to arms and palms of hands. Started to get stomach upset. mouth got warm and throat warm. Breathing was OK but started to get tougher. Went to the ED Given Benadryl Pepcid and solumedrol Gave you prednisone 50mg for home 3 tablets once a day and OTC pepcid
18-29 years	Dec., 2020	906902-1	Chest pain, shortness of breath, tongue numbness and tingling
18-29 years	Dec., 2020	906953-1	Pfizer-BioNTech COVID-19 Vaccine EUA Within 5-10 minutes of vaccine, burning and tingling sensation started in chest, moving into throat, tongue, mouth, nose, and ears. Flushing sensation and red ears. Increased heart rate, resolved after a few minutes. Was treated in the ER and released from hospital. EKG and vitals were checked, no labs drawn. Occasional burning and tingling sensation but resolves within a few minutes, mainly in chest and tongue. Occasional symptoms ceased in about 3 hours.
18-29 years	Dec., 2020	907019-1	"Pt returned to her work area. At 1314 - Team member was taken to the ED. She reported feeling like her tongue was swelling, she attempted to eat chips and felt like her throat was sore and needed to be cleared. Pt had a syncopal episode and c/o chest pressure, and difficulty swallowing (able to control secretions). Hives were noted to her face, neck & chest upon arrival to the ED. At that time - pt reported feeling like her tongue started swelling 15 minutes after the vaccination. Pt was confused and ""extremely"" anxious. VS: 209/102, HR 125, RR 30 SaO2 96% r/a 1321 - diphenhydramine 25mg IV, pepcid 40mg IV and IV NS started VS: 159/105, HR 118, RR 31, SaO2 100% r/a 1322 - epinephrine 0.3mg SQ, Solumedrol 125mg IV 1332 - Zofran 4mg IV 1351 - Ativan 1mg IV 1359 - 128/91, HR 100, RR 22, SaO2 99% 1411 - pt calm- redness improved. still c/o of feeling something in her throat. 1441 - Calm, asking for a drink - tolerated well. BP 110/72, HR 82, RR 18, SaO2 98% 1635 - d/c orders written."
18-29 years	Dec., 2020	907076-1	1126 states felt funny VS 86/63 HR 79 100 RA taken to cot to monitor/evaluate denies any pain or discomfort only just weak and funny, requested drink of water and leaned back on bed 90 degree angle noticed she was not focusing 1130 VS 78/45 58 100 RA taken to ER via WC due to Hypotension. 1830 LM for her to call me on her cell for follow up
18-29 years	Dec., 2020	907185-1	40 minutes later, I became flushed, hot, sweaty and clammy and tachycardic along with a syncope episode. Nausea came after, and only treatment was fluids. This episode happened after discharge around 9:45pm and then returned to the hospital for the same course of action.
18-29 years	Dec., 2020	907191-1	Tachycardia, body aches, chills, headache.
18-29 years	Dec., 2020	907294-1	dizziness, chest tightness, light headedness, SOB
18-29 years	Dec., 2020	907321-1	First day I was in PPE I started to get really hot , trouble breathing , feeling flu like symptoms Second day . was extremely hot, trouble breathing again , Tiredness , chills, headaches ,
18-29 years	Dec., 2020	907331-1	Employee presented for COVID 19 vaccination: Survey reviewed, no history of Anaphylaxis reaction Moderna 1st dose given today to Left arm. She immediately developed Numbness to her body, chest tightness, and abdominal discomfort. Remained Alert and oriented, voiced concerned she felt like she was going to pass out. She developed blotchy skin to chest and neck area within minutes of injection. Patient sat in a wheelchair. Vital taken: BP 140/98 Pulse 123, given water to drink, tolerated well. She quickly reported she continued with above stated symptoms, and continued with nausea, blotchy skin, heart racing and weakness. She was given 0.3mg of Epinephrine IM to right arm and taken to the ED
18-29 years	Dec., 2020	907370-1	I woke up at 2AM with a funny sensation in my esophagus, it felt tight and hot, the trouble breathing woke me up, I had chills, shaking, but no fever, extreme muscle weakness, I could barely walk steps. My main issue was the trouble breathing. Went to the ER and pulse/ox was 96/97 so it was good my oxy saturation was really good. They just observed me for some hours and by 5AM and I discharged and on Saturday I woke up ok but felt weak. I still feel some muscle weakness.
18-29 years	Dec., 2020	907374-1	12 minutes after injection developed acute onset tachycardia with HR increase from 64 to 160s (monitored on apple watch), dizziness, flushing, tachypnea. No rash, no wheezing. BP 140s-150s/90s (baseline 110s/70s). HR improved to 100s-120s in ~30 minutes and remained elevated with symptomatic orthostatics for several hours. Monitored on telemetry for ~2 hours. EKG sinus tachycardia. Given 1L NS bolus, no further treatment required. HR 80s-90s upon discharge from ER ~4.5 hours after injection
18-29 years	Dec., 2020	907378-1	Vaccine administered at 0800. 5-10 minutes later, patient reported tightness in throat and shortness of breath. Patient became dizzy, nauseous, diaphoretic, reclined back and elevated feet. Patient was taken to emergency department for further treatment.
18-29 years	Dec., 2020	907423-1	Onset of symptoms began approximately 1.5 hours after vaccination. Patient became weak c/o tongue swelling, nausea, difficulty breathing, numbness especially in lower extremities. Felt she couldn't breathe, numbness continued to get worse and affected her upper extremities as well, weak speech.

18-29 years	Dec., 2020	907469-1	Sensation of palpitations. Then, she felt warm and flushed.
18-29 years	Dec., 2020	907501-1	Patient presents palpitations
18-29 years	Dec., 2020	907610-1	Nausea, dizziness, states body feels like jelly, shaky. No vision changes or shortness of breath. Given oral Benadryl and oral Pepcid and discharged in stable condition after 2 hours.
18-29 years	Dec., 2020	907706-1	flushed 15 min post inj. tickle in throat then tongue tingling and raspy voice 20 min post inj.
18-29 years	Dec., 2020	907802-1	15 minutes after getting the vaccine, she developed a pruritic rash over her neck, chest, and precordium. Also became tachycardic up to 130-140 (may be attributed to anxiety of having a rapid response called). She reported feeling a lump in her throat but no facial swelling or angioedema, no lymphadenopathy. Was treated with diphenhydramine 50 mg IV, famotidine 20 mg IV, and methylprednisolone 125 mg IV. After 1 hour of observation and ongoing feeling of lump in her throat with new mouth tingling, was also given 0.15 mg epi IM. Was observed with resolution over 8 hours, and discharged to home with instructions to continue treatment with oral prednisone, famotidine, and cetirizine over the subsequent few days.
18-29 years	Dec., 2020	907888-1	10 minutes after receiving the injection I was experiencing dizziness and lightheadedness. As I was moved to a new location I was still experiencing aforementioned symptoms in addition to feeling hot and nauseous and I vomitted. I was moved to the ER for further evaluation. I was given a COVID test, an EKG and my vitals were monitored. I was discharged home.
18-29 years	Dec., 2020	907889-1	Nausea and dizziness within 5 minutes of administration, continued for 2 hours, transferred by private to ED for continued monitoring.
18-29 years	Dec., 2020	907896-1	"About 12 minutes after receiving covid vaccine, pt felt like she had a lump in her throat. No difficulty breathing or swallowing. No facial swelling. Pt was evaluated by PA from urgent care. Pt was transferred to urgent care for antihistamine administration. Vitals remained stable. 12/23/20 @ 12:12: Note copied from UC Visit: Diagnosis Allergic reaction (ICD10-CM T78.40XA, Working, Medical). Summary: 0916 ""Lump is still there but much smaller"" Still no sign of intraoral swelling 0925 Patient reports symptoms have almost resolved completely, comfortable going home. Instructed to take Zyrtec tonight before work and for the next couple of days and to go to hospital for SOB, worsening sensation of lump in throat. Patient verbalized understanding and is in agreement with treatment plan. Opportunity for questions was given, all questions answered.. Pharmacy: diphenhydrAMINE (Benadryl) AMB (Order): 25 mg, IM, InOffice."
18-29 years	Dec., 2020	907932-1	Lip and tongue tingling
18-29 years	Dec., 2020	907996-1	Felt sick , sedated , as if she was going to pass out.
18-29 years	Dec., 2020	908033-1	I had dyspnea and palpitations started about 5 minutes after vaccination, lasted about 2 minutes. I had similar another episode after about 9-10 minutes after vaccination which is less severe compare to first one. I was sent to ER after second episode for close monitoring. No event on tele monitor in ER.
18-29 years	Dec., 2020	908039-1	Calling in to report itching and rash after Pfizer COVID vaccination. she received a vaccination on December 18th and started having symptoms that same day. She contacted the emergency room where she received the vaccine and they told her to take Benadryl. Since that time the itching and rash has progressed and now she is having some difficulty swallowing. No difficulty breathing or speaking.
18-29 years	Dec., 2020	908054-1	"The evening after she received the vaccine, she had a HA and stomach distress. She reports waking up frequently due to sweating. On 12/22/20, her symptoms continued and got a bit worse - including soreness at the injection site with continued stomach distress and HA. She took ibuprofen 400 mg PO TID. Was unable to eat food, only drank Sprite. During the early morning hours of 12/23, was unable to sleep due to severe pain in right upper arm. She felt a ""pulling sensation"" and felt an enlarged lymph node under her arm. It was very ""tight"" - she was able to come to work - sent to the ED for evaluation - found to have BP slightly above her normal range, mild tachycardia. Was released and told to continue symptomatic treatment and to call or come in if symptoms worsened."
18-29 years	Dec., 2020	908061-1	Patient flushed red and felt nauseated within 60 seconds of administration. Complained of difficulty breathing, became blotchy and began crying. Called 911. Paramedic on site for his own vaccine assisted. Airway sounded restricted. Administered 0.3 mg Epinephrine (Epi Pen). Color improved. Blotchy patches improved. EMS arrived. Breathing became more labored. They took her to we assume was regional hospital
18-29	Dec., 2020	908066-1	Pt was vaccinated at Conference room COVID19, with PfizerBionTech vaccine, Lot# EK 9231, at 1258 hours, while waiting in monitoring area, complained of rash and facial flush at 1305 hrs, initially given PO Benadryl by APP's at 50 mg for the rash and seen by me at 1306 hrs and got vitals. BP 160/110, HR 120 -130, SpO2 was 100% on room air, not complaining of shortness of breath, no stridor noted, tachycardia noted with regular rate and full bounding pulse, no wheezing noted bilateral lung fields, initiated early response call for eICU staff, also initiated potential call for inhouse and 911 call as back. At 1315 hours she had mild chest discomfort, tightness and felt dryness of throat. Rash not significantly visible on chest, facial flush present, decided to go ahead

years			and gave epinephrine 0.3 mg IM to right deltoid as she was a unitard Stat suit. She was put on continuous monitoring, had response from eICU (Tele-ICU) team and Dr., SBP still noted to be elevated to 160's and DBP 110, Pulse still around 130, additionally IV access was secured, given IV Solumedrol 125 mg and IV Pepcid 20 mg. She felt somewhat better, still felt very anxious, with chest tightness, EMS on site by 1340 hrs and moved to ED by 1400 hrs, was with patient all through and transitioned to ED care To Dr. When last discussed her condition, was still stable noted at 1745 hrs in discussion with ED RN, with still persistently elevated BP and heart rate. No clear cut evidence for typical anaphylactic reaction. Treatment and observation still ongoing in ED.
18-29 years	Dec., 2020	908084-1	Benadryl given at COVID vaccine area. To ED received Ativan, Decadron, Pepcid, Benadryl, and 2L NS.
18-29 years	Dec., 2020	908098-1	Diagnosed with UTI Sat 12/19/2020 at Urgent Care Monday 12/21/2020 returned to urgent care for fever, flank pain, no relief from urinary symptoms, later went to Hospital for treatment Today 12/23/2020 have severe body pain, extreme fatigue, still having urinary symptoms; unable to do daily activities such as grooming and dressing without assistance
18-29 years	Dec., 2020	908212-1	Edit: about an hour after my vaccine I began itching on my neck and got a scratchy throat. Then felt blisters in my mouth and felt a tingly feeling on my face. I had swelling in my eyes, jaw, lips, nose and tongue. And hives on my neck and chest. I went to my local ER and was given IV PEPCID, benedryl and a steroid. Swelling came down significantly and I was discharged home after about 2 hours with a steroid dose pack, Claritin and Pepcid. I now have a strong migraine.
18-29 years	Dec., 2020	908269-1	I was given the vaccine at 5: 00 pm, 5-10 min later my throat felt like it was closing; It felt tight and i couldnt swallow or breathe properly; It felt tight and i couldnt swallow or breathe properly; This is a spontaneous report from a contactable consumer. A 27-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EK 5730), via an unspecified route of administration in the right arm on 17Dec2020 17:00 at a single dose (1st dose) for COVID-19 immunization. Medical history included bipolar 2 and hypothyroid. Concomitant medication included levothyroxine, lorazepam, oxcarbapazine and quetiapine (QUETIAPINE). The patient previously took morphine and cefalexin and experienced drug allergy. The patient reported that she was given the vaccine at 5:00 pm, and 5-10 min later her throat felt like it was closing. It felt tight and she couldn't swallow or breathe properly. She told the nurses, they observed her and listened to her neck and chest. It was not improving so then she was given 50 mg of benadryl. It immediately opened her throat up. However 3-5 min later her throat started to close again. She went to the ER and was given fluids steroids and antihistamines along with Ativan. The outcome of the events was recovered with sequelae on 17Dec2020.
18-29 years	Dec., 2020	908277-1	flush; fast heartbeat (120bpm); rash; nausea; dizzy, lightheaded; feeling unwell; This is a spontaneous report from a contactable consumer (patient). A 25-year-old female patient (pregnant: no) received first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date unknown) via an unspecified route of administration at arm left on 19Dec2020 11:45 at single dose for covid-19 immunization. The patient medical history was not reported. Concomitant medication included celecoxib (CELEXA), ethinylestradiol and etonogestrel (NUVARING) received within 2 weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously took cefalexin(KEFLEX) and cefdinir(OMNICEF) and experienced allergies. The patient experienced flush, fast heartbeat (120bpm), rash, nausea, dizzy, lightheaded, feeling unwell on 19Dec2020 12:00 PM, the events resulted in emergency room/department or urgent care. Treatment of Benadryl received for the events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was recovered in Dec2020. Information on the lot/Batch number has been requested.
18-29 years	Dec., 2020	908288-1	had 1 episode of shortness of breath; tachycardia; dizziness / light headedness; This is a spontaneous report from a contactable consumer reporting for herself. This 29-year-old female patient (non-pregnant) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 19Dec2020 at 15:30, at single dose, for COVID-19 immunization. No other vaccine was given within 4 weeks prior to the COVID vaccine. Medical history was not reported. The patient was not diagnosed with COVID before vaccination. Concomitant medications included vitamin C and sambucus nigra fruit (ELDERBERRY) and unspecified multivitamin and immune support. On 19Dec2020 at 23:30 the patient experienced one episode of shortness of breath, tachycardia, dizziness. Lasted for about 20 minutes and totally resolved within 1.5 hours. Continuing to have light headedness 24 hours after. Emergency room/department or urgent care required. No treatment was given. COVID was tested post vaccination on 20Dec2020 via nasal swab (rapid test), with negative result. The events were resolving. Information on the lot/batch number has been requested.
18-29 years	Dec., 2020	908347-1	lip swelling, eye lid swelling began approximately 36 hours after vaccination. Patient presented to ED and was treated with benadryl, protonix and prednisone. Plan to discharge home with the same
18-29 years	Dec., 2020	908401-1	Vaccine administered at 0730. Pt went home and went to bed. Woke up at 0930 with shaking, chills and feeling like she was going to pass out. Evaluated in ER and noted to have sinus tachycardia in 140-160's. Given 5mg IV Lopressor which took heart rate down to 110's. Admitted to hospital 12/23/2020.
18-29 years	Dec., 2020	908663-1	Within minutes I had lower chest pain and wired sensation in my lungs. My throat was swelling. I was very hot and red. I the gurney my right arm was tingling. Opposite arm from vaccine.
18-29 years	Dec., 2020	908685-1	throat swelling, SVT

18-29 years	Dec., 2020	908877-1	He was fine ate lunch, in a room with a patient, felt light headed and dizziness, passed out, he became unresponsive, he was hypotensive, he is now in the ER.
18-29 years	Dec., 2020	909379-1	near syncope, hypotension, nausea/vomiting, tachycardia (120-150) within 5 minutes of administration. did not resolve and worsened within 1 hour. Pt went to ER for workups. Received IV benadryl without improvement. Admitted to hospital overnight for continuous cardiac monitoring. Improved overnight and discharged in the afternoon 12/24/20.
18-29 years	Dec., 2020	909481-1	O had the vaccine at 9 am this morning waited 15 mins after vaccine before leaving while driving I had a pounding heart rate and hot I rolled down the window felt better. 1 hour later while at home.e started with nausea diarrhea rapid heart rate headed to medical office while in care tongue swelled I called 911 pulled over when the ambulance got to me my throat swelled and I had hives on chest they took me emergency while there I had sever pounding heart and vomiting treated with meds sent home with medication and benadryl
18-29 years	Dec., 2020	909490-1	The patient developed palpitations, lightheadedness and nausea and came to the ED and was found to have sinus tachycardia. Unclear if it is a vaccine reaction or due to anxiety or severe iron deficiency anemia.
18-29 years	Dec., 2020	909778-1	8:27 Hives, itching all over chest and on tongue, tongue swelling, slight difficulty swallowing. 8:30 epi administered/ benedryl 8:32 pseudo seizures begin off and on till the 27th
18-29 years	Dec., 2020	910304-1	Anaphylaxis; feeling faint; fast heart rate; Throat was closing; This is a spontaneous report from a contactable consumer (patient). A 26-year-old female patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in left leg on 19Dec2020 12:15 at single dose for COVID-19 immunization. The patient medical history was not reported. No other vaccine administered in four weeks. There were no concomitant medications. No Covid prior vaccination. No Covid tested post vaccination. The patient previously took ampicillin and experienced allergy. The patient experienced anaphylaxis, throat was closing, fast heart rate and feeling faint on 19Dec2020 12:30. Resulted in emergency room/department or urgent care. Epinephrine, steroid, and Benadryl were administered as treatment. The outcome of events was recovering. Information on the lot/batch number has been requested.
18-29 years	Dec., 2020	910316-1	TTP; This is a spontaneous report from a non-contactable pharmacist. A 22-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), intramuscular on 17Dec2020 as a single dose for COVID-19 immunization. The patient did not have any known relevant medical history. The patient had no allergies to medications, food or other products. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient's concomitant medications were not reported. It was unknown if the patient received any other vaccines within four weeks prior to the vaccination. On 21Dec2020, the patient experienced thrombotic thrombocytopenic purpura (TTP); which was serious for hospitalization. The clinical course was as follows: The patient went to the emergency room/urgent care and was admitted in the early morning of 21Dec2020 due to TTP. Work-up was ongoing with no known results. On 21Dec2020, the patient also had a COVID-19 test which was negative. The patient was treated with unspecified corticosteroids and platelets. The clinical outcome of the TTP was unknown. The reporter assessed that it was unknown if the TTP was related to the vaccination. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.; Sender's Comments: Current limited information does not allow a full medically meaningful assessment, especially lack of medical history, concomitant medications, concurrent illness and diagnostic workups such as coagulation test, Combs test, bacterial/virologic/immunological biomarkers to identify the etiology. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
18-29 years	Dec., 2020	910575-1	I started to have throat and chest tightness within 25 minutes of receiving the vaccine. I went to the ER and received epinephrine, solu-medrol, famotidine, and benadryl.; I started to have throat and chest tightness within 25 minutes of receiving the vaccine. I went to the ER and received epinephrine, solu-medrol, famotidine, and benadryl.; Feverish; This is a spontaneous report from a contactable nurse (patient). A 26-year-old female patient received the first single dose of BNT162B2 (Lot number: EK5730, exp date not reported), via an unspecified route of administration (anatomical location: arm right) on 20Dec2020 16:00 (4:00 pm) for immunization. Medical history included birth control. The patient had no known allergies and no other medical history. Concomitant medication included ethinylestradiol, norgestimate (PREVIFEM) started 2 months ago (Oct2020) and still taking (ongoing) for birth control within two weeks of vaccine administration. The most recent dose was taken the morning of vaccination around 8 Am, got vaccine around 4. The patient had not received other vaccine within four weeks. The patient was administered vaccine in the hospital. Patient started to have throat and chest tightness within 25 minutes of receiving the vaccine (reported as 20Dec2020 at 16:30 [4:30 pm]). Patient went to the ER and received epinephrine, methylprednisolone sodium succinate (SOLUMEDROL), famotidine, and diphenhydramine hydrochloride (BENADRYL). The patient was also under observation due to the adverse events. Patient further stated that she felt like throat was tight, but not significantly swollen; and had chest tightness. Patient was feverish the day before reporting (20Dec2020) but was better on the day of reporting. She was not sure if it would have gotten worse if she had not received treatment. She never had an allergic reaction before and reaction after vaccine was within 25 minutes. The patient did not have COVID prior/post vaccination. The patient recovered from

			throat and chest tightness on an unspecified date in Dec2020. The outcome of feverish was recovering. The patient considered reasonable possibility that the events was related to suspect product.; Sender's Comments: The reported events throat and chest tightness with fever were probably related to the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), due to temporal relationship. This case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics committees and Investigators, as appropriate.
18-29 years	Dec., 2020	910630-1	the individual has had seizures that have lasted aprx 3 days; anaphylactic reaction; This is a spontaneous report from a contactable pharmacist. A 19-year-old male patient received BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot/batch number and expiry date unknown), via an unspecified route of administration on 19Dec2020 at single dose for covid-19 immunization. The patient medical history and concomitant medications were not reported. The patient received the vaccine on 19Dec2020. 12-15 mins after receiving the vaccine, the individual has had seizures that have lasted approximately 3 days, has had multiple seizures since then. The patient was taken to the Emergency department, given epipen (Epi pen), was without symptoms for 24 hours at some point, during the 3 day time period and as of 22Dec2020, the patient was continuing to have seizures. The patient started having issues again on 21Dec2020 and 22Dec2020 (yesterday and today). He had more issues with seizures last night on 21Dec2020 and had seizures this morning. The individual also had an anaphylactic reaction in Dec2020 but didn't not elaborate on this. The reporter was wondering if he can get information that this has happened before and wanted information on reversing the situation because the doctors need help. Outcome of the event seizures was not recovered, of other event was unknown. Information on the Batch/Lot number has been requested.; Sender's Comments: A causal association between BNT162B2 and the events seizures and anaphylactic reaction cannot be excluded based on compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.
18-29 years	Dec., 2020	910639-1	Bell's palsy/facial paralysis; This is a spontaneous report from a contactable other Health Professional (patient). A 28-years-old female patient received first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot/ batch number: 33121, brand: EJ1685), via an unspecified route of administration at left arm on 18Dec2020 09:30 at single dose for covid-19 immunization at hospital. Medical history included anxiety, depression, diagnosed COVID-19 prior vaccination. No known allergies. Concomitant medication included fluoxetine hydrochloride (PROZAC) in two weeks. No other vaccine in four weeks. The patient experienced bell's palsy/facial paralysis on 21Dec2020 19:00 with outcome of not recovered. The seriousness was reported as no. The adverse event result in doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care. The treatment received for the adverse event was reported as unknown.; Sender's Comments: Based on available information, a possible contributory role of the subject vaccine cannot be excluded for the reported event of Bell's palsy due to temporal relationship. However, the reported event may possibly represent intercurrent medical condition in this patient. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
18-29 years	Unknown Date	905170-1	sx: itching treatment: Benadryl, pepcid & solumedrol.
18-29 years	Unknown Date	907708-1	employee received vaccine at 1525 1535 noted lightheadedness & shaky feeling. Hx of vasovagal responses to injections & blood draws. Denies SOB, difficulty swallowing, nausea (+) hand/fingers tingling - VS- tachycardia to 120, O2 sat 97% became syncopal to ED
30-39 years	Dec., 2020	902557-1	1750- IM injection ot R Deltoid. She was sitting, and felt short of breath without wheeze or tightness in the chest or throat. She stood up, and then felt tunneling. Assisted to chair and floor. Pulse weak, skin flushed, sweating on torso. Face and Neck remained flushed and red. She refused epi at first. So we gave her benedryll 25 mg po with apple juice. She said she just had a big meal 30 min prior, but we checked her blood sugar- it was 85. 10 min after the first SOB feeling, it returned. BP was recorded as 160/100.
30-39 years	Dec., 2020	902746-1	Following first dose, patient became hypotensive, pale, and diaphoretic. Denies syncope. Patient went to nearby emergency department at Hospital. Was monitored for several hours and was discharged in stable condition.
30-39 years	Dec., 2020	902794-1	""Pfizer-BioNTech COVID-19 Vaccine EUA"": Acute onset of tongue swelling, throat tightness, and diffuse erythema approximately 5 minutes after receiving COVID-19 vaccine. Patient transferred to emergency department. Patient treated with Epinephrine 0.3 mg IM X1 dose, Dexamethasone 10 mg IV x1 dose, Diphenhydramine 25 mg IV x1 dose. Patient discharged same day with resolution of symptoms."

30-39 years	Dec., 2020	902811-1	Associate received vaccine at 12:15 pm and was monitored for 15 minutes. After 15 minutes, associate went to check out table. While at check out table, associate fell to ground and was experiencing seizure like activity. Supportive treatment was administered and associate was transferred to ED.
30-39 years	Dec., 2020	902925-1	02:45 PM walking , dizzy, rapid heart rate, mild chest pain. Directed to ER in hospital, CT Chest -- normal, EKG -- normal, Lab test-- normal. Xray Chest results -- basilar atelectasis, Hyperinflation of lungs. Blood pressure 171/109. No treatment given in ER -- f/u with PCP 12/18/20. 08:00PM nausea, headache, vomit 1x. 10:00PM fever 104.00; Tylenol extra strength dose. 12/17/20 6:00am temp 99.00, Tylenol dose extra strength; body aches, fatigue, mild headache.
30-39 years	Dec., 2020	902931-1	"After receiving the injection the patient stated ""my throat feels funny, similar to how it has felt in the past when I have had a reaction."" Pt. transferred from the vaccine clinic location to ED."
30-39 years	Dec., 2020	902949-1	"While waiting the 15 minute after vaccination the Patient noticed a ""tingling"" feeling in throat about 5 minutes after vaccine was given. Time: 0930 - Oxygen Saturation was 98% Pulse Rate 100. Patient stated that the feeling went away and then came back. Time: 0938 - Again vital signs were taken BP 156/88 Oxygen Saturation 100% Pulse Rate 83. Time: 0942 - 50 mg of Benadryl PO were given with water at this time. Patient was taken to ER for evaluation."
30-39 years	Dec., 2020	902995-1	pt developed chills, nausea and vomiting. Reports > 10 episodes of vomiting total. Went to lunch and continued to have chills and vomiting. Also developed chest pain - described as burning and heaviness. Denies any shortness of breath. CT negative for any changes. Chest X ray normal.
30-39 years	Dec., 2020	903123-1	About 5 minutes after the vaccine developed chest tightness, increased work of breathing, palpitations and severe dizziness. Transferred to the ED where i received oxygen, IV benadryl, IV fluids and monitoring. Released after about 4 hours and continue to take benadryl 50 mg PO q 4 hours. Also developed red facial rash (unknown time) Pain at injection site began the morning after the injection.
30-39 years	Dec., 2020	903134-1	At 24 minutes after vaccination, pt experienced chest tightness, shortness of breath, cough, flushing, and rash on chest and neck.
30-39 years	Dec., 2020	903217-1	COVID vaccine administered to patient. She began to have lightheadedness and dizziness. She disclosed she had not yet eaten for the day, except for a glass of milk. Writer brought her to an exam table and had her lay down. After 5-10 minutes, she was given a banana and two small apple juice boxes. She then laid back down. After another 5 minutes, she complained of headache and slight phlegm development in her throat. Dr. was called to evaluate- after an assessment, she asked for a BP. Writer completed the vitals and found her BP was 113/77. 5 more minutes passed. Dr. advised that since her situation was not improving and headache and phlegm appeared to be getting worse, patient should receive epi and go to the hospital. Writer administered 0.3mg/0.3mL of epi and drove patient to the Emergency Department of Hospital. She was there for about two hours before being discharged. Symptoms largely resolved by the evening.
30-39 years	Dec., 2020	903228-1	Patient experiences palpitations, dizziness, and hypertension within 10 minutes of receiving the vaccine.
30-39 years	Dec., 2020	903240-1	"1658 Patient reports feeling lightheaded after receiving COVID vaccine. VS obtained, BP & HR are elevated. 1700 PA called 1702 PA arrived Patient remains lightheaded with some palpitations but denies any trouble breathing. 1711 VS are improving 1716 Patient states she starts feeling better but then gets a new wave of lightheadedness with ""fogginess"". Monitoring continued. 1741 Patient starting to feel ""extra lightheaded"" 1742 Benadryl given per PA 1748 Patient verbalized a headache 1818 Medic called because BP & HR have not improved after 1 hour of monitoring. 1825 Medic team transported patient to the ER"
30-39 years	Dec., 2020	903281-1	Palpitations, shortness of breath, lump in throat
30-39 years	Dec., 2020	903283-1	6 minutes after receiving the vaccine I became lightheaded. I was the worst for about 1-2 hours after the vaccine but then symptoms improved some. 11 hours later I am still mildly lightheaded.
30-39 years	Dec., 2020	903289-1	Warm flushing feeling within about 10-15 seconds of injection, as well as metallic taste in mouth. Repeated on an off for the next hour. Taken to ED of hospital. Noted right arm mild rash distal to injection site and on chest, mild to moderate nausea.. IV Bendadryl 50mg given, IV Solumedrol 125mg, IV Pepcid, IV Zofran. Discharged home with PO prednisone x 4 days. PO Pepcid and Benadryl PRN
30-39 years	Dec., 2020	903318-1	10:00 am received vaccine @ medical center right side of mouth felt strange on the way home. 13:00 pm right side of mouth continued to feel strange. Looked in mirror and noticed uneven smile, right side of mouth drooping. 13:35 pm messaged my primary care MD. And called Nurse triage. 14:00 pm Nurse triage advised me to go the emergency room ASAP. 15:00 pm @ Emergency room. Stroke code called, labs, CT, MRI completed. Diagnosis Bell's palsy. Went home with steroid and anti-viral. Symptoms are improving.
30-39 years	Dec., 2020	903321-1	tachycardia, HR up to 130s 1 hour after vaccination. Tachycardia while sitting down. Lightheadedness. Tachycardia improved but still 100-118 while at rest for hours
30-39 years	Dec., 2020	903322-1	SOB, tingling
30-39 years			40 min after injection my throat and tongue started to feel weird and tight, pharmacy at my work hospital gave me 25 mg Benadryl and 650mg Tylenol. At about 1 hr 45 min after injection my throat

years	Dec., 2020	903324-1	got to the point of so swollen and itchy I couldn't swallow. I went to nearest emergency room hospital they administered decadron orally, Pepcid P.O., and Toradol via IM.
30-39 years	Dec., 2020	903338-1	5-10 minutes after vaccination, vasovagal syncope: pallor, diaphoresis, dizziness, tunnel vision, nausea, weakness, tingling in arms/legs, BP 103/69
30-39 years	Dec., 2020	903382-1	About 5-10 minutes the vaccine I began to get tingling and a itchiness in the back of my throat , notified personnel and vitals were checked and stable. The tingling and numbing sensation away and came back and benedryl was given. The symptoms came in waves of about ever 2-3 minutes so I was transported to ER and somumedrol was given was monitor for 1-1.5 hrs and the numbness and tingling sensation continued for about an 1-2 hours and finally subsided and was released to go home
30-39 years	Dec., 2020	903413-1	On 12/16/2020, approximately two hours after administration of Pfizer BioNTech Covid-19 vaccine, patient developed SOB and chest pain. Patient reported to ED where she was given fluids, diphenhydramine, ipratropium/albuterol nebulizer treatment, magnesium, famotidine, and epinephrine. Of note, patient has anaphylactic reaction to corticosteroids. On 12/17/2020, around 3:00 pm the patient reports to the ED at a different facility (one closer to her home) with difficulty breathing and sensation of her airway closing. Patient again was given epinephrine, fluids, ipratropium/albuterol nebulizer, diphenhydramine, famotidine, and was also given a dose of lorazepam. The patient now has stated that she had an anaphylactic reaction to a prior flu vaccine, however this was not listed as an allergy prior to administration of the Pfizer BioNTech Covid-19 Vaccine.
30-39 years	Dec., 2020	903420-1	NAUSEA AND VOMITING
30-39 years	Dec., 2020	903473-1	ITCHING AND REDNESS ON INJECTION SITE, NEXT DAY GENERALIZED ITCHING. DIARRHEA.
30-39 years	Dec., 2020	903530-1	Additional to the symptoms previously reported I woke up with headache and thighs feeling heavy. Those are the remaining symptoms, the previous ones reported have subsided
30-39 years	Dec., 2020	903532-1	on 12/16 i was given the vaccine at noon and finished my day as usual, I had a beer before bed and fell asleep at 9pm, at about 1am on 12/17/2020 I woke up with severe chest pain like something was crushing me, like a car being crush it felt like. I went to the ER at 3am and I was told I had a severe reaction to the vaccine. I had a weird taste in my mouth, cough, watery eyes, pain in all limbs, jaw pain and neck pain. I am going to get tested today 12/18/2020 for covid
30-39 years	Dec., 2020	903592-1	Not all or limited to: anaphylactic reaction: Feeling lump in throat, tongue feeling funny with numbness, feeling of hard to swallow, throat tightness, shortness of breath, tachycardia, tachypnea, pressure, tingling, and numbness from head to toe, dizziness/lightheadedness, cough, voice changes.
30-39 years	Dec., 2020	903610-1	Tightness in throat, throat swelling, tachycardia. Treated with epinephrine IM x 1, benadryl, famotidine, methylprednisolone,
30-39 years	Dec., 2020	903682-1	"Within 2 minutes after injection, patient started to feel very hot and with increased heart rate. Pt states that she feels ""tingly"" and is tearful. Pt denies difficulty breathing. Patient then started to have a red blotchy rash on her neck and chest. No redness at injection site. Pt brought to Emergency room for evaluation/observation. Pt able to talk in full sentences. Pt states that she has a history of anxiety and has gone into SVT because of anxiety in the past. Pt received steroids in ER."
30-39 years	Dec., 2020	903686-1	"Patient reported being nervous about getting her vaccine. Denied any current medical issues on her pre-vaccination questionnaire. During her observation period. Patient stated that she felt her ""throat was closing"". Pt assisted supine. Epinephrine and Benadryl given IM. Emergency protocol implemented. Dr. present. No hives, wheezing, or swelling noted. After treatment pt stated she is getting worked up for WPW syndrome. VS stable. Pt transferred to ED for monitoring 1040."
30-39 years	Dec., 2020	903717-1	Vomiting, lightheadedness, floating feeling, nausea, tachycardia within 15 minutes of vaccination
30-39 years	Dec., 2020	903718-1	Vomiting, lightheadedness, floating feeling, nausea, tachycardia within 15 minutes of vaccination
30-39 years	Dec., 2020	903729-1	severe flushing and complaint of hot ears. tachycardia on monitor
30-39 years	Dec., 2020	903730-1	Flushing, hot flashes, elevated heart rate and high BP (never have a problem with that), Evaluated at the ER and received Benadryl immediately. After coming home (discharged around 1:30), felt fatigued and started with a mild headache. Also joint pain in my hips and my knees. Woke up this morning pretty fatigued and with headache feeling better this afternoon. Still have a mild headache.
30-39 years	Dec., 2020	903756-1	diffuse itching immediately after injection
30-39 years	Dec., 2020	903758-1	Itchy all over body.
30-39 years	Dec., 2020	903760-1	Body pruritus, generalized, diarrhea Treatment: Benadryl 50mg Solumedrol 125mg Pepcid 20 mg
30-39 years	Dec., 2020	903766-1	Angioedema

years			
30-39 years	Dec., 2020	903775-1	I initially had to sit down for about 15 min and felt my mouth dry, my tongue was kind of tingling, not swollen. I was checked for anaphylactic shock. I felt like an adrenaline shock, and felt my heart racing, my BP was high - stayed in the ER for an hour for observation. I felt the same kind of sensation when I had COVID in July. This morning, had chills early in the morning around 1AM but it is all gone now.
30-39 years	Dec., 2020	903788-1	Individual started to feel light headed, tongue felt numb, felt hot. Skin had some light-red blotches around collar-bone.
30-39 years	Dec., 2020	903815-1	Dizziness, nausea, dry mouth; felt hot; later developed chest tightness sour taste in mouth; rapid heart rate; tingling on same arm vaccinated (L arm) some numbness in same arm L arm; felt shaky for 15 min; Blood pressure elevated
30-39 years	Dec., 2020	903832-1	Patient received injection at 14:05 at 14:12 he reported not feeling well. Patient was diaphoretic, clammy, pale, described the inability to see, had difficulty following commands. Patient transferred to gurney with max assist and transferred to E.R. Patient symptoms resolving during transport. Left patient in E. R. care at 14:15.
30-39 years	Dec., 2020	903841-1	Moderate left arm pain throughout the whole arm, feeling cold in the arm. The patient has normal pulses, normal motor and sensory function.
30-39 years	Dec., 2020	903855-1	Patient experienced redness, itching at the injection site with tingling through fingertips within about 10 minutes of receiving injection.
30-39 years	Dec., 2020	903864-1	carpedal spasm of both hands immediately following receipt of vaccine
30-39 years	Dec., 2020	903866-1	"Patient recieved first dose of covid-19 Vaccination on 12/18/20 at 11:49 am. Went into observing area and at 11:54 felt hot flush that moved upwards from chest to top of head. Vital signs taken 98.9, p117, bp 172/95, 100% oxygenation per pulse ox. Repeated blood pressures 128/84. Patient states that she is always in 90's systolically and 60's diastolically. The whole time patient stated that she had a ""cold"" feeling throughout the chest area. Pulse fluctuated from high 80's to low 100's, Patient stated she also had a "" lump in her throat"". Decision was made to transport her to the ED via Wheelchair where she was assessed and dx of Adverse reaction to the covid vaccine. EKG, CBC, BMP, Troponin 1 with high sensitivity done as well as a chest Xray. All tests within normal range and patient discharged home with orders to follow up with primary care physician as soon as possible."
30-39 years	Dec., 2020	903868-1	About 5 minutes after receiving the vaccine, recipient reported tightness in the arm he received the vaccine. Five minutes later reported feeling light headed and tightness in his throat. Blood pressure taken--142/80 with 102 pulse. Reports no difficulty with breathing. Respirations easy and nonlabored. SaO2 99%. After reporting to healthcare provider, instructed to give Benadryl and call 911. Vital signs @ 3:30pm 139/81 with 79 pulse, temp 97.6 SaO2 100% Paramedics arrived at 3:35pm Recipient refused transport. Agreed to be escorted to ER via shuttle. Arrived at ER @ 3:53pm
30-39 years	Dec., 2020	903876-1	Within half hour of receiving COVID vaccine, patient developed headache, then began feeling lightheaded and began pale. Attempted to lay down, upon standing felt lightheaded and noted some numbness around her lips, arms, and legs. Symptoms include faintness, near syncope, and numbness. After about 10-15 minutes of not feeling well, patient was escorted to the Emergency Room. Patient received fluids and was discharged home. Patient reports at 5pm that she continues to have slight headache and arm soreness with no further near syncopal episodes.
30-39 years	Dec., 2020	903886-1	Patient presented with hives to upper extremities approximately 2 hours after receiving the vaccine.
30-39 years	Dec., 2020	903894-1	diaphoresis, rigors, chest pain, slight sob.
30-39 years	Dec., 2020	903909-1	Patient c/o throat tightness 16:02 T 98.2 BP 145/95 99% room air HR 76 16:08 BP 145/96 HR 73 99 % room air Patient was given Epinephrine 0.3 IM in left deltoid. Patient AAO x3, talking. Transported to ER for closer observation.
30-39 years	Dec., 2020	903916-1	Individual started complaining of an itch in her throat and felt some degree of lymph node swelling on the right side. Collective symptoms include: anxiety, flushing, short term paresthesia, right sided facial swelling, difficulty swallowing, right sided facial droop, medicinal taste. some slurring. Individual was taken to the ed in house, triaged, treated and released. Reporter is not privileged to details of treatment, but aware of release within hours of being seen.
30-39 years	Dec., 2020	903922-1	Patient complaint of rash,hives,difficulty breathing and swallowing, wheezing, throat tightness, hoarseness, itching and feeling light headed less than 10 minutes after receiving the vaccine. Patient received Benadryl 50mg IVP, Pepcid 20mg IVP, 0.3mg epi IM. EMS arrived and transported patient to ED. In ED, patient received second dose of 0.3mg epi IM. Patient monitored in ED for approximately 4 hours. Epi drip started and plan to admit patient for observation.
30-39 years	Dec., 2020	903927-1	Described numbness to left side of face, inside of mouth and leg and arm. Arm and leg numbness quickly dissipated but left facial numbness continued.
30-39 years	Dec., 2020	903936-1	Lightheadedness, nausea, dry heaves and lump in throat
30-39 years	Dec., 2020	903941-1	21 hours post injection patient feeling body aches, arm soreness at injection, headache, and short of breath with exertion

30-39 years	Dec., 2020	903961-1	Within 5 minutes of receipt of vaccine, reddened ears and reddened blotches on chest appeared. No worsening after 10-15 minutes, but after 20 minutes appeared to worsen, and transport to ED via wheelchair initiated. Pt treated in ED with epinephrine, solumedrol, Benadryl, famotidine and 1 liter of 0.9% Normal Saline IV on arrival time to ED.
30-39 years	Dec., 2020	903977-1	Had numbness and tingling in the upper extremities ,associated w/dizziness .
30-39 years	Dec., 2020	903986-1	flushing, nausea, vomiting, diarrhea, chest tightness. Gradually improving over subsequent 30min. Treated in ED with 1 liter IV fluid, ondansetron 4mg, acetaminophen 1000mg.
30-39 years	Dec., 2020	903989-1	Perioral numbness and anxiousness starting 11 minutes after administration and terminating approximately 1 hour later soon after presenting to the emergency department.
30-39 years	Dec., 2020	903991-1	unexplainable taste in mouth and burning in her nose.
30-39 years	Dec., 2020	903992-1	4hrs after receiving the vaccine. Right arm was swelling, red rash/flushing skin present on arm, neck, abd, and chest. Delayed cap refill on right hand with cold extremities, pallor and purple dusky discoloration. Treatment was 50mg prednisone PO, Benadryl 50mg PO around 1630 At 1700 checked in as a patient to ED and clocked out as staff. Severe chills and muscle ache present no fever. Received 1L NS, IV Pepcid, IV Benadryl 50mg. Unsure of time d/t feeling fatigued Observed in ED till 1920, chills and redness resolved. Left with only localized swelling and slight redness to site. Was instructed to take several more days of prednisone.
30-39 years	Dec., 2020	904003-1	"The employee received 1st Covid Vaccine today at 1804 1834: Patient complained of a ""severe headache and suddenly not feeling well"". She told staff she hadn't eaten recently and was given crackers and 120ml of orange juice. 1845: Patient was assisted from the chair to a wheel chair and moved her to a cot in the back of the conference center. Her vital signs were stable at T-96.9F-HR-87 RR-20 BP: 145/78. She was responsive to questions, but had trouble opening her eyes. She did complain of feeling very cold and blankets were placed on the patient. 1905: Vitals remain stable. Patient was only responsive with direction. She was flushed in the face for a short duration, 3-5 minutes. She denied shortness of breath or trouble breathing. Notified patient's husband she was going to be transferred by EMT to Hospital for further evaluation. 2300-Spoke to patient and husband. Patient was discharged home in stable"
30-39 years	Dec., 2020	904018-1	Injection site IMMEDIATELY felt hot, felt flushed from chest up to face, felt throat tightness, got tachypneic, tachycardic and lightheaded/weak. Throat tightness diminished after less than 30 seconds. I was immediately attended to. Was hypertensive 160/110's, pulse 140's, SPO2 100%. Less than five minutes later I developed uncontrollable generalized intermittent rigors. I was given IM Benadryl at that time. I was transferred to ED approximately 10min after initial reaction. Throat tightness came back again while in ED, EpiPen administered. PO Famotidine and 1L IV fluids given. Rigors diminished but lasted approximately two hours. I was observed in ED for four hours, felt well, VSS, was discharged home. Once home approximately six hrs post inoculation I developed more intense throat tightness, radiating to right jaw, no difficulty breathing. It resolved on its own in less than five minutes. Developed a mild headache the next day.
30-39 years	Dec., 2020	904026-1	left side chest pain, warm feeling on the inside, dizziness, feeling that she couldn't stand up without getting lightheaded, nausea. Gave patient a bottle of water and a chocolate bar. Sent to ED FROM ED NOTE: She states about 10 minutes after the injection she felt a warm feeling. A bit of nausea. She had a little chest tightness. She describes this as similar to IV contrast studies. This is resolving. She denies trouble breathing. Did have a little chest tightness on this persist. On the monitor patient has pulse ox of 100%. Respiratory rate of 18.
30-39 years	Dec., 2020	904029-1	15 minutes after getting the vaccine began itching that quickly developed into rash/hives to face, neck, chest, abdomen. At 20 minutes post vaccine developed severe leg weakness with lightheadedness, chest tightness, and SOB. 22 minutes out collapsed to the floor unable to bear weight due to leg weakness and had severe cramping and tingling in legs, still unable to move them. Was rushed to the ER from employee health and arrived approximately 30 minutes post vaccine administration at that time there was significant mottling to arms and hands with polar nail beds. Vital signs were stable, no strider. Given Solumedrol, Benadryl, and Pepcid STAT. Rash/hives and SOB improved, but legs weakness/tingling, cramping did not and noted purple feet with cyanotic nail beds and mottling to hands/ arms that would come and go. Rash/hives reappeared much worse 2 horse post meds to face, neck, and upper chest. Was given another series of Solumedrol and Benadryl and admitted to the hospital. I am now 19 hours post vaccine with improved but persistent leg weakness, now able to bear my own weight independently and walk a few steps, but still having legs cramps and intermittent tingling to feet. Color has improved with resolved mottling/cyanosis. I continue to have hives reappear with scheduled Benadryl, Solumedrol, and Pepcid.
30-39 years	Dec., 2020	904033-1	lightheadedness, elevated BP, hives, wheezing, hot flashes, pressure on chest
30-39 years	Dec., 2020	904062-1	The evening of 12/17/2020 pain started in the left deltoid. Over night the muscles in the left arm contracted and would no release, a hematoma developed, and constant pain was through the entire left arm. The morning of 12/18/2020 the muscle contractions and hematoma were still present and tachycardia and fatigue developed. Highest heart rate at that time was 147 with a blood pressure of 148/82. Was a pt. in the ED and received benadry, dexamethasone, and pepcid. Swelling and muscle contraction subsided and heart rate was stable in the 100's. Later in the evening tachycardia and fatigue started again with the highest heart rate being 210 (when resolved nearly immediately

			with rest). Heart rate was 110-130 until I went to bed. Heart rate waking up this AM was 110bpm. Injection sight is slightly painful.
30-39 years	Dec., 2020	904066-1	I had fever 101.5 body ache chills malaise and fatigue they were all moderate, I could not work and that lasted 24 hours post vaccine and continued to 48 hours and got better and after 48 hours I just had a headache, fever and chills improved I just had a worse headache and I did a virtual urgent care visit on 12/18/2020 and didn't prescribe anything. I refused to take any medication. 12/19/2020 right now I have a moderate headache . I don't have fever anymore and can function.
30-39 years	Dec., 2020	904072-1	Chest Tightness and shortness of breath
30-39 years	Dec., 2020	904074-1	Patient had tingling sensation to her right arm and right arm heaviness and dizziness that started approximately 1-2 minutes after receiving vaccine. She was also dizzy so sent to ER. She was given juice and monitored in the ER. Sensations come and go in different areas of the right arm. The lightheadedness resolved after a couple of hours in the ER. She was told to rest, increase fluid intake, alternate Tylenol & Motrin every 4-6 hours as needed for pain control and follow up with her PCP in 1 day.
30-39 years	Dec., 2020	904084-1	Chest pain, dizziness, headache. Received fluid and pain meds via IV at Hospital ER. Not admitted.
30-39 years	Dec., 2020	904097-1	Tingling/numbness of lips, tongue and Area surrounding mouth 15 minutes after injection. Swelling of right upper lip Confirmed in car mirror at 20 minutes. Returned to employee clinic and was evaluated by MD, escorted to ER. Was giving Benadryl and 2 hours later was given prednisone 40mg. Was sent home with 3 day course of prednisone and was told to take Benadryl before bed and prn.
30-39 years	Dec., 2020	904105-1	Patient is a CCU nurse who received the COVID19 Pfizer vaccine on 12/17/20. The following day she reported to work and that afternoon at 3:50pm had nausea, vomited x1, pale, tachy. Fellow coworkers provided basic care and then transported patient to ED when symptoms persisted. Patient evaluated in ED and later sent home.
30-39 years	Dec., 2020	904161-1	"stated she felt ""hot, dizzy, tingling to face"" HR 84, BP 129/84, O2 Sat 97% RA, temp 100.4. Taken to ER for observation."
30-39 years	Dec., 2020	904162-1	I received my vaccine at 1615 down in our hospitals clinic, I work as a floor nurse, I returned back to my unit to resume work, I walked in to talk to my charge nurse and felt completely fine within a minute or to (approximately 15 minutes since the vaccine was given) my legs felt like very weak, they became tingly and extremely heavy, my face and chest felt warm and I had to sit down to drink water. The nurses working with me that day took my vital signs, my blood pressure was 157/101, heart rate 80-90s and temp was 97.5F. I notified the pharmacist working on our floor about my symptoms and he directed me toward the infection control line, the pharmacist on the phone directed me to go to the emergency department. When I was admitted to the emergency department via wheelchair, the pharmacist met me there along with the Emergency medicine MD, a neurological exam was done and general assessment. While I was in the ER my heart was monitored, my CBC with diff, Mag and BMP was monitored all of which were normal. I was given a 1L bolus of IV LR through an IV in my left antecubital. Gradually the tingling wore off over a few hours in my legs bilaterally however they still felt very heavy. I was admitted from approximately 1645 until approximately 1900 and returned home.
30-39 years	Dec., 2020	904176-1	Redness; Hives; elevated HR and BP
30-39 years	Dec., 2020	904177-1	Minutes after the vaccine, developed perioral numbness, tingling, mild difficulty swallowing. Complained of SOB and had marked diaphoresis. BP dropped to 87/50. Maintained sats 100%RA, lungs were clear. Has a hx of a vagal response after blood donation
30-39 years	Dec., 2020	904210-1	Anaphylaxis within 15 minutes of administration
30-39 years	Dec., 2020	904246-1	"Patient reported feeling sensation of ""warmth"" around 5 minutes post immunization. á Patient was escorted to waiting area and sat in seat within range of nurse site line. á RN later sat with patient 5 minutes later as she continued to have feeling of ""warmth"" / flushing. Patient given water and moved closer to nurse area. á Patient then shortly after c/o light headedness and now feeling cool. Remains alert / oriented. á BP: 142/80 HR: 127 RR: 20 SPO2: 100% á ICC called. Medic and Dr arrived for patient handoff. RN escorted patient to ICC with Medic and MD following. á Patient to finish visit in ICC for final dispo."
30-39 years	Dec., 2020	904278-1	Tingling of tongue, tickle in throat Benadryl 50 mg IM given Patient taken to ED
30-39 years	Dec., 2020	904279-1	Patient began reporting a feeling of light-headedness 5-10 minutes after injection. Also reported nausea and feeling clammy, as well as numbness and tingling of both her arms. She laid on the ground in reverse trendelenberg position with some improvement in symptoms, but upon sitting upright, symptoms returned. Patient was transported to the ED for 1 L NS IV bolus with improvement of symptoms and discharge.
30-39 years	Dec., 2020	904349-1	acute, mild pancreatitis, associated with symptoms associated with Nausea and vomiting and abdominal pain. Patient's symptoms started 1 day after her vaccination.
			"Patient screened prior to vaccination for previous history of allergic reaction to other vaccine or

30-39 years	Dec., 2020	904373-1	injectable medication. Patient confirmed past history of ""numbness of lips and tongue"" secondary to iodinated contrast media. Patient was counseled and instructed to wait 30 minute observation period following vaccination. Following the injection, within 15 minutes the patient reported feeling flushed and heart was racing and felt that their throat was closing. Patient was triaged in the vaccine observation area with HR in 120's and BP of 182/60. Upon evaluation by the hospital's rapid response team she was administered 12.5 mg IM diphenhydramine and transferred to our ED for further evaluation. Upon evaluation by ED provider no additional treatments were administered and her symptoms abated. She was discharged home in stable condition without any further complications as those noted above."
30-39 years	Dec., 2020	904390-1	Patient became lightheaded. Felt palpitations. No shortness of breath.
30-39 years	Dec., 2020	904398-1	Anaphylaxis type reaction, stridor, treated with O2, epi pen, moved to hospital's ED
30-39 years	Dec., 2020	904404-1	Patient states my lip feels like it is swelling, patient lower lip with swelling noted. Patient assisted to Emergency Dept via W/C O2 sat 99%, B/P 150/88, HR 99
30-39 years	Dec., 2020	904418-1	Initially started as numbness of the lips, then progressed to angioedema (swelling of the lips) with face itchiness. Then progressed to throat tightening and swelling feeling, consistent with anaphylaxis.
30-39 years	Dec., 2020	904424-1	Patient stated he didn't feel well after receiving vaccine. Patient stated his throat felt funny, BP 186/94, HR: 117, O2 99%. Patient went to ED for further evaluation.
30-39 years	Dec., 2020	904444-1	Received 1st dose of Pfizer vaccine on Left Arm at 1630 on 12/18/20. Within 8 minutes of receiving vaccine, tongue experienced numbness and tingling. At 9 minutes post administration, symptoms intensified. And at 10 minutes post administration throat was scratchy was a tickle. At 12 minutes post administration notified Pharmacy and Employee Health Workers. By approximately 1650, health care professional administered Benadryl 50 mg IM to Right Arm. Observed. Symptoms decreased but then intensified to include numbness and tingling in lips. Transferred to Emergency Department for observation. Received dexamethasone 10 mg IM to Right Arm at 1915 due to symptoms not resolving. Discharged from ED with prednisone course. Discharge diagnosis Angioedema. Symptoms decreased approximately 6 hours post administration of vaccine. On 12/19/20 at approximately 1425, experienced tightness of throat, with numbness and tingling of tongue and lips. Took over the counter Benadryl 50 mg p.o. at 1440. By 1520, symptoms intensified with hoarseness in voice with coughing spells. Returned to Emergency Department for observation. Noted to have rash on chest in ED. Received Pepcid 20 mg in ED. Discharged with instructions to take Benadryl 50 mg p.o. every 6 hours, famotidine 20 mg p.o. twice daily, continue taking prednisone, and received prescription for epinephrine auto injector. Emergency room physician wrote to return to work on 12/22/2020 with follow up with Employee Health on 12/21/2020.
30-39 years	Dec., 2020	904475-1	Felt flush and throat started to get scratchy and started to get tighter and was having difficulty swallowing about 4 minutes after vaccination. Continued to get more flush and laid down. Rapid response was called and taken to the emergency room.
30-39 years	Dec., 2020	904485-1	Sensation of tightening in throat and sensation of difficulty swallowing. No rash. No dyspnea. No stridor/wheezing. Vital signs unremarkable. Suspect globus sensation. Plan observation until resolution or progression to anaphylaxis.
30-39 years	Dec., 2020	904488-1	12/17/2020; 1158 am had injection. at 2pm, noticed trunk itching around waist, abdomen, back. No visible rash. mild soreness and redness to injection site on left deltoid. 530/6pm developed SOB, rash is now visible, non raised, very itchy trunk. Took 10 mg Zyrtec. Went to ER nausea, vomiting, moderate to severe abdominal pain, flared angina and chest pain with the shortness of breath. ER; DR. CONTINUED WITH BENADRYL 50MG 4-6 HOURS, DUE TO ONGOING ITCHING. FAMOTIDINE 20 MG 2X/DAILY Had flu shot between 09-10/2020
30-39 years	Dec., 2020	904497-1	Numbness in face and tongue, feeling of tongue swelling and touching the back of my throat, difficulty swallowing with need for more effort and more swallows. These symptoms started about 45 minutes after the injection and got worse. I went to the urgent care and received Benadryl, Pepcid, and an IM Solu-medrol. The PA said he did not see any edema and I had a patent airway so they monitored me and sent me home with an epi pen in case symptoms worsened. Symptoms started improved approximately 2-3 hours after receiving the medications and the epi pen was not needed.
30-39 years	Dec., 2020	904502-1	Within 10 minutes of receiving vaccine, I experienced shortness of breath, irritation in my throat, felt flushed and was dizzy. I was immediately transported to the emergency room where I received benadryl and was monitored.
30-39 years	Dec., 2020	904519-1	Elevated blood pressure Dizziness and heaviness in legs Went to ER to be monitored and sleep Lasted about 6 hours
30-39 years	Dec., 2020	904546-1	Approximately 10 minutes after the vaccine was administered, reported starting to feel light headed, sweaty and nauseous. Then reported throat was feeling tight and RN on site reported hearing change in breathing. RN administered EpiPen and called 911. EMS responded and transported to ED. ED record shows resolved symptoms. No rash, edema, difficulty breathing. In ED was monitored and discharged. Received no medications or additional treatment in ED.
30-39			Within a few minutes of taking the vaccine, my lower lip began swelling. I was moved to the emergency department of Hospital and monitored and treated for four hours. Then I was released.

years	Dec., 2020	904553-1	At around 1:30 p.m. I felt my skin singling and started having difficulty breathing. Since I was no longer at my work (Hospital) I went to the closest hospital. This reaction was much worse. My husband drove. My heart rate increased. I was released at around 6:30 pm
30-39 years	Dec., 2020	904580-1	Pfizer-BioNTech COVID-19 Vaccine EUA Chest pain starting evening after vaccination and continued through 12/19/20. The chest pain is described as dull/heavy and continued to get worse so was advised to go to the ER. I went to the ER at 7pm on 12/19/20 and had 2 EKGs and blood drawn. It is 12/20/20 today and I still have constant mild chest pain with times that it feels moderate.
30-39 years	Dec., 2020	904581-1	Developed Hives about 30 minutes after getting the COVID vaccine. Was given vaccine at 815 am, arms had a burning feeling and hives started to develop. Was also feeling very anxious and hyperventilating. I had no swelling or shortness of breath. Went back to vaccine clinic immediately and there they administered EPINEPHRINE at 846 am. Started to calm down around at 849 am. Burning feeling in arms started to go away and hives started to disappear. Was then taken to the ED department to be monitored. Because I have had a recurrent hives after EPINEPHRINE, I was given Benedryl IV, Solu-Medrol IV, and Pepcid IV. I was also sent home with a prescription for Prednisone as well as an Epi-pen. I am feeling much better now. Hives have not come back, yet. Fingers crossed they don't!
30-39 years	Dec., 2020	904604-1	shakiness, tachycardia, breathing feels tight - went to emergency dept
30-39 years	Dec., 2020	904605-1	syncope following vaccine
30-39 years	Dec., 2020	904607-1	rash across chest. numbness tingling across arm (injected arm). Bendadryl & solumedrol given, returned to ed the next day with tightness in throat & trouble swallowing - Benadryl & solumedrol given - improvement
30-39 years	Dec., 2020	904632-1	felt hot, lightheaded, nausea
30-39 years	Dec., 2020	904643-1	Hives and Throat Swelling - treated with epinephrine and steroid
30-39 years	Dec., 2020	904818-1	Within 10 minutes after the injection my left shoulder began to itch was super red and hot. I notified them and per policy I was transported to the ER and was given IM 50mg benedryl, 40mg oral prednisone and I was monitored for another 1.5hr. 1/2 after the benedryl I still had the redness and flush in the neck and chin area the chest area redness had cleared up. I was released with a prescription of benedryl for 4 days to take every 8hrs for the symptoms. I continued with the benedryl for the next day and the symptoms subsided a little so I stopped taking the benedryl and I continued to take the prednisone.
30-39 years	Dec., 2020	904855-1	About 8min after the vaccine I got a severe headache on the top of my head and was at a 10/10 and dropped to a 7/10 after a few moments and finally went away on its on. I was very flushed and hot. I was laid down and given ice pack. Started feeling a littler better but experienced riggers and was transported to the ER where I was given benedryl, fluids and was monitored for a few hours. I was released but for the next 2 days after I was super tired and laid around and slept for 2 days. Today I am at work but I feel very tired and fatigued
30-39 years	Dec., 2020	904986-1	I felt extremely hot, headache and dizziness - pressure on left temple and top pf head - next day had diarrhea.
30-39 years	Dec., 2020	905017-1	Employee began experiencing tingling in roof of her mouth, watery eyes and itchy throat. She was taken to ED for further evaluation and treatment.
30-39 years	Dec., 2020	905018-1	Runny nose, congestion, loss of smell for 36 hours
30-39 years	Dec., 2020	905027-1	1505 right eye heaviness, BP: 114/61, O2 saturation: 100%, HR:74, pt sent to ED
30-39 years	Dec., 2020	905144-1	1712 tongue tingling, O2: 100% 1725 complain lip tingling, transferred to ED
30-39 years	Dec., 2020	905240-1	Light head, oral & generalized itching feeling flushed 25mg Benadryl PO - Resolved Sx
30-39 years	Dec., 2020	905296-1	Pfizer-BioNtech COVID-19 Vaccine EUA: Pt brought up after rapid response to COVID vaccine. Pt c/o throat itching, back itching, hot, and flushed. Denies diff swallowing at this time. Upon arrival to ED, AOx4. NAD. Flushed/WD. GCS 15. Ambulates independently with steady gait upon arrival. Pt. has documented allergies to Latex, ciprofloxacin and Amoxicillin-pot Calvulanate.
30-39 years	Dec., 2020	905300-1	39-year-old female with history of ADHD, anxiety, melanoma presents with palpitations. Patient received a Covid vaccine today and started having palpitations, lightheadedness, shortness of breath and feeling flushed a few minutes afterwards. Rapid response called and patient taken to ED for assessment. Patient denies facial or oral swelling, rash. patient denies any recent fever, nausea, vomiting, cough, diarrhea. Denies chest pain, abdominal pain. Last menstrual period end of November. Has allergies to Bactrim and clarithromycin. Presentation concerning for possible vaccine reaction, no anaphylaxis. EKG and labs within normal limits. Patient was rehydrated in the ED. Patient was discharged home on same day (12/20/2020). Pt alert and oriented x 4. Pt ambulated out of ED with a steady gait in no apparent distress.
			39-year-old female with history of ADHD, anxiety, melanoma presents with palpitations. Patient

30-39 years	Dec., 2020	905302-1	received a Covid vaccine today and started having palpitations, lightheadedness, shortness of breath and feeling flushed a few minutes afterwards. Rapid response called and patient taken to ED for assessment. Patient denies facial or oral swelling, rash. patient denies any recent fever, nausea, vomiting, cough, diarrhea. Denies chest pain, abdominal pain. Last menstrual period end of November. Has allergies to Bactrim and clarithromycin. Presentation concerning for possible vaccine reaction, no anaphylaxis. EKG and labs within normal limits. Patient was rehydrated in the ED. Patient was discharged home on same day (12/20/2020). Pt alert and oriented x 4. Pt ambulated out of ED with a steady gait in no apparent distress.
30-39 years	Dec., 2020	905306-1	Caller stated @ 10:15 am and about 5pm that afternoon nausea, itching and welts on the face and burning the ears. Caller took 50mg Benadryl. Once at hospital she received Decadron injection 4mg. Caller slept for two hours and symptoms had dissipated.
30-39 years	Dec., 2020	905320-1	severe abdominal pain experience 2 days post vaccination of dose 1 of 2. Diagnoses with early acute appendicitis on Friday December 18th and had a laproscopic appendectomy on Saturday December 19th.
30-39 years	Dec., 2020	905321-1	Had dose #1 at 1620 and started feeling itchy on her head and face about 1700. Face red. No difficulty breathing. Given 25 mg benadryl po. Observed and improved. Returned to clinical unit as a patient care tech about 1745. At about 2200 she started having swelling in her face and lower lip and tingling in tongue and left upper and lower lip. Taken to ED in our Facility. Given benadryl 25 mg, famotidine 20mg, and prednisone 60 mg all PO x 1. No difficulty breathing, or swallowing, no wheezings or angioedema of mouth or throat. Sxs improved . diagnosed with allergic reaction. given instructions when to return. Given instructions for Benadryl and famotidine otc use. given script for prednisone 40mg x 5 doses. DC at 12/19 /20 at 0144 to home. 12/21/20 1000 this rn called patient at home. She is doing much better with redness in her face and itching in her back and face. No swelling or rash. Last had benadryl last night. has been taking multiple times a day for the itching. had famotidine x 1 on 12/19. She has not filled the script for prednisone. I told her if she could tolerate itchiness tomorrow w/o use of benadryl she could work her 1600-2400 shift. I will discuss her taking covid vaccine #2 with Medical Director for Employee Health, Dr.
30-39 years	Dec., 2020	905342-1	Patient had sudden onset of tachycardia - heart rate 120s - 140s. Felt lightheaded.
30-39 years	Dec., 2020	905602-1	Leg pain, back pain, chills, fever, headache. Unable to walk or stand still for more than a minute. Unable to sit upright back pain travels to mid back.
30-39 years	Dec., 2020	905627-1	Vaccine recipient reported experiencing numbness, tingling of the arm after receiving the COVID-19 vaccine. Vaccine recipient thinks that the vaccinators most likely hit a nerve when administering the vaccine. The vaccine recipient went to the emergency department for further evaluation. The vaccine recipient was monitored, felt better, and was discharged to home subsequently the same day. On Monday, I called the vaccine recipient to follow-up and they report that they no longer have the numbness or tingling.
30-39 years	Dec., 2020	905641-1	Thursday night at around 11pm I lost control of my right arm. Friday I spent the day in Urgent Care doing CT scans and MRI scans of my brain and body and also did some blood work. All test came back negative. It is now Monday the 21st and the mobility in my right arm is extremely limited and I am slowly regaining the use of my right arm.
30-39 years	Dec., 2020	905649-1	The evening of 12/16 my headache begin at the next day fever of 103 stayed for 7 hrs took administered Tylenol exp chills, body aches, and rash on face around the eye spread to right side of nose, side went to hand area lasted from 12/17 to 12/21. The headache started effecting my neck contacted my PCP on 12/19. I went to ER on 12/19 ran tests CT scan check for clots negative, lumbar puncture and chest X-ray was fine and dint exp respiratory problems. I missed 3 days of from work 12/9 to 12/21.
30-39 years	Dec., 2020	905675-1	18 minutes post vaccine dose 1, Pfizer COVID vaccine, development of globus sensation without airway compromise or stridor. Frequent throat clearing and swallowing. Followed by diaphoresis, loss of vision, extreme neuropathic tingling over entire head non painful. Bradycardic event to heart rate 35 recorded by Apple watch. Loss of consciousness with pupil dilation. Weak pulses but no loss of pulse. Heart rate recovered quickly. Blood pressure after initiation of iv fluids was normal in upright position once loss of consciousness subsided. Continued globus sensation. 30 minutes after initial event, again developed clammy hands, head tingling and worsening globus sensation but again no stridor or airway compromise. Given PO Benadryl 25 mg which did resolve globus sensation in next 30 minutes. Monitored for one hour post event with no subsequent symptoms other than fatigue.
30-39 years	Dec., 2020	905764-1	This is a CCU nurse who received vaccine on 12/18/20 and later that day while at work developed nausea, vomited x1, became tachy and pale. Coworkers provided basic care. Patient went to ED at approx. 4p that day and was later discharged.
30-39 years	Dec., 2020	905883-1	45 minutes after receiving injection I got generalized large hives all over my body, my chest started to feel tight, and under my chin up to my bottom lip felt numb and tingly. Took 50mg Benadryl, Zyrtec, and Pepcid, symptoms subsided. Went to ER for follow up and they prescribed me 18 days of tapering prednisone and an epi pen, advised me to not get 2nd dose.
30-39			About 10 minutes after the injection I started feeling dizzy and hot. Then the headache started with pain moving up my head. Throat became dry. Started feeling nauseous. RN's started to check my vitals. Temperature was at 99.4. O2 was at 99%. Blood pressure was 135-92. Symptoms were not getting better and I started feeling worse. RN (House Supervisor) encouraged going to the ER. Was

years	Dec., 2020	905886-1	checked into ER where they gave me Benadryl, Tylenol, Zofran & steroids. Symptoms stayed about the same. Received second dose of Benadryl. Started to feel a little better about 30 minutes after. Spent about 3 hours total in ER. We home to sleep for about 7.5 hours. Woke up the next morning feeling very fatigued with a terrible headache. Continued to dose with Benadryl and Tylenol as needed.
30-39 years	Dec., 2020	905894-1	felt nausea, lightheaded and dizzy. developed itching and redness on chest. 25mg benedryl IM administered. Called emergency response. Patient taken to ED. Reports in ED not remembering the events.
30-39 years	Dec., 2020	905919-1	Pt arrived for her COVID vaccination. Dose received and during monitoring period she reported throat tightness and difficulty swallowing. VS WNL with BP 130/88, HR 90, O2 sats 98% on room air. Pt ambulatory and escorted by staff to ED for further monitoring.
30-39 years	Dec., 2020	905960-1	Sustained HR 130's for 20 minutes, no chest pain, no SOB, taken to ED for evaluation.
30-39 years	Dec., 2020	905962-1	approximately 30 minutes after receiving the vaccine, patient reported development of symptoms including increased HR, chest tightness and mild shortness of breath. She presented to the ED and was evaluated. She was given diphenhydramine 25 mg IV x 1 1629, famotidine 40 mg iv x 1 @ 1630, methylprednisolone 125 mg iv x 1 at 1629. patient was observed for 90 minutes. She was without further symptoms, VSS and she was discharge to home in stable condition at 1800
30-39 years	Dec., 2020	905973-1	Shoulder joint pain. Both sides but more on my right side. Had same pain sensation my back, right side. A few seconds. Right elbow pain sensation. Left calf pain sensation. few seconds. Wave of dizziness and feeling weakness. Experienced it 3x. Had a sensation of little itchiness similar to my radish allergic reaction. Drop and spike of blood pressure Some swelling of eyelids. Lasted for 30 min. Pain in between left knuckles Left shoulder back pain lasts few seconds Left upper shoulder warm sensation a 2-3 minutes, Consistent warm slight burning pulsing pain sensation Right forearm warm burning sensation no pain. Pain in right hip, lasted few seconds. Sudden fatigue feeling suddenly extremely drained
30-39 years	Dec., 2020	906000-1	pt was given the vaccination for COVID on friday the 18th (2 days ago) had moderate aches and diarrhea yesterday and began to have rash on Saturday . Pt is a nurse where there has been a large number of children with gastroenteritis. Pt with h/o immune reaction (? Stills disease) where she breaks out in a urticarial rash ,previously only with illnesses in the past Now pt has a rash. However Pt states this rash feels different to her normal one and she has never had a reaction like this to vaccine before. The rash began similarly to how it usually starts on upper ext and then spreads to trunk now she has swelling around eyes and rash is getting worse. benadryl ineffective pt also has swelling around her eyes and overall with irritation which she has not experienced before. pt was sent to the Emergency department for full evaluation concern for sjs type reaction with
30-39 years	Dec., 2020	906005-1	Vaccine recipient became nauseas and light headed approximately 30 minutes after vaccine. Recipient also had started menses which was very heavy, also she said she saw the needle and she shouldn't have looked.
30-39 years	Dec., 2020	906006-1	Within 3 minutes of receiving the vaccine, I felt a fluid like sensation trickle down my right bicep. I think proceeded to feel tachycardia, dizziness, lightheaded, and was hypertensive. My chest appearance was red and blotchy as well as my face. I was monitored in the ED for 2 hours. My vitals stabilized and the redness dissipated. I continued to feel a bit anxious and a headache. I was told to go home, take Benadryl as needed, and to follow up with an allergist.
30-39 years	Dec., 2020	906009-1	Full vial of 0.3ml concentrated vaccine administered undiluted with normal saline.
30-39 years	Dec., 2020	906031-1	35yo female urgent care physician in normal State of Heath when while seeing patients I got lightheaded. Sat down, drank water, ate sugar cookie for about 10/15 minutes but symptoms persisted. Tried to keep working, but found myself just thinking about how I am going to pass out. No LOC. Evaluates by colleague. Received 2L of IVs (Cr wnl) with transient improvement in symptoms.
30-39 years	Dec., 2020	906064-1	Rapid heart beat, difficulty breathing, itching, rash, clamminess, cold sweats, nausea
30-39 years	Dec., 2020	906076-1	About 1-2 hours after receiving the vaccine, I began to have tongue Hb and throat swelling?mild to moderate. About 3-4 hours later, I had one episode of diarrhea, followed by chills and palpitations. I took Benadryl and Zantac around 8P. When I woke up in the morning, I still had tongue and throat swelling (no trouble breathing), so went to the ER and was treated for an allergic reaction with IV Benadryl, Solumedrol, and Pepcid.
30-39 years	Dec., 2020	906321-1	Woke up in the middle of the night on 12/20 and noticed that the left side of tongue felt like he had bit it. He woke up again on 12/21 at 1:10 AM with a swollen tongue. He also had left sided unilateral edema. NKDA or significant past medical history. No past allergic reactions. Went to the ED and was treated with benadryl and a methylprednisone. Sent home with additional medications in case condition worsened again.
30-39 years	Dec., 2020	906322-1	Employee reports itching and tingling to right arm that traveled to elbow, employee reported sensation was 'easing up' 5 minutes after it started. She also reported itching to flank area, no rash was noted. Employee was taken to ED for evaluation and treatment.
30-39 years	Dec., 2020	906338-1	swelling to uvula seen in Emergency department observed for 4 hours in Tele unit sent home on 12/21/2020

30-39 years	Dec., 2020	906388-1	Itchiness in throat and edema at the mouth.
30-39 years	Dec., 2020	906397-1	Shortness of breath, chest tightness. Treated with epipen, benadryl, pepcid, solumedrol in ED. Symptoms resolved.
30-39 years	Dec., 2020	906427-1	20 mins after receiving vaccination experienced lightheadedness, palpitations, and faintness; was assessed (BP, HR, RR) which were elevated; rested, water, and started to feel better; 20 mins later had another wave of lightheadedness and my vitals increase again which was more intense then the first time; put me on O2 and sent me down to the ER where they monitored me on telemetry, general blood work, EKG, and assess me for swelling, rash and further reaction; BP got to 134/100 but other then that no outstanding numbers; 15 mins after arriving at ER they gave me benedryl and a steroid per IV and IV fluids; right after they gave me that had another wave of lightheadedness which didn't last a long as the others; symptoms seem to subside and then the let me go home; had no further issues that night other then insomnia; Next day had shortness of breath on exertion but was able to go about my day and just ease up is I was tired; at 6pm that night I started having redness, hottness from the injection sight and the redness (like flushing, not rash) spread from my left arm across my chest to my right arm, and up to my face; felt over heated like I was having a hot flash and my left ear (side I received the vaccine) start to ring; took a dose of benedryl per the bottle instructions and it seemed to calm down; today (day 2) I woke up feeling somewhat ok but as the day is progressing my head feels floating and having trouble concentrating, my upper body from my chest up feels tingly, heavy and weak like I just worked out my muscles and my had are really cold esp on my right hand; my vaccine site is still very warm;
30-39 years	Dec., 2020	906428-1	"Patient states that she received the vaccination at 10:24 AM. Patient states approximately 2 minutes after that she felt pain and swelling and erythema in her left arm at the injection site. Patient states she felt like she had a somewhat of a ""apple in her throat"". Patient states that her left arm was tingly. Patient states that she has a headache in the bitemporal area. She states that she has a history of headaches. Patient states that she has no visual changes. Patient states that it started after the immunization. Patient states 5 minutes before I came into the room she vomited and now feels tremendously better. She is talking in a complete sentences. Patient is somewhat tachycardic on initial Patient states that she received the vaccination at 10:24 AM. Patient states approximately 2 minutes after that she felt pain and swelling and erythema in her left arm at the injection site. Patient states she felt like she had a somewhat of a ""apple in her throat"". Patient states that her left arm was tingly. Patient states that she has a headache in the bitemporal area. She states that she has a history of headaches. Patient states that she has no visual changes. Patient states that it started after the immunization. Patient states 5 minutes before I came into the room she vomited and now feels tremendously better. She is talking in a complete sentences. Patient is somewhat tachycardic on initial presentation. Patient presents via BR RT for evaluation. Patient has a host of allergies.Patient is anxious upon presentation. Patient does have a history of anxiety. No other travel or trauma. Patient states that her pain is severe. States that she has some pressure in the bitemporal portion of her head and her left arm injection site. Otherwise nonradiating. No other known aggravating, triggering or alleviating factors. Patient dates its concurrent with the injection time. Otherwise nonradiating. BP 180/100 at 1045, O2 sat 98%, ECG sinus tachycardia Repeat Vital Signs BP 133/82 Pulse 82 Temp 36.9 C (98.4 F) (Oral) Resp 16 Ht 1.702 m (5' 7"") Wt 197 lb 1.5 oz (89.4 kg) SpO2 98% BMI 30.87 kg/m ³ Constitutional: Well developed; well nourished; in no apparent distress; non-toxic appearance HEAD: Atraumatic. Normocephalic. Eyes: PERRL; EOM intact; conjunctiva and sclera normal to inspection. HENT: TM's normal; no rhinorrhea; normal pharynx with no erythema or exudates. Mucous membranes are moist. Uvula is midline. No hemotympanum or foreign body. NECK: Supple; non-tender; no cervical lymphadenopathy. Respiratory: No respiratory distress; normal breath sounds; breathing non-labored Cardiovascular: Normal rate; good peripheral perfusion. No murmurs or rubs CHEST: Nontender. There are no retractions. GI: Normal bowel sounds; non-distended; non-tender to palpation; no palpable organomegaly GU: Musculoskeletal: Extremities non-tender; normal range of motion; no edema; Normal distal pulses Back -Normal tone; no tenderness Integument: Well hydrated; no lesions; no significant rash or palpable nodes. Neurologic: Alert, appropriate; oriented to person; place and time. No focal deficits. Motor 5/5. Sensation intact in all 4 extremities. Psych: Mood and affect are anxious. Mental status appears normal at time of exam. Patient upon presentation is anxious. Patient did vomit x1. Patient was talking in complete sentences upon my evaluation. Patient feels that she has some discomfort to her injection site with a headache. They feel no warmth or erythema. Patient was given Tylenol for the headache which did improve. Also received ondansetron, diphenhydramine, famotidine, methylprednisolone, NS 1000mL. Patient was monitored for an extended period of time and has had no return of symptoms. I am uncertain whether this is a true allergic reaction since the symptoms started approximately 2 minutes from the time of the injection. Patient does have a history of anxiety and this may have played a role within the symptomatology. At this time patient feels much better. Patient be dismissed we will send the patient home with a prednisone taper. She can take oral Benadryl and Pepcid. Follow-up with her family doctor next couple days not feeling better. Patient is dismissed. Patient returned to ED on 10/22/20 0100. Presents to ED complaining of numbness and tingling all the way from her head to her left toe on the left side. Has taken Benadryl 3 times today. She states that she woke up this evening with her heart racing. She still has a little bit of a headache. No fevers. He was nauseous. Again she says the whole left side of her body is tingling. All other systems negative/without deficit. HR 124, BP 168/107. Repeat Vital Signs: BP 129/77 Pulse 99 Temp 37.2 C (98.9 F) (Temporal) Resp 20 Wt 206 lb 2.1 oz (93.5 kg) SpO2 100% BMI 32.28 kg/m ³ EKG showed a sinus rhythm without acute ST changes. She is anemic but she has a history of that and her hemoglobin

			is not significantly lower than usual. Sed rate is little bit elevated but her C-reactive protein is normal. Her glucose slightly elevated at 173 but the rest of her labs are normal. CT and CTA of her head and neck were normal. I do not know at this time if this is a reaction we will have her continue the prednisone taper she was started on earlier as well as Benadryl and have her follow-up with her primary care physician."
30-39 years	Dec., 2020	906433-1	Developed numbness and burning to left arm. Had tingling on left side of face. Given Benadryl 25 mg PO and sent to emergency room.
30-39 years	Dec., 2020	906482-1	0843 vaccine administered. 0855 patient reported a rapid heart rate (112 beats per minute) and tremors. No airway complications.
30-39 years	Dec., 2020	906485-1	Approximately 10 minutes after vaccination c/o feeling shaky, she then stated her neck itched and she exhibited generalized urticaria. Was given .5ml Epinephrine IM at 1000. Stated she was having thickened feeling in her throat, had high blood pressure on 191/126 and was nauseated. Was given 1ml of Benadryl IM. Ambulance called at 0958 and transported to hospital at 1008.
30-39 years	Dec., 2020	906491-1	ITCHY, HARD TO BREATH, HEADACH I WAS GIVEN EPIPEN RUCHE TO ED FOR FUTHER TREATMENT
30-39 years	Dec., 2020	906506-1	Burning in throat, flushed face and neck. Developed stridor. Benadryl 25 mg PO given, Epinephrine 0.5mg given IM, albuterol inhaler 4 puffs. Transferred to the Emergency department and admitted to the hospital.
30-39 years	Dec., 2020	906507-1	"Nurse who had worked the shift and had drank an "" energy drink"" prior to vaccine. she felt palpitations and and elevation of blood pressure. No itching hives or angioedema. No dyspnea. Pt observed and discharged home without any therapy"
30-39 years	Dec., 2020	906529-1	When I got the vaccination I was 32weeks pregnant and on Saturday I had spontaeous rupture of the amnotic fluids and went immediately to the hospital and was immediately given steroid, magnesium for the baby. And on Sunday around 3:45PM I got a second round of the steroids and was transferred for observation. On Monday, at 8:06am I went into early labor I delivered my baby at 33weeks gestation and she weighed 3lb 11oz. Expected Date of Delivery-2/8/2021. I was a high risk patient d/t Fibroids but have experienced no issues the entire pregnancy and my last ultrasound was 12/17 and baby was healthy with no complications at that time.
30-39 years	Dec., 2020	906533-1	Chills, fever over 100, body aches, tiredness, fatigue, injection site pain, feeling unwell, nausea
30-39 years	Dec., 2020	906541-1	From patient interview: The patient stated feeling dizzy with lightheadedness and seeing spots. She felt like she was going to pass out. She was transported to our emergency department for examination. When I spoke with her she was resting and felt she had returned to baseline. From medical record: Patient Stated Complaint SYNCOPPE, Narrative of Presenting Problem Patient is a 35-year-old female with history of vasovagal episodes during her prior pregnancy was in the hospital getting a Covid vaccination and became weak dizzy and sweaty and had a syncopal episode while in a chair. Patient did not hit her head. Upon evaluation patient is awake alert lying supine with no complaints. Patient states she has been suffering with Covid related anxiety and depression.
30-39 years	Dec., 2020	906550-1	Upon initial injection (0940)pt reported some lightheadedness, pt sat for aprox 20 min and then stated feeling better. She returned to her clinic to work and at 1030, reported return of s/s with increased severity. She was brought back to vaccination area an evaluated by MD, given 50mg of po liquid Benadryl and then taken to ED via WC. VS: 155/77, 105, 18, 96% on room air.
30-39 years	Dec., 2020	906569-1	Diaphoretic and tachycardic within 5 minutes of receiving vaccine. Rate up to 151 with BP 146/82. Rate would go down after 5 minutes sitting quietly and then return to 150. Back down and then 15 min later, up. gave 25 mg of po benadryl at 11:30 am. This continued and 911 called. Paramedics assessed. Patient brought to ed for additional monitoring and assessment in private car. D/C'd at 2:30pm with no other interventions.
30-39 years	Dec., 2020	906625-1	Within just over half an hour of receiving it my lungs and throat started burning. Shortly after that my upper lip started to swell. Over night my lip swelled more and my face became itchy.
30-39 years	Dec., 2020	906629-1	Client started to feel faint about 10 minutes after she had the vaccine administered. She informed the nurse. Her blood pressure was 100/62 hr 58. She sat for a few minutes and then vomited. She had bcome very diaphoretic. Her bp was 146/100 and hr was 96. She was responsive and she refused a shot of Benadryl. We called for an ambulance. We continued to monitor her bp and hr. Her husband arrived. She left with her husband. Her last bp was 136/100 hr was 70 ab she was not longer diaphoretic. He husband took her to the ER. I spoke to patient today at (9:10 am. The ER doctor told her she had a vasovagal incident. He told her she can get the second dose if she is in a supine position with monitoring.
30-39 years	Dec., 2020	906676-1	diaphoresis; rigors; chest pain; This is a spontaneous report from a contactable nurse. A 38-year-old female patient received first dose of BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine, lot number: elo140), via an unspecified route of administration at right arm on 18Dec2020 09:45 AM at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient has known allergies to flu vaccine. On 18Dec2020 at 10:15 AM, the patient experienced adverse events of diaphoresis, rigors, and slight chest pain. The adverse events resulted in emergency room/department or urgent care. It was unknown if treatment was received due to adverse events. The outcome of the events was unknown. The events were considered non-serious.
			sensation in throat/a menthol cough drop stuck in the throat; flushed; diaphoretic; burning into my

30-39 years	Dec., 2020	906684-1	chest; some random hives; This is a spontaneous report from a contactable consumer (patient herself). A 38-year-old female patient received first dose of bnt162b2 (lot number: EL0140), via an unspecified route of administration at site of left arm at 11:30 on 19Dec2020 at single dose for COVID-19 immunization. Medical history included Oral Allergy Syndrome, ADHD (attention deficit hyperactivity disorder), multiple food allergies, and allergies: PCN, Ceclor and Lovenox multiple. Concomitant medication included cetirizine hydrochloride (ZYRTEC), montelukast sodium (SINGULAIR), diphenhydramine hydrochloride (BENADRYL) and amfetamine aspartate, amfetamine sulfate, dexamfetamine saccharate, dexamfetamine sulfate (ADDERALL). Within minutes after vaccination, the patient became flushed and diaphoretic followed by a sensation in her throat, it felt that she had a menthol cough drop stuck in the throat and the burning into her chest. Once the medics administered IV Benadryl, the sensation in her throat went away. She was in the emergency room for about 3 hours and had some random hives throughout the rest of the evening. She had anaphylaxis previously to avocado and to an allergy shot. This was definitely nothing close to anaphylaxis. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of events was recovered in Dec2020.
30-39 years	Dec., 2020	906776-1	Patient reports 5 minutes after getting covid vaccine she became flushed, heart was pounding and felt dizzy. Patient denies hx of allergic reactions.
30-39 years	Dec., 2020	906786-1	Throat and chest tightening, as was all warm and flushed feeling in throat and chest
30-39 years	Dec., 2020	906805-1	Swelling and numbness of right side of the face.
30-39 years	Dec., 2020	906812-1	Dizziness, Flushed, Light headed, Near Syncopal Episode.
30-39 years	Dec., 2020	906827-1	45 minutes after vaccination felt faint, palpitations, nausea and tremor in hands followed by syncope, after awoke had ongoing muscle spasm/tremor in legs. Taken to ED and labs, IVF, CXR. Observed x 90 minutes and discharged- returned to work as scrub tech in OR. Left early, no further issues that day. Next am on arising had <30 seconds of postural imbalance which resolved spontaneously and no other symptoms since.
30-39 years	Dec., 2020	906832-1	About 3 hours after vaccination, she began having hives and itching all over body. No difficulty breathing etc. She went to ER that noted reaction to vaccine. She was Administered Benadryl 50mg PO X1 and Prednisone 60mg . She also received one dose of Pepcid 20mg PO. No signs of distress noted in ER.
30-39 years	Dec., 2020	906860-1	Dizziness for 48+ hours. Feeling of hypersensitive skin to touch
30-39 years	Dec., 2020	906906-1	"Patient received COVID-19 vaccine at 330pm. Approximately 15-20 minutes later the patient felt well, was released. At around 4:00pm patient then developed ""tongue fullness"" and felt flushed. She returned to vaccine clinic. No reported rash, voice changes, wheezing, shortness of breath at the time she presented back to the vaccine clinic. 153-173 sbp, HR 60; Doctor on call advised to give Benadryl 50mg IM and send to the ER for evaluation and monitoring for 4 hours. Benadryl was given to patient at around 4:15pm. Patient was taken to ED around 4:30pm. Patient requested early discharge from ED as she stated she "" Feels normal now. Requesting DC as she is a nurse and feels better and wants to be with her family."" Per ED note: patient discharged with antihistamines and epi pen."
30-39 years	Dec., 2020	906926-1	"At 10:30 pm felt sudden loss of feeling in right hand- unable to use right arm. ""Felt numbness on top of forearm-feels like muscles are no longer working."" Went to urgent care on 12/18/2020 (another clinic)- arrived at 0845."
30-39 years	Dec., 2020	906931-1	Pt experienced headache and dizziness immediately after injection. Approximately 30 mins later the patient began experiencing chest tightness. The patient received 50mg Benadryl and was transferred to the emergency department within about 20 mins.
30-39 years	Dec., 2020	906939-1	Speech difficulty and bilateral lower extremity tingling and numbness after COVID-19 vaccine administration. Symptoms improved at ED with IV Hydration
30-39 years	Dec., 2020	906956-1	Patient started with tingling in hands/lip approximately 10 minutes after administration. Tingling in hands/lips worsened and pt started to c/o tongue swelling. Epi and IM benadryl were administered and a rapid response was initiated.
30-39 years	Dec., 2020	906970-1	Pt developed throat tightening, shortness of breath, hives on the anterior chest after receiving COVID-19 Pfizer vaccine. She received vaccine around 9:15 AM and symptoms began at 9:28 AM. Received epi pen by vaccination station staff. Reported to ED. Observed for 3 hours with no further adverse effects. Treated with steroids, Pepcid, Benadryl. Discharged home with epi pen, medrol dosepak, and allergy/immunology follow up.
30-39 years	Dec., 2020	906981-1	0850 Client came in to receive COVID-19 Vaccine sent to observation for 30 minutes due to allergic to latex. At 0855 client started itching and breaking out in hives, complaining of shortness of breath and scratchy throat. Nurse escorted client to ER, where client received IV fluids, Benadryl, Solumedrol, Pepcid.
30-39 years	Dec., 2020	907007-1	I got very sweaty and hot feeling, nauseated and light headed, my BP and O2 were stable but got a little tachycardia, it passed after I laid down for a couple of minutes but once I stood up again the symptoms returned. That is why they sent me to the ER. Also had tingling in both hands. I

			recovered in about 2 hours (I had covid in early november)
30-39 years	Dec., 2020	907014-1	Visible hives twice, and stinging eyes.
30-39 years	Dec., 2020	907037-1	After injection had L arm pain, the following day (12/17) pain continued . 12/18 onset of fever max temp 38, chills, fatigue, muscle pain and nausea. Treated with Tylenol for symptom relief. Symptoms continue and worsened 12/19 and 12/20. 12/20 underwent video clinician visit for symptoms and inability to return to work for continued symptoms 4 days after vaccination, last day of fever. 12/21 covid and flu swab negative symptoms all continued fatigue very evident going to and from swab exam. 12/22 morning near syncope while getting ready for day, tachycardia, underwent ED eval was given fluids and labs drawn and discharged home with improvement in tachycardia and lightheaded/dizziness with fluids, another covid swab was negative along with negative RVP. Continued to have fatigue 12/22 evening.
30-39 years	Dec., 2020	907050-1	Chest pressure and headache followed by generalized itchiness and hives. Progressed to facial swelling and airway swelling. Treated with EpiPen x1 IM, 50 mg diphenhydramine PO, 20 mg famotidine, and 10 mg dexamethasone. Immediate reaction improved. Itchiness and intermittent hives continued. The headache continued along with other common/expected side effects of vaccine.
30-39 years	Dec., 2020	907051-1	On 12/16 about 10pm I began having arm pains and took tylenol. 12/17 woke up feeling exhausted with severe body aches, headache and a 101 temp. I went to work but had to leave because I just wasn't feeling good. On 12/18 I went back to work but could not perform so I had to leave again and was still experiencing the severe body aches and headaches but no fever. I was suppose to work on both 12/19 and 12/20 but had to call in. On 12/19 still same symptoms with no fever but around 5pm I began to have palpitations and heart racing which caused me to go to the ER. I was given fluid and labs was done and monitored for a few hours and was released after the fluid was given. On 12/20 felt pretty good still tired and exhausted feeling and on 12/21 I felt good but later that evening I noticed my forearms began to feel stiff, tingly and heavy. My hands began to feel stiff and is very sore. Continue to feel very tired with body aches and continued to take tylenol. This morning I felt ok but after fixing breakfast the symptoms came back and they feel like the same symptoms I had when I had the vasculitis in 2009-2010 and that concerned me so I discussed it with a Neurologist and Immunologist who I will reach out to after the holidays to schedule an appointment. I have an appointment scheduled with my PCP for additional labs on tomorrow 12/23 and I have not been able to work since getting the vaccine. My hands feels clumsy and I am constantly dropping things since yesterday
30-39 years	Dec., 2020	907062-1	6 weeks pregnant HCW, states she received COVID vaccine on 12/19/2020 around 1400 and at around 2200 last night started to have migraine headache and neurological symptoms , claimed that she couldn't find words to complete sentences and having numbness on the R hand- patient went to ED- per patient symptoms resolved after less than an hour. Now she is concerned if she should take the second dose,
30-39 years	Dec., 2020	907065-1	Syncopal episode
30-39 years	Dec., 2020	907068-1	warm all over, headache, feels like something in her throat
30-39 years	Dec., 2020	907078-1	After 5 minutes of the vaccine, I felt lightheaded, pulse got weak, tongue tingly and slightly swelling. The ER doctor at the vaccination site administered an epi-pen and I got sent to the ER via rapid response, received 15 liters of oxygen for 1 hours, rapid shallow breaths respiration in the 30'. 2 hours later received decadron orally then observed for 1 more hour. Symptoms resolved and went home. The following day, I woke up with a massive headache and lightheadedness.
30-39 years	Dec., 2020	907082-1	Warmth tingling on tongue and Lip 15 mins after vaccine Accelerate heart rate 120-130 7 hours after vaccine accelerated heartrate 120 10 pm 5am 12/19/2020 Heartrate of 100 12 Noon 12/19/2020 Heartrate of 100 12/20/2020 10 am Accelerate heart rate of 100 12/20/2020 5 pm Accelerate of heartrate of 100 oral Benadryl 25mg in the ER
30-39 years	Dec., 2020	907084-1	"began to have a ""foggy head"" feeling and then started to feel chest pressure - was NOT short of breath"
30-39 years	Dec., 2020	907123-1	acute onset parasthesias in left arm and bilateral lower extremity weakness within 15min of injection. Unable to stand without assist. no radicular symptoms
30-39 years	Dec., 2020	907182-1	Patient developed bilateral lower extremity numbness and tingling, as well as weakness that resolved after several hours of observation in the Emergency Department. It is highly likely that the response may have been in part related to anxiety. After several hours of observation the patient had return of motor strength and was able to discharge. She continued to have paresthesia that was improving at time of discharge.
30-39 years	Dec., 2020	907184-1	Swollen hands; dizzy; This is a spontaneous report from a contactable nurse. A 38-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EK5730), intramuscularly in the left arm, on 17Dec2020 at 14:00 (at the age of 38-years-old) at a single dose for COVID-19 immunization. Medical history included non-ongoing COVID-19 (previous well recovered from COVID-19 months earlier) from 2020 to an unspecified date. The patient was not pregnant at the time of vaccination. The patient's concomitant medications were not reported. It was unknown whether the patient received other vaccines within four weeks prior to

years			vaccination or other medications within two weeks of vaccination. The patient experienced swollen hands and dizzy on 17Dec2020 at 15:00. The events resulted in emergency room/department or urgent care visit. Therapeutic measures were taken as a result of the events, which included cetirizine hydrochloride (MANUFACTURER UNKNOWN) and monitoring. The clinical outcome of swollen hands and dizzy was recovering. It was also reported that since the vaccination, the patient had not been tested for COVID-19. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
30-39 years	Dec., 2020	907190-1	Pfizer-BioNTech COVID-19 Vaccine Swollen & inflamed (right) eye, right (axilla) tenderness, & fatigue.
30-39 years	Dec., 2020	907254-1	Approx 10 min after receiving vaccine- patient developed rash and hives on neck and chest with complaints of itchiness on R arm at vaccine site. Also developed redness to right ear. no respiratory difficulties noted. Patient transported to ED for further evaluation and treatment
30-39 years	Dec., 2020	907256-1	*Describe the adverse event(s), treatment, and outcome(s), if any: (symptoms, signs, time course, etc.) S: 35 yo F who received Pfizer vaccine at 16:47 w/acute onset of left sided facial swelling and difficulty swallowing. Within five minutes of being administered vaccination, pt reported pain at the injection site radiating up to her jaw followed by left sided facial swelling. She started reported palpitations and subsequently reported a ball in her throat O: Pulse was in the 60's, BP of 128/72, pulse of 88-97 satting at 99% on RA. General: young female, anxious. HEENT: NC, AT, mild left sided cheek swelling, OP clear, MMM. Neck: Supple, left sided tender cervical LN. Lungs: CTAB. CV: tachycardic rate, regular rhythm. Extremities: Hands are clenched and cold. Neuro: Alert & oriented. A/P: Anaphylaxis -Given left facial swelling, 25 mg Benadryl PO administered. pt tolerated well. -17:22-Throat swelling reported. EPI #1 administered right thigh. -17:32-EPI #2 administered. Throat felt better at 17:35. 17:36-FD EMS arrived. BP 194/126. -17:38-EPI #3 administered right thigh. HR 135, BP 154/105. -17:43-EPI #4 administered left thigh. -17:46 pt transported to ER via EMS.
30-39 years	Dec., 2020	907289-1	facial swelling, numbness in face, red patches on neck and face.
30-39 years	Dec., 2020	907323-1	Patient was given covid vaccine, and within 3 minutes, began to develop tachycardia. Patient was placed in chair to be assessed, vital signs done. HR was 160 to begin, dropping to 140, and 117 when being transported to ED for evaluation. Patient stated that she felt like her chest was on fire, and heart was going to beat out of chest. Rapid Response Team called, and team responded, bringing patient to ED for closer evaluation. From the ER MD: 39 year old female patient who was a rapid response after receiving her Covid vaccination. She began to have palpitations and was tachycardic. She appeared to be very tremulous and anxious. She has no known history of allergic reactions. She denies recent illnesses including fevers and chills. Patient felt short of breath. She had an O2 sat of 100% on room air. Lorazepam 1mg po x1 dose ordered and was administered.
30-39 years	Dec., 2020	907329-1	Employee presented to COVID Clinic for Moderna COVID 19 vaccination 1st dose. Given to right arm. Left clinic after waiting 15 minute observation time. She returned to work and returned about 45 minutes reporting she was having difficulty taking deep breaths, numbness to bilateral extremities, abdominal discomfort and lightheaded, NO rash or hives noted. VSS stable A&O, Within a few minutes employee started vomiting, shaking, and C/O of severe abdominal discomfort, Epinephrine injection 0.5mg given to left arm. Employee transported to ED.
30-39 years	Dec., 2020	907340-1	Development of flushing, hives, throat and tongue swelling, difficulty breathing, all developed within 30 min of administration, and resolved after admin of epinephrine and IM Benadryl.
30-39 years	Dec., 2020	907352-1	lightheadedness & dizziness soon after receiving vaccine - went to ED for evaluation
30-39 years	Dec., 2020	907380-1	Chest tightness and arm heaviness starting from the left arm to the right arm, with a burning sensation in the chest. Brought to the ER.
30-39 years	Dec., 2020	907381-1	Received vaccine aprox 0745 am 12/22/2020, aprox 09:00pm 12/22/2020 while at work onset tachycardia at rest 140's-150s, , chills, flushing, and light headiness. Employee continued to work through her 12 hr shift, she advised tachycardia persisted throughout the night 140s. She reported taking Tylenol at 3am, and chills resolved. She reported to Employee Health at 0730am 12/23/2020, vitals HR 142, BP 103/72 (she advised that was her normal BP), resp 14, Temp 97.2. She denies chest pain, shortness of breath, weakness, headache, cold symptoms, n/v/d. Advised the chills, flushing and light headiness had resolved, but the tachycardia continues. Employee denies any medical history, takes no daily meds, reports recovered from COVID early November. Discussed with Employee the need to seek higher level of care, she was escorted to the ED.
30-39 years	Dec., 2020	907421-1	Dizziness, Flush, Shortness of Breath
30-39 years	Dec., 2020	907440-1	I received the vaccine and the sat to wait the 15 minutes of observation. Within 5 minutes of receiving the vaccine I started to feel flushed and felt my heart rate increasing . They took my vitals and my heart rate increased to 175. I was taken to the Emergency room. Given IV fluids, IV benadryl, and monitored. My heart rate came down but continues to stat at 90-100s at rest. Almost 24 hours in now and I am very weak with no energy. I still get dizzy intermittently and my heart rate increases easily.
30-39 years	Dec., 2020	907444-1	Tongue tingling and throat swelling

30-39 years	Dec., 2020	907473-1	Associate complained of headache and that she didnt feel well. Associate noted to have a swollen tongue and rapid response was called. Associate was taken to ED. HR 80. BP 100/70
30-39 years	Dec., 2020	907492-1	Vaccine recipient received COVID-19 Vaccine on 12/22/20 and 3 minutes after felt that they were going to pass out and developed dizziness and headache. Vaccine recipient was administered ketorolac 15 mg IV, acetaminophen 650 mg, IV fluids in the emergency department. Patient felt better and was subsequently discharged to home. During a follow-up phone call on 12/23, vaccine recipient reported that their symptoms have resolved and they were able to return to work.
30-39 years	Dec., 2020	907494-1	Patient summoned nurse over while waiting 10 minutes post-vaccination. Stated felt heart racing and like she was alternating getting hot/cold however skin was warm, pink and dry on palpation. Radial pulse 140 bpm. SpO2 100%. Stated she had a history of anxiety; nurse reassured and distracted her which helped symptoms initially but then symptom of heart racing returned accompanied by dry mouth and numbness of upper lip. Was transported in wheelchair to ED by RN. Discharged from ED after 2 hour observation diagnosed as suspected anxiety attack; was instructed to follow-up with PCP and Employee Health regarding receipt of 2nd dose.
30-39 years	Dec., 2020	907509-1	Rash, generalized weakness
30-39 years	Dec., 2020	907513-1	"Patient pre-medicated with diphenhydramine, albuterol, Claritin, and singulair. After roughly 10 minutes after administration the patient reported tingling in her lips and ""felt like she needed to use her inhaler"". Our administration station is in our front lobby, when the patient reported her side effect she was taken to the Emergency department for observation. The patient was hooked up to the monitor and a set of vitals were taken. On arrival she was tachy in the 100's with a BP of 140-90. On the repeat vitals in 15 minutes she was within normal limits. The patient was treated with Diphenhydramine 12.5 mg PO and Albuterol 2 puffs via spacer. The patient was observed for ~3 hours, the patient had mild angioedema and a numb tongue/lips. After resolution symptoms the patient was discharged from ED."
30-39 years	Dec., 2020	907520-1	Nexk to my head feel really hot, nauseous, dizziness, high blood pressure, shaking feel Hot and cold
30-39 years	Dec., 2020	907584-1	"Patient reported a metallic taste on vaccine administration, after ~ 10 mins reported a tongue tingling. The patient was escorted to the emergency department for observation. Patient was slightly hypertensive 140's/90's which is not normal for her. Some of this could be attributed from the ""white coat effect"". The patient had no visible angioedema, just a mild rash on her trunk/upper torso/chest. The patient was treated with 50mg PO diphenhydramine and 40mg of Famotidine. The patient's symptoms resolved within 30 minutes of medications administered. Patient was discharged after ~ 2 hours in the ED."
30-39 years	Dec., 2020	907589-1	Patient received Covid vaccine while sitting without issue. Within minutes of receipt of the vaccine he had a vagal reaction (fell off his chair). Initial eval was notable for supine position, pale face, HR in 30's, clammy skin, small lac to L forehead (not actively bleeding). Pt was alert and oriented initially then was noted to slow his speech/had decreased responsiveness <1 minute. He was then alert and able to answer all questions. Denies any past medical history, not on any meds, NKDA, no hx of reaction to vaccines. He denies any itching, rash, swelling, difficulty breathing/SOB/Wheezing, or GI sx. Exam remained unchanged with no objective signs of allergic reaction. His color improved as well and he reported feeling better, was able to sit up. He reports eating minimal breakfast this morning. Has a history vasaovagal reactions with blood draws. Decision made to call EMS for transfer for additional observation. EMS arrived at 1115 and transported patient to ER for observation.
30-39 years	Dec., 2020	907613-1	The patient received the vaccine at about 1500, did wait 15 minutes for observation, and left around 1515 with no reported complaints. At around 1535 while driving home patient started having difficulty swallowing and contacted hospital advice nurse who referred the patient to the emergency department.
30-39 years	Dec., 2020	907756-1	I was tachycardic and hypertensive.
30-39 years	Dec., 2020	907761-1	at 7 minutes after vaccine administered, reported feeling shaky and lips tingly, anxiety. Did not immediately notify monitoring staff thinking she was anxious, by 10 minutes after started to experience some coughs and felt voice changed, Epinephrine administered via EpiPen at 13 minutes post vaccination with immediate relief. No visible hives or swelling.
30-39 years	Dec., 2020	907766-1	Starting the evening of the 5th day after receiving the vaccine I noticed a sore, irritated throat. By the 7th day it was a more severe sore throat, runny nose, violent sneezes and the beginning of a deep painful cough. No fevers have been noted to date, with the highest oral temperature of 98.6F on the 7th day. I called the employee hotline, had a virtual visit with a Dr and took the drive up COVID test around 11:00 am on 12/23/20. I am in self quarantine currently awaiting results of the COVID test.
30-39 years	Dec., 2020	907781-1	Patient waited the mandatory 15 minutes and felt fine. Left for a few minutes and then came back in to the vaccine clinic with symptoms of lips tingling and possible her tongue swelling. She was given 50mg of PO Benadryl (Diphenhydramine) and was taken to the emergency department. Patient was monitored for 4 hours in the emergency department with no additional symptoms noted. Spoke with patient this morning, was still having some tingling of the lips but was being controlled with Benadryl. No problems breathing or swallowing

30-39 years	Dec., 2020	907818-1	Within 15 minutes after the vaccine patient started to have tachycardia, dizziness, and light headedness with syncope episode. She was taken to the ER where she improved . No further syncope episodes and released.
30-39 years	Dec., 2020	907834-1	Felt some palpitations, racing heart, scratchy throat, dizziness, a little shortness of breath. Alerted the professionals observing and was monitored. Starting feeling a little better, then got a second wave of above symptoms again. I felt tingly all over and my lips felt tingly. They ended up taking me to ER. I started to also feel nauseous. They ended up giving me 1L of fluid, 25mg of diphenhydramine, 125mg of solumedrol, and 20mg of Pepcid. Monitored me for a few hours and then discharged me home. I was instructed to take another 50mg of diphenhydramine before bed, which I did. I ended up missing work the rest of my shift since I was in ER, then missed work the next day.
30-39 years	Dec., 2020	907877-1	No side effects until 1PM on the 18th, hot flashes with dizziness and nausea, then I started feeling like I was going to pass out and then felt like the blood was rushing through my head. Also head headache. I received a shot of Zofran 4mg. 30 min later I was able to sit up and 10 min later I was able to stand without being dizzy. Still having waves of nausea. Body aches and flu like symptoms on Saturday. Right now only the nausea. Monday I was fine, but today it started the nausea and dizziness. No intervention needed today.
30-39 years	Dec., 2020	907914-1	Patient complained of a rush of feeling hot. Patient was laid supine, VS monitored. Patient was transferred to the ED.
30-39 years	Dec., 2020	907924-1	45-60 minutes post vaccination, patient experienced right eye twitching continuous for a few hours, then intermittent x 24 hrs; now resolved 12 hours post vaccination, patient experienced right ear/jaw numbness that lasted up to 36hrs 36 hrs post vaccination, the numbness is spreading to the right cheek no affect in muscle function, just numb pt seen at urgent care facility 12/23 @~0830 and prednisone initiated
30-39 years	Dec., 2020	907926-1	Lightheadedness, tingling extremities and dizziness
30-39 years	Dec., 2020	907991-1	Severe vertigo, nausea and vomiting, and weakness presented to emergency department after 8 episodes of vomiting over 12 hours with no relief
30-39 years	Dec., 2020	908071-1	hand shaking, chills, rash, nausea, lightheadedness ? reports hard to take a deep breath, given diphenhydramine 50 mg PO x 1 @ 10:15 in clinic and an additional 25 mg PO x 1 @ 10:30 in the clinic. Symptoms persisted - pt anxious - taken to ED for evaluation. After 10-15 minutes in ED, her symptoms subsided ? she only had mild tingling in the left hand along with two red spots on the back of her neck. Given prednisone 50 mg PO x 1 in ED. observed in ED for 2 hours ? pt feels much better ? pt felt comfortable going home ? told to continue to take Benadryl and prednisone for next 3 days. Instructions given to return to ED for any worsening of symptoms. Rx with Prednisone 50 mg daily x 3
30-39 years	Dec., 2020	908097-1	Right side of body (leg foot hand arm cheek neck torso ear, etc.) experienced tingling sensations, numbness, some burning sensations, mostly cold feeling, weakness (like moving through water) sensations have lessened in two days, but minor sensations and weakness persist. monday (12/21/2020) visited the E.R. for exam and testing. E.R. doctor reported current testing normal. 12/23/2020 visited normal MD to go over results from previous testing and get checkup.
30-39 years	Dec., 2020	908125-1	30 mins after vaccination Felt rapid heart rate, tingling in lips, initial BP 100/60
30-39 years	Dec., 2020	908126-1	Patient felt warm and had some tightness in her chest which subsided and changed to intermittent sharp pain at sternum. Physician's who had just received vaccine asked for her to be sent to the ER.
30-39 years	Dec., 2020	908132-1	"About 10 min after receiving the vaccination, the patient described feeling of throat closing, coughing. Patient given IM epi with initial improvement in symptoms. No rash. On arrival to ED, no stridor, no oropharyngeal swelling, speaking normally in full sentences, clear lungs. Subsequently, patient complained of nausea, but resolved after Benadryl. Patient had recurrent ""funny feeling"" in throat about 3 hours into observation and had difficulty swallowing liquids, but had normal speaking voice normal oropharynx. Currently pending ENT evaluation."
30-39 years	Dec., 2020	908148-1	rash, vomiting, nausea, hives, migraines, tremors, facial swelling
30-39 years	Dec., 2020	908221-1	Hives, joint pain, elevated B/P, elevated HR, flushed upper body and tingling
30-39 years	Dec., 2020	908223-1	Warm and dizzy with hypotension; feet up and juice given; transported to ED; improved with rest
30-39 years	Dec., 2020	908279-1	Lip swelling; This is a spontaneous report from a contactable consumer reporting for herself. This 31-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 20Dec2020 at 08:00, at single dose, for COVID-19 immunization. No other vaccine was given within 4 weeks prior to the COVID vaccine. Medical history included soy allergy and COVID-19 on an unknown date prior to vaccination. Concomitant medications were not reported. On 20Dec2020 the patient experienced lip swelling which resulted in Emergency room/department or urgent care. Treatment was given. The event was resolving. Information on the lot/batch number has been requested.
			Received Covid 19 vaccine on left deltoid via IM. I felt warm in my left deltoid immediately after the

30-39 years	Dec., 2020	908346-1	injection. While I was sitting in the recovery area I started feeling palpitations and Shortness of breath. I actually felt I was going into cardiac arrest. Personnel started assessing me and upon checking my vital signs my SBP was in 150's-160's and DBP was in 100's range. Normally my BP ranges in 110's. I also started feeling numbness on my left arm. My bilateral lower extremities were also numb, tingling, burning and very weak. I was not able to stand up and bear weight. I then was taken to the ED where blood work was done and ATIVAN Po was given. I was then discharged at 2325. The next morning, I felt my legs are still heavy and sore. They are still very heavy and sore while I am writing this and I feel like they will buckle when I walk.
30-39 years	Dec., 2020	908558-1	received vaccine at 9:30 am noted frontal headache @ 9:40am VS 124/76 HR 75 O2 Sat 95% Denied SOB, difficulty swallowing, numbness tingling given acetaminophen 650 mg 9:50 am given ibuprofen 600mg @ 10:22am VS BP 137/90 HR 71, O2 Sat 97%, feeling dizziness nausea, transported to ED
30-39 years	Dec., 2020	909147-1	Approximately 2 minutes after injection, felt flushed and tingly. This subsided, but developed a cough. Felt fine enough to leave the vaccination area after being monitored for 15 minutes. Cough continued, and developed a scratchy throat that eventually led to swelling of the throat at approximately 30-35 mins post administration. Sought care in the ED, where I was tachycardic and hypertensive. Received IV Benadryl, steroids, and IV fluids. Discharged home, but symptoms returned around 2pm. Sought care in a different ED, where I remained hypertensive and tachycardic. Received additional IV fluids, IV Benadryl and steroids. Eventually was treated with IM epinephrine after my heart rate was decreased to about 100bpm with IV metoprolol.
30-39 years	Dec., 2020	909165-1	At the time of the injection sharp pain across my back , then at about 5 mins after feelings of light headedness, progressing pain across my back, trouble feeling like I could get enough air in with breathing and dizziness and I tried to get to the floor to sit or lay down but passed out. Then the next event I recall was a sharp pain in my thigh(apparently administered Eli pen) . I regained consciousness and was gasping andI was told I had been given a shot of epi.
30-39 years	Dec., 2020	909278-1	Rapid onset of hoarseness, throat tingling and tightness
30-39 years	Dec., 2020	910053-1	15 minute post vaccination observation patient denied any symptoms. Later in the day patient experienced significant nausea and vomiting followed by mild SOB and throat swelling.
30-39 years	Dec., 2020	910059-1	Numbness in sole of feet. Unable to walk, develop high fever, resp failure resulting in intubation, acute kidney injury
30-39 years	Dec., 2020	910202-1	Pediatrician working in the hospital. Was exposed the an office contact wo had covid. Shoulder in soreness. At work on Wednesday. Felt lightheaded had to sit in chair. That's all he remembers. He workup to a CODE team putting oxygen on him. He has a seizure. Took the COVID test has COVID. Admitted to hospital for 2 days. Likely a syncopal event.
30-39 years	Dec., 2020	910294-1	I had right facial drooping 3 hours after the vaccine/Facial drooping only on right cheek and left side unevenness on smile; At ER they confirmed bells palsy; fatigue; Pain at injection site; This is a spontaneous report from a contactable Nurse reporting for herself. A 35-year-old female patient received the 1st dose of bnt162b2 (BNT162B2, Injection, Batch/Lot # EH9899) intramuscular at single dose to left upper arm on 17Dec2020 10:00 for immunization, prescribed by a doctor at work and administered at hospital. Medical history included allergy to animal: sea urchin. No other prior medical history, not relevant drug history, not drug or alcohol abuse. No family history. The patient previously took C-cor and experienced drug allergies. Concomitant medications includes OTC Vitamins. On 17Dec2020 the patient experienced right facial drooping 3 hours after the vaccine/facial drooping only on right cheek and left side unevenness on smile, at ER they confirmed bells palsy, fatigue, pain at injection site. She noticed symptoms 3 hours later 1 O' clock in the afternoon. She was seen in an emergency room but not admitted to hospital for the events and she received treatment. The patient underwent lab tests and procedures which included CT, MRI, lab work, ECG, all with unknown results. She was sent home with steroids and Valtrex. No treatment for pain at injection site. Events have improved after medication. The outcome of events was recovering. The reporter stated there was a reasonable possibility that the events were related to suspect product.
30-39 years	Dec., 2020	910300-1	Angioedema; tongue experienced numbness and tingling; tongue experienced numbness and tingling; And at 10 minutes post administration throat was scratchy with a tickle; Symptoms decreased but then intensified to include numbness and tingling in lips; Symptoms decreased but then intensified to include numbness and tingling in lips; This is a spontaneous report from a contactable consumer (patient). This 35-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number EK5730) via an unspecified route of administration in the left arm on 18Dec2020 at 16:30 at single dose for COVID-19 immunisation. The patient was not pregnant. Vaccination facility type: hospital. The patient did not receive other vaccines in four weeks. The patient did not have COVID-19 prior to vaccination, and she was not tested for COVID-19 post vaccination. Relevant medical history was not reported. Concomitant medications included quercetin, cyanocobalamin (B12), aminobenzoic acid/biotin/choline bitartrate/folic acid/inositol/lecithin/vitamin B NOS (B100) and melatonin. Past drug reaction included uncontrolled movement of tongue with promethazine (PHENERGAN). Within 8 minutes of receiving vaccine, patient's tongue experienced numbness and tingling. At 9 minutes post administration, symptom intensified. At 10 minutes post administration, throat was scratchy with a tickle. At 12 minutes post administration, the patient notified Pharmacy and Employee Health Workers. By approximately 16:50, health care professional administered diphenhydramine

			hydrochloride (BENADRYL) 50 mg IM to right arm. The patient was observed. Symptoms decreased but then intensified to include numbness and tingling in lips. The patient was transferred to Emergency Department for observation. She received dexamethasone acetate (DECADRON) 10 mg at 19:15 due to symptoms not resolving. The patient was discharged from ED with prednisone course. The discharge diagnosis was angioedema. The symptoms decreased approximately 6 hours post administration of vaccine. The patient was recovering from the events.
30-39 years	Dec., 2020	910302-1	diagnosed with Bell's palsy; This is a spontaneous report from a contactable nurse (patient). A 33-year-old female patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EK5730, expiration date: Mar2021), via an unspecified route of administration in left arm on 19Dec2020 10:00 at single dose for COVID-19 immunization. No other vaccine administered in four weeks. Medical history included drug sulfa allergy. Concomitant medication included cetirizine, cetirizine hydrochloride (ZYRTEC) from 18Dec2020, and multivitamin from 18Dec2020. No Covid prior vaccination. No Covid tested post vaccination. About 40 min after the vaccine (19Dec2020 10:40) the patient developed left facial/ left tongue tingling/ numbness. By 20:30 at night (19Dec2020 20:30), the patient had a left sided facial droop as well, the patient was diagnosed with Bell's palsy. 20:30 (19Dec2020), she had facial asymmetry. She looked in the mirror and noticed her smile was not symmetrical. She then checked into the Emergency Room and the ER doctors diagnosed her with Bell's palsy. She was not admitted to the hospital. Steroids were given for treatment. The patient was still experiencing. Intermittent tingling but tingling was not constant. Smile was not normal yet. The outcome of event was not recovered.; Sender's Comments: Based on the close temporal relationship, the association between the event Bell's palsy with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
30-39 years	Dec., 2020	910305-1	Severe Abdominal pain experienced on Friday morning went to ED and diagnosed with acute early appendicitis and had appendectomy; This is a spontaneous report from a contactable nurse (patient). A 33-year-old male patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), intramuscularly in left arm on 16Dec2020 09:00 at single dose for COVID-19 immunization. Medical history included hypertension, hyperlipidaemia. No other vaccine administered in four weeks. No Covid prior vaccination. Concomitant medication included amlodipine besilate (NORVASC), vitamin C. The patient experienced severe abdominal pain experienced on Friday morning (18Dec2020 09:00) went to ED (emergency department) and diagnosed with acute early appendicitis, and had appendectomy on Saturday 19Dec2020. Event resulted in: Hospitalization for 1 day (18Dec2020-19Dec2020). The patient underwent lab tests and procedures which included nasal swab: negative on 18Dec2020. The outcome of event was recovering. Information on the lot/batch number has been requested.; Sender's Comments: Based on the close temporal relationship, the association between the event appendicitis with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
30-39 years	Dec., 2020	910594-1	Bilateral arm and hands numbness/traveling up to right facial and lip numbness; pins and needles sensation; burning like sensation; traveling up to right facial and lip numbness; This is a spontaneous report from a contactable physician. A 33-year-old female patient received the first dose of bnt162b2 (BNT162B2, lot number=EJ1685), intramuscular in left arm on 17Dec2020 09:00 at a single dose for covid-19 immunization. Medical history included Hashimoto Thyroiditis and allergy to MRI contrast. The patient's concomitant medications were not reported. The patient was not pregnant. The patient experienced bilateral arm and hands numbness/traveling up to right facial and lip numbness, pins and needles sensation and burning like sensation on 18Dec2020 12:00. The patient resulted in an emergency/urgent care where IV dexamethasone was given. The outcome of the events was not recovered.; Sender's Comments: The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
30-39 years	Dec., 2020	910635-1	New diagnosis of diabetes 5 days after receiving vaccine with no past medical of DM and no family history.; This is a spontaneous report from a contactable Nurse (patient). A 31-year-old female non-pregnant patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number=EJ1685), via an unspecified route of administration on 18Dec2020 14:00 at arm left at single dose for covid-19 immunization. The COVID-19 vaccine was administered at Hospital. Medical history included asthma and hypertension. The patient had no known drug allergies. Concomitant medication included cetirizine, budesonide, formoterol fumarate (SYMBICORT), escitalopram oxalate (LEXAPRO), montelukast and omalizumab (XOLAIR). No other vaccine in four weeks prior to the COVID vaccine. The patient experienced new diagnosis of diabetes 5 days after receiving vaccine with no past medical of diabetes mellitus and no family history. The event result in doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Adverse event start date was 19Dec2020 06:00 AM. Treatment received included fluid bolus, computerized tomogram (CT) scan and labs. The patient underwent lab tests and procedures which included computerized tomogram and laboratory test with unknown results on Dec2020. Prior to vaccination,

			<p>the patient was not diagnosed with COVID-19 and since the vaccination, the patient was not been tested for COVID-19. The outcome of the event was recovered with lasting effects.; Sender's Comments: The reported diabetes was unlikely causally related to the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), considering the latency of the onset of the event. A possibility that the vaccination unmarked subject's diabetes cannot be completely excluded. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>
30-39 years	Dec., 2020	910645-1	<p>"splotchy rash that started on both of her arms; she was not ok, and she felt weird, and stated something feels wrong; she felt dizziness and like she needed to pass out; she felt dizziness and like she needed to pass out; her knees buckled and she lost her balance; her knees buckled and she lost her balance; hyperventilating and couldn't slow her breathing from fear; hyperventilating and couldn't slow her breathing from fear; This is a spontaneous report from a contactable nurse (patient). A 30-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) lot no: EK5730, via an unspecified route of administration in right arm on 21Dec2020 16:30 at a single dose for COVID-19 immunization. Medical history included bilateral mastectomy, total hysterectomy, breast cancer gene 2 (brca 2), ankylosing spondylitis (AS), allergies to penicillins and latex. The patient was not pregnant at the time of report. Concomitant medications included isotretinoin, estrogens conjugated (PREMARIN), cetirizine hydrochloride (ZYRTEC), meloxicam. The patient previously took ciprofloxacin and experienced allergies. On 21Dec2020 at 16:45, the patient reported that she showed a nurse a splotchy rash that started on both of her arms. At that time, she also stated she was not ok, and she felt weird, and stated something feels wrong. Then she said that she felt dizziness and like she needed to pass out. The nurse asked if she could still breathe and she said ""I think so."" They asked her to stand then when she did her knees buckled and she lost her balance and was dizzier and more fell back into the chair she was sitting in. Then they just lift her onto the gurney. On the way to the emergency department, she began hyperventilating and couldn't slow her breathing from fear. Upon arrival she was asked for her name and birthdate and she slowly was able to say it. She was told she was given epinephrine, 2 rounds she thinks for her hives that had showed and her respiration was in the 39-49 range. Then they gave her methylprednisone (reported as ""methypedisone""), famotidine (PEPSID), and steroids, and lorazepam (ATIVAN) to calm her breathing as well as IV fluids. Then she was able to breathe 20-35 rpm. The patient was not diagnosed with COVID-19 prior to vaccination and has not been tested for COVID-19 since the vaccination. The events were reported as non-serious. The patient recovered from the events.; Sender's Comments: The patient had medical history included allergies to penicillins and latex., and to ciprofloxacin. The reported events were probably related to the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), due to temporal relationship. Patient's drug allergy history and nervousness may have played to contribution role to the clinical manifestations. This case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics committees and Investigators, as appropriate."</p>
30-39 years	Dec., 2020	910649-1	<p>"low grade fever; Her blood pressure was high/ still really high/ blood pressure was up; headache; Fifteen to twenty minutes after she received the vaccine she became light headed and dizzy/ light headedness and dizziness; This is a spontaneous report from a contactable nurse (patient). A 36-year-old female patient received BNT162B2 (Lot#: EK5730) via an unspecified route of administration on 17Dec2020 afternoon at single dose in the left arm for COVID-19 immunization. Caller was unable to confirm the manufacturer of the vaccine that she received. It is not written on the card, and she didn't see the vial. The patient medical history was not reported. Concomitant medications included oral contraception pill, but the name was unknown. Fifteen to twenty minutes after she received the vaccine on 17Dec2020 she became light headed and dizzy. She had to catch her breath. She couldn't shake it off. The light headedness and dizziness lasted at that intensity for 10 minutes, but it never went away. They encouraged her to be admitted in the emergency room (ER). She would say that the seriousness of being light headed and dizzy was disabling. Caller didn't remember the exact numbers for her blood pressure. It was 160's over 105. Her heart rate was in the low 100's, around 105. She stayed at the first monitoring station in the vaccine area for 2 hours. They were taking her blood pressure every five minutes. She was given diphenhydramine hydrochloride (BENADRYL) there and lots of water. After 3 hours and she was not improving they called a ""code medic"" that got the medical director and nursing supervisor to come. They encouraged her to go to the ER for continual monitoring. She stayed in the ER for 4 hours and was given meds to help with the blood pressure. She was discharged from the ER home. She was nervous because of all this stemming from the vaccine. She had a low grade fever on 18Dec2020 (Friday) night. Caller stated her work had already reported her reaction. Occupational safety and the medical director are aware. Caller does not have reference number to provide. On 18Dec2020 (Friday) she was not overly concerned because it was the next day. Her blood pressure was high and her heart rate was in the 100's. They monitored her for a couple of hours and she was given a diphenhydramine hydrochloride (BENADRYL). She went to the emergency room (ER) for a few more hours and received additional treatment. They sent her home to be monitored at home. She has been taking her blood pressure every day since and it had not come down. It was still really high.</p>

			<p>She called her primary care doctor. He was wanting her to start blood pressure for medication it. She was concerned about starting it with the assumption that it was related to the vaccine. She would like to know the right thing to do. It seems safe to take the medicine, but it was unknown that whether it was going to mask the blood pressure and something else be going on. On 18Dec2020 she still had a headache and didn't feel well, but she thought she needed to give it some time. She had been anticipating not to feel well on 18Dec2020 (Friday). On 19Dec2020 she felt better considering she didn't have a headache. On 19Dec2020 (Saturday) her blood pressure was 138/90 and she felt good. Then on 20Dec2020 she had the bad headache and her blood pressure was up. On 20Dec2020 (Sunday) she had a bad headache and her blood pressure was 156/100. She came to work today and her blood pressure had been high all day. She still had a headache and the light headedness continued. The outcome of the event low grade fever was unknown, of other remain events was not recovered.; Sender's Comments: A causal association between BNT162B2 and the event dizziness cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate."</p>
30-39 years	Dec., 2020	910959-1	<p>33 y.o. male with no significant past medical history except for obesity who has been working as a nurse in the emergency room department in our hospital and today he received COVID-19 vaccine and 30 minutes later patient started having increased saliva, cold hands and feet, left-sided pressure-like headache and some numbness in his legs at the same time he suddenly started talking only in first language and lost his ability to speak in second language. He understand second language but replying first language stating that he is talking in second language. On exam he was alert oriented confused by people not understanding his second language stating that his numbness and cold feeling in the hands and feet have improved. Initially patient received 10 mg of Decadron for possible allergic reaction he had a head CT scan that was negative and his labs were remarkable only for hypokalemia. Patient had no prior history of any neurological symptoms he was advised admission to the hospital for observation. Patient symptoms resolved next day, he is alert oriented able to communicate in second language he had a head MRI and head neck MRA that came back negative and had an EEG that showed no seizure activities. Patient was seen in neurology consultation who felt that patient most likely had an episode of migraine headache. Patient is going to be discharged home and to have a follow-up with his primary care physician next week.</p>
30-39 years	Unknown Date	903767-1	<p>nausea, headache, rash, hot all over</p>
40-49 years	Dec., 2020	902464-1	<p>within 15 minutes progressive light-headedness leading to near-syncope and diaphoresis. After 20 minutes symptoms subsided.</p>
40-49 years	Dec., 2020	902479-1	<p>"Pfizer-BioNTech COVID-19 Vaccine EUA 5-7 minutes after the vaccine Associate stated she did not feel right, mentioned chest pain. "My chest feels funny. It feels like when you have really bad heartburn coming on". "I feel flushed like when you get contrast for a CT". Pulse 90 BP 160/90 checked later 130/90"</p>
40-49 years	Dec., 2020	902491-1	<p>Within a few minutes of receiving the COVID 19 vaccination, patient developed lightheadedness, shortness of breath, headache, and some nausea. She did get some redness to her neck and upper chest. No recent illness. Had elevated BPs ranged from 158/103 to 207/126. HR ranged from 82-106. O2 sats always > 96%. Temp 37.1 C. Received Tylenol 1000 mg PO, Dexamethasone 10 mg IV, diphenhydramine 50 mg IV, famotidine 20 mg IV, ketorolac 30 mg IV, ondansetron 4 mg IV, and 1 L NS. Patient prescribed EpiPen and prednisone and discharged.</p>
40-49 years	Dec., 2020	902492-1	<p>About 25 minutes after receiving vaccine complained of dizziness and being hot and nauseated. No difficulty breathing. No chest pain. B/P was 130/90 and was monitored. It went down to 124/80 after he started feeling better. He was wearing sweater over shirt and it was warm in building. Took sweater off. Cool wet cloth applied to back of neck. States he had only had a donut and cup of hot chocolate before receiving vaccine. Sprite and peanut butter crackers given. Became nauseated after eating peanut butter crackers Blood pressure monitored monitored. He laid on exam table for about 15 minutes. He felt better. Stood up and walked to conference room for another 15 minutes. Stated he felt much better and was ready to leave. Coworker drove him back. Received email from him letting us know he had made it back and they had stopped and eaten pizza on the way. Received text from coworker that he was dizzy and seeing spots and that his blood pressure had been 120/80 and then spiked to 160/100. Coworkers taking him to ER for evaluation.</p>
40-49 years	Dec., 2020	902665-1	<p>"Pt. became lightheaded, and clammy. noted heart rate to be 51, oxygen saturation 100%. after sitting for a few minutes, she felt better, but then became dizzy and had some chest tightness and bilateral hand tingling. Pt. noted to have respiratory rate 22-26 with deep breath, but other vital signs were stable. (Blood pressures 108-138/70's to 80's) Heart rate remained stable in the 70-90's range, lungs remained clear to auscultation through out. No rash or swelling noted anywhere. No itching, no throat tightness. Pt. repeatedly stated "I think I am having a panic attack". Due to the continued complaint of chest tightness, pt. sent to the emergency department for evaluation."</p>
40-49 years	Dec., 2020	902745-1	<p>PAIN AND EDEMA AT SITE OF INJECTION LEFT ARM WITH DECREASED RANGE OF MOTION LEFT ARM RIB CAGE PAIN ON INSPIRATION MUSCLE PAIN RIGHT AND LEFT THIGHS, WORSENING UPON AMBULATION MUSCLE PAIN AND TINGLING RIGHT UPPER EXTREMITY AND BACK</p>
40-49			<p>"@ ~5 min felt cotton mouth. Got up to ask if he could go early. Then at 10 min post injection, felt eyes feeling weird and he felt "high". As in lightheaded. @ 10 min, skin surrounding the eyes are</p>

years	Dec., 2020	902758-1	puffy. Given 25 mf benedryl. No immediate SOB or wheeze. No lip or mouth or throat swelling. Taken to ED. Given IM epi 1:1000 0.3ml. Pepcid and more benedryll PO."
40-49 years	Dec., 2020	902768-1	Nausea, tremors, and decrease in HR. Patient taken to ED. No epinephrine injection administered.
40-49 years	Dec., 2020	902784-1	Pt presents to the ED for c/o L anterior chest wall pain after receiving covid19 vaccination today around 1030. Pt reports she received the first dose in the L bicep. Pt reports after she received that shot she started having L anterior chest wall pain. Pt states she doesn't have any chest tightness but does have stabbing pain to the L anterior chest wall. Pt denies any difficulty breathing or hives or any allergic reaction. Pt was hooked up to cardiac/spO2 and BP monitoring equipment. Medication: Ibuprofen Route: PO Dose:800 mg Patient tolerated medication well; no adverse reaction noted. Medication: Tylenol Route: PO Dose:975 mg Patient tolerated medication well; no adverse reaction noted.
40-49 years	Dec., 2020	902944-1	shortly after patient received vaccine became flushed, bottom lip went numb, vitals were in normal limits. 911 was called emergency staff came and patient went to ER to be monitored.
40-49 years	Dec., 2020	903002-1	Patient received the vaccine. During the 15 minute observation period she developed chest heaviness, arm tingling, and throat tingling. BP elevated at 169/79. The patient was sent to the ED and evaluated. Diagnosed with more anxiety type symptoms. Discharge from ED stable.
40-49 years	Dec., 2020	903024-1	Headache, right retroocular pain, exacerbation of rosacea Tx. acetaminophen Duration: 3 hours
40-49 years	Dec., 2020	903112-1	Patient felt flushed, heart racing. Had irregular rhythm. Transported to Emergency Department. Treated with epinephrine. EKG performed, having pre-ventricular contractions. Checked in to ED for further evaluation.
40-49 years	Dec., 2020	903132-1	40 year female received Pfizer-BioNTech COVID-19 Vaccine today Patient reported prior h/o severe allergic reaction to influenza vaccine with eggs preservative. She has received flu vaccine w/o egg w/o problem. Due to her prior history of severe allergic reaction/ anaphylaxis to another vaccine, in this case flu vaccine with eggs, we should proceed with caution. She was told we could defer vaccination until more information becomes available. She opted to proceed with receiving Pfizer-BioNTech COVID-19 Vaccine and be observed for 30 minute observation period. Patient developed throat tightening approximately 20 minutes after vaccination. She received EpiPen within 1 minute of symptoms and was sent to ER immediately in wheelchair by nursing staff. Patient was evaluated in ED and was hemodynamically stable. She was given IV benadryl and was stable throughout observation
40-49 years	Dec., 2020	903143-1	Employee had tingling sensation in Right upper extremity, and heaviness in bilateral lower extremities 5 minutes after receiving vaccine. These symptoms resolved approximately 2 hours after they began
40-49 years	Dec., 2020	903161-1	Sensation of swelling around the mouth and throat felt funny
40-49 years	Dec., 2020	903167-1	Began to feel weak, felt as though going to faint, became cool and clammy, BP 100/70 P 46, O2 Sat 100% on room air, no loss of consciousness. Taken to ED - noted patient did not eat prior to getting the vaccine
40-49 years	Dec., 2020	903192-1	Paresthesias of lateral tongue and throat, subjective swelling of tongue and throat, subjective shortness of breath
40-49 years	Dec., 2020	903242-1	PAIN AND REDNESS ON INJECTION SITE.
40-49 years	Dec., 2020	903243-1	Patient developed hives, facial swelling, throat swelling/itching, and nausea approximately 13min after vaccination while in observation. Patient immediately taken to Emergency Department where epinephrine was given IM in the left thigh followed by 125mg IV solumedrol, 50mg IV benadryl, 1000mL NS, and 20mg IV famotidine. Hemodynamically stable throughout ED course.
40-49 years	Dec., 2020	903249-1	End of monitoring period, when staff asked how he was feeling he said he was having palpitations. Nursing checked his HR and associates HR was 100-120BPM. But denied chest pain and SOB.
40-49 years	Dec., 2020	903342-1	Event happened outside of the ER at a clinic and not witnessed by any hospital staff. Patient reported dizziness, shortness of breath, headache, chest pain, sore throat, hoarse voice and tightening in the throat and chest minutes after vaccine administration. Treated with IM epi on scene by EMS. In the ED abt 30-45 minutes after event, given IV normal saline, solumedrol, benadryl, and famotidine. Given PO potassium after labs for mild hypokalemia. She was monitored for about 4-5 hours total in the ED with complete resolve of symptoms.
40-49 years	Dec., 2020	903358-1	She became diaphoretic, her throat felt dry and as if it was beginning to close. Rapid response was called and she was transported to the ER. She was tachycardic, experienced chest tightness, and shortness of breath.
40-49 years	Dec., 2020	903375-1	pruritis of upper extremities. Erythema of bilateral palms and dorsal wrists
40-49	Dec., 2020	903409-1	Initial symptoms started in less than 5 minutes were tingling in the lips and tongue. Thickness feeling to the tongue. Progressed to hoarseness to voice that worsened. Received 50mg Benadryl chewable tablets. Symptoms continued to worsen. Epi pen injection in left thigh. 5 minutes later still no improvement and another Epi pen injection in right thigh. Monitored for 5 to 10 min and no

years			improvement and was taken to the ER. In the ED, received IV fluids, IV Benadryl, IV Decadron and IV Pepcid. Monitored for 3 1/2 to 4 hour and discharged home with 3 days of Prednisone 60 mg and Benadryl po every 6 hours as long as allergic like symptoms persisted. 12/18 morning still with lip tingling and Asthma like symptoms. Voice is still in and out of hoarseness
40-49 years	Dec., 2020	903418-1	Employee presented to the Emergency Department for dizziness. Patient received COVID-19 vaccination today. About an hour and half later he started experiencing dizziness and lightheadedness. Patient was normotensive with regular heart rate at the time. Patient reports when he would get up to go patient room he would start to feel unsteady. Patient has history of orthostatic hypotension intermittently in the past. Patient reports he had some tingling to his bilateral hands.
40-49 years	Dec., 2020	903422-1	Approximately 10 minutes s/p vaccination, employee became sweaty, c/o tingly hands, low BP, c/o nausea. Medical assistance team called, patient transported to ED.
40-49 years	Dec., 2020	903429-1	Pfizer-BioNTech COVID-19 Vaccine EUA Pin and needle feeling throughout body with flushing and hives. Mouth and throat felt tight with numbness sensation in mouth. Voice became very raspy and breathing felt somewhat difficult. Tachycardiac and Hypertensive Reported to the ED, received 50 mg IV Benadryl, 125mg Solu-medrol and 40 mg Pepcid, symptoms began to subside after about 5-10 minutes. Had report throat tightness at approximately 1700 and self medicated with Benadryl 2 times throughout the evening.
40-49 years	Dec., 2020	903440-1	She received her covid vaccine around 1700. She had a reaction that we monitored in the observation room for approximately 40 minutes. She was not feeling better so we took her to the ED for monitoring. She was discharged from the ED after an hour and a half. No intervention was needed. Her symptoms were feeling flushed/ anxious/ shaky, injection arm felt hot (was cool to the touch), HR was 117, BP was 143/96, which is high for her. We are recommending she reach out to her PCP prior to scheduling her second dose.
40-49 years	Dec., 2020	903460-1	Eye redness, pain, swollen Face swelling Bilateral arms and hands swelling Rash SOB
40-49 years	Dec., 2020	903469-1	Initial within 10 minutes, redness and burning pain at site. Ice was applied and this went away, then about 25 minutes, itchy throat, trouble swallowing, mild confusion. Oral benadryl 50mg and solumedrol IM. Once again this dissipated after 30 minutes. 3 hours later, trouble swallowing, felt as if something was in my throat, redness and flushing all over. fluid bolus, epinephrine I'm, iv benadryl, pepcid oral, and claritin oral, fluid bolus. 12 hours after getting the vaccine blurry vision, ringing ears, headache, benadryl, steroid, claritin all oral
40-49 years	Dec., 2020	903495-1	Right arm soreness, mild swelling, subjective fever, chills, bodyaches, headaches, loose stools x 2, 6 hours of duration, Treatment Tylenol
40-49 years	Dec., 2020	903506-1	(1145) Left eyelid swelling 15 minutes after vaccination. (1155) b/l superior periorbital edema and erythema, b/l ear erythema and burning, and b/l hand tingling. (1200) Oral Benadryl 25 mg was given. (1230) symptoms improved and I was able to leave. While riding in the car on the way home started to have chills w/ goosebumps and nausea in short waves. Took an nap b/c my chills worsened and slept until 1630. Work up b/c of worsening chills, shivering, chest tightness, nausea, b/l hand numbness and tingling, right foot burning and stinging, and constant throat clearing b/c throat felt thick. Called the nurse on-call number provided in vaccine packet and was transferred to virtual care and report was given. Medical team advised me to go to the ED. (1900) Arrived at ED and temp was 101 and the chills, numbness, foot burning, and chest heaviness were worse and my eyes were burning and heavy. I was given oral Pepcid and an IV was started. After an IVP of Benadryl and Solu-Medrol I experienced severe burning starting in my head, neck, chest, and stomach. Then it felt like my veins were on fire all the way to my fingers and toes. This was followed by strong nausea w/o vomiting. I was then given IVP of Zofran and Ativan and NS drip. (1940-2020) Chills, burning around eyes, and vertigo continued other symptoms were improving. (2020) Provider returned and reported that labs were normal and I was probably having a reaction to the vaccine. (2035) Discharged from ED. Experienced chills, hand and foot numbness and tingling after discharge but was able to go to sleep.
40-49 years	Dec., 2020	903522-1	After injecting vaccine the patient began to feel heavy tongue, dizziness and nausea. Vital signs: BP:205/161 mmHg, R:21, 97% oxygen saturation
40-49 years	Dec., 2020	903537-1	Metallic taste, chest pain, coughing or throat clearing, bilateral arm numbness
40-49 years	Dec., 2020	903568-1	Patient stated that within 3-4 hours of receiving the covid-19 vaccine he began to lose his sense of taste and smell. Patient presented to ER (12-17) with his arm was hurting, headache, weakness, back hurting, and blood pressure was up. B/P was 204/112; pulse 84; resp 19; temp 102.4; Covid-19 test- negative. He had no SOB or cough. Meds given: Tylenol tabs 650mg x1, Toradol 30mg iv x 1; NS 0.9% 1000ml iv, Tusssionex 5ml x1; Lopressor 50mg po x1, Patient released at 10:23am
40-49 years	Dec., 2020	903569-1	within 5 min, pt reported feeling dizzy and lightheaded. No loss of consciousness. Pt also reports having eaten M and Ms as only food today. Pt happened to have a pulse ox on self (is an RT). SaO2 96% on room air, pulse 94. Pt given some trail mix and water and began to feel better. Upon standing pt reported not feeling well again and returned to seated. Pt then began with jerky muscular movements of upper extremities and stuttered speech. Pt states that this is how her PNES presents. No loss of mentation or consciousness. EMT team called for transfer to ER. Pt alert and oriented on transfer
40-49			

years	Dec., 2020	903630-1	lightheaded,dizzy,increased heart rate, increased blood pressure
40-49 years	Dec., 2020	903631-1	lightheaded,dizzy,increased heart rate, increased blood pressure
40-49 years	Dec., 2020	903635-1	"Shortly after vaccine felt dizzy; nurse gave me water and a granola bar to eat. Employee took a bite or two and then felt dizzy. Employee sat down and blood pressure taken 170/ 80 and then 10 minutes later B/P 200/90. Nurse manager came and recommended employee go to ER for assessment. Blood sugar was checked and employee states ""they were not low""
40-49 years	Dec., 2020	903706-1	Pt with h/o of multiple environmental allergies plus latex. Received vaccine at 1115am and reported itching eyes and itching ears at 1129am. She was escorted via wheelchair to the ED for f/u treatment.
40-49 years	Dec., 2020	903725-1	Nausea, vomiting x 3, and hyperglycemia (BG: 350s) 30 to 60 minutes following 0.3 mL IM injection of Pfizer-BioNTech COVID-19 vaccine in the left deltoid.
40-49 years	Dec., 2020	903753-1	She felt a little warm in the chest and stomach area. She felt her heart was racing. She didn't have shortness of breath or difficulty swallowing. She felt it was the same reaction as when she had her Tdap vaccine
40-49 years	Dec., 2020	903754-1	She felt a little warm in the chest and stomach area. She felt her heart was racing. She didn't have shortness of breath or difficulty swallowing. She felt it was the same reaction as when she had her Tdap vaccine
40-49 years	Dec., 2020	903757-1	Dizziness, numbness and tingling bilateral legs and arms, developed after 5 minutes of vaccination. Vaccine at approx 1:00 PM, 1:05 dizziness, 1:07 numbness and tingling legs, spreading to arms. Denied SOB, chest pain.
40-49 years	Dec., 2020	903773-1	Rash and tingling lips approximately 40 minutes after Pfizer-BioNTech COVID-19 vaccine 0.3 mL injected IM into the left deltoid. Presented to ED to report symptoms. Symptoms mild enough that patient did not want to have any interventions. She just wanted to report them for tracking purposes. Instructed to return in symptoms worsen or if new symptoms develop. Patient did not return, so assuming no new or worsening symptoms.
40-49 years	Dec., 2020	903774-1	Rash and tingling lips approximately 40 minutes after Pfizer-BioNTech COVID-19 vaccine 0.3 mL injected IM into the left deltoid. Presented to ED to report symptoms. Symptoms mild enough that patient did not want to have any interventions. She just wanted to report them for tracking purposes. Instructed to return in symptoms worsen or if new symptoms develop. Patient did not return, so assuming no new or worsening symptoms.
40-49 years	Dec., 2020	903779-1	Patient reported numbness and tingling on the tongue 5 minutes after receiving the COVID-19 vaccine, she has a history of anaphylactic reaction to sulfa, epi pen administered at 13:50pm. Took by ambulance to emergency room at 14:10pm today
40-49 years	Dec., 2020	903800-1	sob, nausea, malaise, vomit, chest pain, throat tightness
40-49 years	Dec., 2020	903828-1	Patient developed shortness of breath, cough, chest tightness, and tachycardia
40-49 years	Dec., 2020	903850-1	metallic taste, could not swallow
40-49 years	Dec., 2020	903856-1	"t 3am she woke up and noticed some facial tingling on the ride side that felt like ""pins and needles"" - she reports like ""when you get a numbing shot at the dentist"". She also had some right arm and right leg tingling. She reports the leg tingling as ""normal"" as she has a hx of sciatica. She she woke up for the day then this morning the tingling in her arm/leg had resolved. She had coffee and cinnamon roll then started to clean the hou also had inner eye lid with itchiness. She began to have mild chest tightness so she took her inhaler - Albuterol and she took Claritin."
40-49 years	Dec., 2020	903858-1	c/o chills, nausea, hypertensive (170/100), flushing of face, redness and blotching of chest and neck
40-49 years	Dec., 2020	903865-1	Vasovagal response
40-49 years	Dec., 2020	903877-1	Itching
40-49 years	Dec., 2020	903880-1	Hives
40-49 years	Dec., 2020	903889-1	Approximately 10 minutes after receiving vaccine, patient felt light headed. Patient drank juice and felt better. Approximately 20 minutes after vaccine administration, patient began to complain of tongue tingling. Patient received Benadryl 50 mg IVP. Rash developed on her chest. Patient given Solumedrol 125 mg IVP, Famotodine 20 mg IVP and NS wide open. Epi pen 0.3 mg IM was administered and patient became tachycardic. At that point, patient was transferred to the ED.
40-49 years	Dec., 2020	903892-1	Light headed, Itchy Chest, Chest tightness, Heart racing, Throat tightness, Tingling legs
40-49 years	Dec., 2020	903896-1	Was walking to car when she felt her throat become stratchy, sore, and a lump in it. She came back in to be evaluated. Was escorted to ED for further evaluation.
			Patient complained of chest tightness, L hand tingling and throat tightening less than 10 minutes

40-49 years	Dec., 2020	903923-1	after receiving the vaccine. Patient received Benadryl 25 mg IM and NS IVF. EMS transport to ED. In ED, Solumedrol 125 mg IVP and Famotodine 20 mg IVP. Patient monitored in ED for approximately 4 hours. Discharged home on Prednisone.
40-49 years	Dec., 2020	903939-1	"Patient stated she waited the full 20 minutes downstairs without any reactions, however started feeling itchy and swollen shortly after, which prompted her to come up to the caregiver health office. An RN visually assessed patient and patient was not SOB and able to speak in full sentences. Patient states she felt as if she was ""about to have a panic attack"" because of a possible reaction. The RN prompted the patient to go down to the ED if she felt she was having a reaction to the covid vaccination. Patient checked into Medical Center Emergency Department"
40-49 years	Dec., 2020	903954-1	Pt started tonight with hives on the back of his neck. When talking to patient, he states he developed one on his arm that was spreading quickly. Encouraged to take benadryl and seek medical attention.
40-49 years	Dec., 2020	903960-1	The day of vaccination, this employee did not experience symptoms. She woke up on 12/18/2020 with paresthesia to R side of face, that became progressively worse, and is now on the entire R side of her body. This employees face has a slight droop and asymmetric smile on the R side.
40-49 years	Dec., 2020	903982-1	"Symptoms of generalized purities ,and rash on skin and taken OTC Cetrizine. 11:20 Escalating symptoms of abdominal pain w/vomiting ,tachycardia ,mouth dryness and >BP was given Epi. 0.3 injection. 11:27 am Benadryl 50mg orally. 11:30 Transported to local ER via paramedic. """"
40-49 years	Dec., 2020	903993-1	noted scratchy throat and lip tingling and feeling puffy- though no signs of edema
40-49 years	Dec., 2020	904008-1	"I noticed my body temperature becoming warm approximately 1 1/2 hours after receiving the vaccines. I then noticed at 2/12 hours, I had a red, blotchy rash on my chest, neck, back, arms and abdomen. It was not itchy, I was warm and red. I did feel a slight fullness in my throat, but I was not short of breath. For treatment, I was given 50 mg of oral benadryl immediately. I was admitted to the emergency department and given 10 mg of IV decadron and pepcid (I don't know the dose). The redness dissipated at 1 hour after the decadron. And I felt ""normal"" without any side effects approximately 3 hours after the decadron."
40-49 years	Dec., 2020	904019-1	dizziness, low blood pressure, tingling in legs, light headed shaky
40-49 years	Dec., 2020	904023-1	Develop red, blotchy rash on chest, neck, arms, abdomen, and back. Felt warm and a slightly fullness in my throat. Was given 50 mg of benadryl in the vaccine room, the was given 10 mg of IV decadron and pepcid in the ED with improvement of symptoms.
40-49 years	Dec., 2020	904052-1	nausea, elevated blood pressure, syncopal episode x3, ?? seizure
40-49 years	Dec., 2020	904100-1	Pt received COVID-19 vaccine and approximately 4 minutes later patient began to feel flushed, racing heart, and faint. On exam, pt was slightly tachycardic with flushing to the face and anterior chest. Symptoms relieved after IV Benadryl. Symptoms improved after Benadryl with a resolution of racing heartbeat and flushing. Patient was then monitored for 2 hrs without recurrent in symptoms. Pt discharged home.
40-49 years	Dec., 2020	904112-1	patient felt hot, sensation of tingling in her throat, sensation of heart racing, heart rate was 130. Rapid response called, patient received epi pen injection and IM Benadryl, sent to ED For evaluation with subsequent discharge home.
40-49 years	Dec., 2020	904117-1	Patient received covid vaccination number one; about one minute post vaccination, patient became very light headed. Upon taking vitals, patient tachycardic at 145 bpm; patient's neck turned red and splotchy; after about 60 seconds, the redness and splotchiness went away; patients blood pressure went up to 170's/90's and heart rate remained in the 130's sustained. Patient was given cold rag and water with no improvement; she was transported to the ED upon request
40-49 years	Dec., 2020	904128-1	The vaccine was administered on the following date: 12/18/20áand at approximately the following time: 1pm á She reports that she didn't feel great after vaccine but thought just normal post-vaccine symptoms. She felt itchy and wheezing that evening. She took benadryl and felt better. á She woke up the next morning and her face was flushed and she felt palpitations. Went to work and checked her vitals, tachycardic to 120s-130s. About 11am felt lightheaded and was taken down to ER. HR was 150s. Has history of bee sting allergy and this felt like that. No Epinephrine but was given 25mg IV bendaryl and IV fluids (1L NS). Took another 75mg of benadryl last night and Allegra this morning feels fine. á From ED visit note: Vitals at triage BP 106/73, HR 95, RR 18, O2 100% EKG HR 104. Vitals with HR 77-95 No labs, COVID negative á The symptoms began the following morning after administration of the vaccine.á The symptoms were: tachycardia, lightheadedness, flushing, itching, wheezing The treatment of the reaction was:áá o Antihistamines:ááIV and PO benadryl á Other medications taken on day of reaction:ááTylenol
40-49 years	Dec., 2020	904156-1	Pt reported scratchy throat, itchy lips, slight rash on chest approx. 10 min post vaccination. 25mg of Benadryl given PO. Transported to ER for continued observation.
40-49 years	Dec., 2020	904234-1	Rach, tachycardia, palpitations, shortness of breath shortly after receiving vaccine - given epi, solumedrol, Benadryl. persistent symptoms the following day.
40-49	Dec., 2020	904253-1	20 minutes after receiving vaccination, tingling tongue. 'first sign for shellfish reaction', noticed tongue swelling. took 2 benadryl @130. at 1:45 took Albuterol, got to hospital / ER at approximately 2pm. Elevated BP, HR increase, lungs tight and 'barely diminished'. Epi @ 4:25

years			Albuteral @ 4:35 Prednisone @454 IV pepcid @5pm Tongue was still swollen but improved, lungs stable. Discharged at 6:10. Continued Benadryl and med pack. F/up appt w/ Allergist the following week;
40-49 years	Dec., 2020	904260-1	12 minutes after injection, I felt flushed and dizzy. They hooked me up to a vital sign monitor which showed my heart increasing to 133 bpm, SaO2 98%. A manual blood pressure check was 168/110. My heart felt like it was pounding, I was hot and sweating. After 10 minutes or so, I felt increasingly dizzy and my vision started fading. VS still showed tachycardia and hypertension. It became difficult to swallow and my tongue was feeling fat. A Rapid Response Team was alerted, they started and IV, and took me to the Emergency Department. I became very cold and shaky. My hands and feet became a little mottled. They gave me 50 mg IV benedryl, 20 mg IV pepcid, a dose of solumedrol, and IM epinephrine 0.3mg, and 1 Liter of fluid. My symptoms resolved and I was discharged home a couple hours later.
40-49 years	Dec., 2020	904264-1	Patient presented to the emergency department at 8:45pm on 12/18/20 with lower abdominal pain, nausea, vomiting, and constipation that started approximately 2 hours prior to presentation, at approximately 6:45pm. Her labs were significant for a lipase of > 6000 IU/L, and a CT scan of her abdomen/pelvis was done that demonstrated evidence of acute pancreatitis. Given the fact that she does not have a history of heavy alcohol use, with normal triglycerides and no evidence of gallstones on her current admission, and no recent gastroenterology procedures, there is no clear etiology of her pancreatitis; concern for post-vaccination pancreatitis. The patient is currently admitted to the hospital, on hospital day #1 of her current condition.
40-49 years	Dec., 2020	904329-1	Vaccination given at 12:50 12:54?started feeling lightheaded. Sitting in chair in observation waiting area. RN present in observation area. 12:55? feeling not right. Water given. Feeling nauseated. 1302?unable to hear BP via manual cuff in chair times 2 Lowered to floor and feet elevated 1305 ? 88/54, 60 HR still nauseated and lightheaded. 1309?911 called 13:10?felt she was improving. Nausea better. 104/66, 68 13:12?110/68 HR 68 13:15?felling better. Sat up on floor. 98/50, 88 13:18?EMS arrived. BS 98. BP 112/72 Refused to go to ER by ambulance. Medics left. 13:25? RN and RN assisted patient to wheelchair. After talking with patient she did agree to going to ER to be seen by physician. Wheeled to ER and care assumed by ER team. Patient never lost consciousness and never had change in mentation. She always maintained conversation and orientation. She states didn?t feel sick enough to go to ER. Patient was discharged from ER to home.
40-49 years	Dec., 2020	904331-1	28 hrs after vaccine, woke up with tinnitus R ear, partial hearing loss R ear - went to Urgent care - Dr diagnosed with right sensorineural hearing loss with left side unrestricted hearing - prescribed prednisone 60mg a day x10days. Audiology test to be scheduled next week.
40-49 years	Dec., 2020	904343-1	I was monitored for 15 minutes and felt completely fine and left the location. On my way home approximately 25 minutes after my vaccination I felt a tingling and numbness in the back of my throat. I decided to call the center and let them know how I was feeling. They suggested I return. During the 10 minute ride back the tingling and numbness had progressed to the back of my tongue. Once I arrived there they continued to monitor me and my symptoms remained stable with numbness in my throat and back of my tongue. I was not having any difficulty breathing and felt otherwise fine. There was a concern that the symptoms would progress and they initiated EMS. I was taken via ambulance to Hospital where they continued to monitor me and check my airway.. In route to the hospital I was hypertensive with a BP of approx 190/100. I did not ask what my heart rate was. I was surprised my blood pressure was so high. They said it was probably because I was nervous however I was not feeling nervous because I knew since I could breathe I really was fine, and sending me to the hospital was simply out of an abundance of caution as this vaccine is new. Upon my arrival they took my blood pressure again and it was 140s/80s I believe with a heart rate of 106. My O2 sat we're in the upper 90?s throughout the situation. My blood pressure tends to be in the 110s/70s with a heart rate in the upper 60s to mid 70s. So it was surprising to me that I was hypertensive and tachycardic despite not feeling like my heart was racing or that my blood pressure was high. I felt completely fine other than the numbness in the back of my throat and tongue. Since the symptoms remained stable and there wasn?t really anything for anybody to do they did release me. Between 6:30 and 7 PM I noticed the tongue numbness was subsiding. By 8 PM my throat felt completely back to normal.
40-49 years	Dec., 2020	904355-1	Patient received vaccine at 0845 and left after the specified 15 minute waiting period. At 0940, the patient returned to the vaccine clinic stating that he was short of breath and his throat felt tighter than before. Arm examined and no hives or redness present, patient denied itching and hives. Patient denied that throat tightness was getting worse. PharmD and RN present and took vital signs and called house manager. Verified NKDA and then administered 25mg of PO diphenhydramine. Pt then transported via wheelchair for further workup.
40-49 years	Dec., 2020	904358-1	Patient complained of tingling lips and tachycardia. BP 159/90 HR 105. RRT called. Patient transported to Emergency Department.
40-49 years	Dec., 2020	904365-1	sore throat
40-49 years	Dec., 2020	904379-1	On 12/18/20 @ 2:58 PM, the patient experienced a really bad headache directly after received the vaccine. Her heart rate elevated 135 with heart palpation. Her BP was 178/92. She was very dizziness, short of breath, her had a hives all over her chest.
40-49			Approximately softball sized rash developed on LUQ and with additional around left flank area approximately 2 hours after injection. The redness/rashes went away spontaneously after another 2 hours. During that time, a little discomfort in left side of throat, but no change in lung sounds, uvula

years	Dec., 2020	904381-1	or any other respiratory concerns. Later in the day (approximately 4-6 hours), baseball sized redness presented on triceps bilaterally and splotchy redness on lumbar area (about 2-3 areas). Redness/rash is still present on both triceps the next day 22 hours after injection.
40-49 years	Dec., 2020	904401-1	Immediately after the vaccination my arm got super sore. On, 12/17 at 10am while at work I developed a 99.1 fever, chills and severe body aches all over called Employee Health and management and was given a COVID test which was neg and was sent home. I took 600 mg motrin and around 8pm that night I began to feel better. I previously had symptomatic COVID in July.
40-49 years	Dec., 2020	904411-1	Patient became very flushed and ee stated she was not feeling well. BP: 156/96-176-96 HR: 80-98. Patient states this was not normal bp. continued to monitor pt and noted to have reddened rash on face. Patient to ED for further evaluation.
40-49 years	Dec., 2020	904422-1	Injection given 07:58 am, at 08:12 Patient described feeling dizzy, was diaphoretic V/S at 0812 178/99 Temp 97.0, 0813- 182/101 P-112, O2 Sat 98% on room air Respirations within normal limits, alert oriented, patient described feeling a little shortness of breath able to speak in full sentences, transferred to gurney and taken to Emergency Room, skin pale. While waiting for intake patient stated shortness of breath was feeling a little better, repeated BP 0827- 146/94 care transferred to Emergency Room
40-49 years	Dec., 2020	904436-1	The patient was well prior to vaccination (12/17). The day after, he felt mildly unwell and had a low grade fever. The following day, he had a fever of 102. He received 1L of fluid at Urgent Care and had a BP ion the 80s. Shortly thereafter, he felt palpitations and developed AF. He came to the hospital where he was tachycardia to 200 bpm and hypotensive to SBP70s. He received aggressive fluid resuscitation (4L), IV metoprolol and was started on empiric Abx. Within several hours, the HR lowered, BP increased, and AF spontaneously converted to sinus. He had no dysuria. Curtures so far have not shown growth at our hospital. Urinary culture from urgent care has reportedly shows 20k gram positive cocci.
40-49 years	Dec., 2020	904438-1	15 minutes after injection. Tachycardia, Diaphoresis, mildly hypertensive, facial flushing, waxing and waning symptoms
40-49 years	Dec., 2020	904450-1	Swollen lymph node on right side of neck the morning after receiving the vaccine. Telehealth appt with PCM who prescribed 800mg ibuprofen. Took 200mg motrin for swelling because i have not had the chance to pick up prescription. The following day, swollen lymph node continued and broke out in hives approx at 1300. Went to emergency room and was given an oral steroid (dekadone?). Prescribed prednisone, claritin, and Benadryl. Have taken 1 claritin a day. Hives have disappeared within 5 hrs of oral steroid. Swollen lymph node persists and has enlarged. Painful and swollen past the jaw line. Will return to ER today for pain and continued swelling as directed by ER.
40-49 years	Dec., 2020	904463-1	Received vaccine, waited 15 min. Walked to car. side of face went numb, dry mouth. Patient walked back to vaccinate location. Pulse 115, O2 Sat. 96.
40-49 years	Dec., 2020	904498-1	Ventricular tachycardia. Defibrillator paced me out of rhythm. I have had my ICD for 3 years. This is the first abnormal rhythm I have had where it delivered a therapy to abort it.
40-49 years	Dec., 2020	904506-1	Approx. 10 minutes after vaccine administered I became suddenly tachycardic while sitting in a chair. Heart rate up to 140. I started to feel some chest heaviness with some difficulty breathing. Felt like my heart was galloping. Was transported to ER and monitored for 2 hours. I was orthostatic with talking, and walking. Heart rate to 135 walking to the bathroom despite having had a liter of IV fluid given. I was discharged home with instructions to follow-up with my doctor. I have an underlying problem with exercise intolerance with elevated heart rates. It seems that the elevated heart rate made my symptoms worse. Otherwise I have just a mild headache and mild fatigue. No previous adverse reactions to vaccines.
40-49 years	Dec., 2020	904535-1	About 5 minutes after the injection I felt lightheaded/ presyncopal lasting about 5 seconds. I had several more episodes of the same symptoms over the next hour. My vitals were checked after the first episode and my pulse was 130 with blood pressure 179/99 and oxygen sat was in the high 90? s. I was taken on a gurney to the ER. I was told my blood pressure and pulse improved a few minutes after the initial episode and I was observed for 2 hours with resolution of my symptoms.
40-49 years	Dec., 2020	904549-1	Patient developed flushing, diaphoresis, tachycardia approximately 7 minutes after injection into L deltoid, while waiting under observation. The symptoms resolved spontaneously after approximately 3-5 mintues. Patient was then observed for 45 more minutes and felt fine the entire time. Upon leaving to have her spouse pick her up, patient developed symptoms again while walking out of the building. Patient was then taken to the emergency department for further monitoring. Telemetry and further observations for 4 hours revealed no further abnormalities and the patient was discharged home with no more issues.
40-49 years	Dec., 2020	904562-1	Generalized Rash all over upper torso with feeling itchy. Apparent to RN at approximately 15 minutes post vaccination. Patient (Health Care worker/employee) did not seem aware until it was brought to his attention. 15mg Benadryl administered and sent to Emergency Department for observation. No further symptoms occurred and patient dismissed.
40-49 years	Dec., 2020	904569-1	My symptoms started 30 minutes after the injection. My throat and tongue started to get very itchy and scratchy. I had to keep clearing my throat. My throat felt thick with secretions.
40-49 years	Dec., 2020	904698-1	"Within 15 minutes, patient experienced itchy, tight throat ""felt like a tickle in throat"". Airway remained patent. No rash/hives."

40-49 years	Dec., 2020	904719-1	Day 1: palpitations, dizziness Day 2: headache, redness, swelling, itching on vaccination site; GI disturbance Day 3: vaccination arm had paresthesia, heaviness, almost stroke-like symptoms; the symptoms started suddenly ** treated in the ER; IV steroids- for possible allergic reaction; tpa- for the stroke-like signs; halfway through the tpa, I felt an improvement with the arm
40-49 years	Dec., 2020	904841-1	light headedness, claminess, parasthesias of the hands and feet, worked night shift and day shift. no treatment
40-49 years	Dec., 2020	904859-1	Rash shortness of breath
40-49 years	Dec., 2020	904887-1	Felt dizzy
40-49 years	Dec., 2020	905008-1	Patient complained of light headedness, stated right arm cool, and bad taste in mouth. BP 123/80 initially. Pt stood up and became light headed BP 154/90 HR 76 SPO2 98%. RRT called. Pt transported to Emergency Department.
40-49 years	Dec., 2020	905131-1	Sudden onset of intense rush of heat through body, intense increase in heart rate and inability to swallow, trembling and shaking. Employee was in car, returned to hospital ER. ER administered fluids, and diphenhydramine.
40-49 years	Dec., 2020	905133-1	anaphylaxis
40-49 years	Dec., 2020	905153-1	Pt sitting in observation area. c/o L arm whole arm aches and pinky finger feels numb on outside. does have feeling, can move fingers equally, blood flow to finger with blanch test slightly slower. no redness/swelling noted on arm. no bleeding under bandaid. not improving. no s/sx distress. (dizzy, SOB,) directed to ED (where pt works) for assessment at 0810. Pt will complete workers comp form.
40-49 years	Dec., 2020	905295-1	On 12/18/20 the next day at ~0830 he experienced SOB, heart palpitations, and fever. He was taken to the local hospital via ambulance. He was tested for Covid-10 at hospital. Unknown result. Discharged from hospital around 1545.
40-49 years	Dec., 2020	905309-1	Muscular pain, general malaise Treatment: Famotidine, Acetaminophen
40-49 years	Dec., 2020	905337-1	Lip swelling within 24 hrs
40-49 years	Dec., 2020	905339-1	Shortness of breath, tachycardia
40-49 years	Dec., 2020	905462-1	The reaction to the shot was that she had alcohol taste, nausea, wrenching, and a rapid response team was called and she was taken to the ED.
40-49 years	Dec., 2020	905503-1	During the 15-minute observation period the patient became flushed and began complaining of a headache. She then went unconscious and had tonic-like activity for approximately 2 minutes. The patient subsequently stopped the seizure-like activity and woke up but was confused and was acting in a postictal fashion. She was evaluated emergently upon arrival in the ED and noted to have an altered mental status. Physician noted that this does not appear to be an allergic or anaphylactic reaction. There was no evidence of rash and lung sounds were clear with no wheezing. Subsequent CT showed a diffuse subarachnoid hemorrhage and patient was transferred to the Medical Center for further treatment.
40-49 years	Dec., 2020	905563-1	Employee complained of feeling lightheaded. She reported blotchy spots on neck and chest; tingling to back of throat. Employee was taken to ED for further evaluation and treatment.
40-49 years	Dec., 2020	905564-1	Patient began experiencing bilateral leg weakness, chills, shortness of breath, and headache
40-49 years	Dec., 2020	905592-1	Started with slight headache and sore arm, felt tired and diarrhea about 5 hours past vaccination - 3 bowel movements within 1 hour. That night around 1:30AM (next morning) I felt a little itchy all over with a throat irritation and I took some Benadryl. Just itchininess and sore throat, no fever. Had pretty bad fatigue on the 17th and had nasal congestion, cough, chills, sneezing. I worked on the 17th but felt terrible throughout the day. Got home and I could not eat anything , could not hold anything on my stomach. On the 18th at night woke up with sweats, no fever, dry cough, nausea. Chest discomfort (minor chest pain - was sure was not cardiac, could be acid reflux). Woke up with nausea and irritation and intermittently felt fatigued and would feel better, throughout the day. Also felt back pains on the 18. That same evening I felt a little better and then on the 19th I had some shortness of breath. I then decided to go to the UC on Saturday the 19th and got a COVID test. Sore throat was gone but still feel back pain and nausea. Around 11PM on the 19th I got itchy again in my arms and chest. Also got chest pains and took a Pepcid and Benadryl. On the 20th I am feeling a little better, still have a cough and some stomach upset and headache (in the AM). About 1:30PM diarrhea came back again. Had it 2X and low back pain and abdominal pain and also chills. There was a time I could not take care of my kids I just had to stay in bed (19 and 20th - I spent in bed most of the day). My heart rate has been good. The evening of the 20th I felt a little bit better and able to eat a little bit easier. This morning felling a little better. Had diarrhea this morning and a headache that I can't get rid of. Took Tylenol but it has not helped. Also low back pain.
			"0650-Within 5 min of vaccination: Lightheadedness, dizziness, ""floaty"" feeling, cleared after sitting 15 more minutes. 0900-Returned to clinic, after vaccination : recurrence of lightheadedness,

40-49 years	Dec., 2020	905615-1	sudden onset of HA 6/10 (no migraine aura), nausea and 2 episodes of watery stool, diaphoresis. No rash, no Shortness of breath, no difficulty swallowing, no throat swelling. 1000- taken to ED for continued monitoring: given Zofran 4mg SL, Benadryl 25 mg PO, Pepcid 10 mg PO, Tylenol 975 mg PO , ibuprofen 600 mg PO. DC'd from ED at 1335 with Zofran for continued nausea. Other symptoms resolved."
40-49 years	Dec., 2020	905624-1	c/o problems swallowing despite drinking water. Sat pt in chair, VS taken and monitored. Epinephrine IM given when pt c/o problems swallowing worsening. 9-1-1 called and responded but pt declined escort to ED because he stated he was feeling better after Epi so instead I and patient transport escorted pt to ED via wheelchair.
40-49 years	Dec., 2020	905652-1	Patient had swelling of tongue 45-60 minutes after vaccination. Received PO benadryl. Had eyelid and facial swelling requiring IV Solu-medrol. Monitored for short period of time in emergency department and released. No further symptoms.
40-49 years	Dec., 2020	905669-1	She experienced nausea.
40-49 years	Dec., 2020	905738-1	Right hand felt cold at first but that sensation has subsided; Within less than 10 minutes I had a warm tingling feeling; heaviness in my legs which still continues over an hour later; Dry mouth; This is a spontaneous report from a contactable consumer reporting for herself. This 44-year-old female patient received on 17dec2020 10:00 first dose of BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine, lot EK5730) at single dose in the right arm for immunization. Medical history included reflux. No allergies to medications, food, or other products. Concomitant medications included omeprazole (PRILOSEC). On 17Dec2020, within less than 10 minutes, the patient had a warm tingling feeling, heaviness in her legs which still continued over an hour later. Right hand felt cold at first, but that sensation has subsided. Also had a dry mouth about 15-20 minutes after the vaccine. All symptoms subsided after 2 1/2 hours. Patient went to emergency room. Final outcome was recovered on 17Dec2020.
40-49 years	Dec., 2020	905754-1	Patient got dizzy immediately and wanted to sit down, he also stated he was short of breath. His blood pressure was 160/111 and pulse 107. Rechecked shortly after that blood pressure check and it went to 176/115 and pulse 138. Patient stated he was feeling well and requested to go to ED, staff called 911.
40-49 years	Dec., 2020	905841-1	Flushing Hives Nausea Heartburn Throat itching and swelling Hot flash Blood pressure and pulse spiked All of this happened within 5 minutes of administration. Patient was given benedryl and Pepcid and sent to the Emergency Room.
40-49 years	Dec., 2020	905843-1	"PATIENT REPORTS RECEIVING VACCINATION AT APPROXIMATELY 830AM. SHE WAS BUSY THROUGHOUT THE DAY BUT ONCE SHE RETURNED TO HER OFFICE AROUND 120 PM, SHE STARTED TO NOTICE HER ARM IN WHICH SHE RECEIVED HER VACCINE WAS PAINFUL AND SHE WAS UNABLE TO ""LIFT IT UP"". SHE ALSO NOTICED HER TONGUE BEGAN TO FEEL ""WIRED AND TINGLY"". SHE THEN REALIZED HER TONGUE WAS PUSHED UP AGAINST HER TEETH AND COULD SEE A VISIBLE TOOTH MARK ON HER TONGUE. SHE ALSO REPORTS THAT HER BRAIN FELT ""FOGGY"" DURING THIS TIME"". ADDITIONALLY, SHE REPORTS THAT ONSET OF ALL HER SYMPTOMS PRESENTED PROGRESSIVELY. SHE RECIEVED IM BENADRYL ONSITE PRIOR TO TRANSFER TO THE EMERGENCY ROOM FOR EVALUATION. AT THE EMERGENCY ROOM SHE WAS GIVEN THREE MEDICATIONS, SHE RECALLS ONE WAS A STERIOD AND BELIEVES ATLEAST ONE WAS AN ANTIHISTAMINE. HOWEVER, SHE IS NOT COMPELTELY CERTAIN WHAT THE OTHER MEDICATIONS WERE. SHE REPORTED IMPROVEMENT OF SYMPTOMS WITH MEDICATION. SHE WAS PRESCRIBED BENADRYL AND A MEDROL DOSE PAK AT TIME OF DISCHARGE. SHE WAS NOT ADMITTED TO THE HOSPITAL."
40-49 years	Dec., 2020	905849-1	Staff reported numbness, tingling and heat all the way down her left arm. She was sent to ER for further evaluation and monitoring.
40-49 years	Dec., 2020	905850-1	Staff reported numbness, tingling and heat all the way down her left arm. She was sent to ER for further evaluation and monitoring.
40-49 years	Dec., 2020	905852-1	"Patient woke up 3 am next morning and felt like she couldn't move limbs hardly at all and ""felt like a boulder sitting on my chest"". She also felt nauseous, dizzy and a headache. By 5 am the ""heaviness"" of her limbs and her chest and throat felt so heavy patient was scared and was transported to ED by her husband. ED physician didn't think it was an anaphylactic reaction, but just thought it was an extreme adverse reaction. EKG, labs including Cardiac enzymes, and chest xray were all normal. Given IV benadryl, IV zofran, Aspirin, tylenol and norflex. during ED visit. Discharged from ED 10:30 am. Took Benadryl and Solumedrol dose pack once home. by Saturday patient felt 95% better, but as of this report, still says arms still feel heavy and she is fatigued. Went back to work today."
40-49 years	Dec., 2020	905867-1	She c/o of numbness and tingling on left side of entire body. 98.8, 92,142/84, o2 sat 99, rr 16. denied other compliant. emerency response team called. taken to ED
40-49 years	Dec., 2020	905881-1	palpitations, shortness of breath, warmth in throat
40-49 years	Dec., 2020	905884-1	12/18/2020 ABOUT 5 MINUTES AFTER VACCINATION, STARTED TO FEEL DIZZINESS. 'IT WAS VERY WEIRD. LIKE I WAS MOVING. I MADE IT TO THE OTHER CHAIR'. I FELT MY LEGS GO NUMB, TINGLING IN ARMS AND LEGS. STAFF CALLED NURSE OVER. TOLD ME TO LIE DOWN ON THE FLOOR, STARTED TO CRY, 'DONT LIKE HOW MY FEET FEEL NUMB'. TOOK ME TO THE ER. TOLD MIGHT BE A 'NASAL VASOVAGAL REACTION'. DIDN'T LOSE CONSCIOUSNESS. BUT THE TINGLING

			IS STILL GOING ON .
40-49 years	Dec., 2020	905896-1	Patient observed for over an hour due to symptom development including complaints of pressure in head, diaphoretic, swelling and increase muscle tone/rigidity in her left arm, tongue feeling thick. Brought to ED for care after an hour of observation. In the ED, left arm rigidity/spasm worsened. Here is the physician note: Patient's headache is improved. She has no neurological deficits or subjective complaints or objective exam consistent with a recurrent CVA. She has no evidence of significant anaphylaxis related to the immunization. May be a recurrence of her underlying medical problems that she has been seen by neurology for something similar. Possible unmasking of this is related to the Covid vaccine is difficult to determine. We will have her work individually with our pharmacy, infectious disease team to determine whether she is a candidate for a second vaccination. She would like to return home right now her CT labs are otherwise unremarkable I think this is reasonable. Return precautions for more significant etiologies were discussed at length. Received lorazepam 0.5 mg IV x1, diphenhydramine 25 mg IV x1, and methylprednisolone 60 mg IV x1.
40-49 years	Dec., 2020	905917-1	10 minutes after receiving the vaccine the patient began to vomit, stated her throat felt scratchy, face became flushed. patient taken to the ER
40-49 years	Dec., 2020	905918-1	tingling in arm & chest directly after vaccine given. Tightness in throat and a little feeling of short of breath. Went to emergency dept and received bendaryl & solumedrol - symptoms resolved except arm tingling.
40-49 years	Dec., 2020	905950-1	Burning pain in site, starting to get numb down my arm, pain on side of breast going down to rib, chest pain in the middle ..
40-49 years	Dec., 2020	905965-1	Patient received Pfizer COVID-19 vaccine on 12/21/20 at 15:24. Approximately 10-12 minutes later she reported having chest tightness, became pale, diaphoretic, short of breath, and looked unwell. She also had a feeling that the her throat was closing. She was given EpiPen 0.3 mg Inj. She had a reaction to Benadryl IV in the past, so we refrained from giving her an IM injection of benadryl. She did not feel like she could swallow so we did not give her benadryl. After EpiPen Injection, she immediately looked better and was taken to the ER for further workup and observation. Of note, she mentioned an unspecified allergic reaction in the past. In the ED she was given pepcid IV,, solumedrol IV, and a bolus of saline.
40-49 years	Dec., 2020	905972-1	Shortly after receiving vaccine she began to have a scratchy throat with some mild increase work of breathing. No distress. Transported to ED for further evaluation and discharged to home approx. 2 hrs later.
40-49 years	Dec., 2020	905974-1	Left sided weakness of face, arm and left leg, onset 15 minutes after receiving vaccination Brought immediately to ED, subjective feeling of closing of throat. Given IM epinephrine 0.3mg x 1. Upon evaluation in the ED by tele-neurology consult, she received 88.5mg of alteplase on 12/20/20 at 1721 She was admitted to the Intensive Care Unit on 12/20/20 at 2208 Seen by neurology on 12/21/20 at 1227. Evaluation showed weakness on the left side but is noted that it could be effort-related. Neurologist noted that patient was treated with alteplase; CT angiogram showed no significant blockage or stenosis. Noted that this is could be related to a vasovagal effect, psychogenic or an acute ischemic stroke. As of 12/21/20 at 1615, attending provider noted left-sided paresthesia, left-sided tics and possible transient ischemic attack
40-49 years	Dec., 2020	905990-1	Approximately 45 minutes after the injection, I felt a gradual tightening of my chest. I took about 6 puffs of my Albuterol inhaler over the next 45 minutes and still got no relief. The pharmacist took me back down to the clinic where I was told to then go to the ER. My blood pressure was 204/133 and my pulse was 136. The doctor determined that I was having a severe allergic reaction to the vaccine. I was given an epinephrine injection, 10mg of Decadron and 50mg of Benedryl. I was monitored for between 3 and 4 hours in the ER before I was discharged. The doctor told me that I should not receive the second dose of the vaccine.
40-49 years	Dec., 2020	905992-1	Began with pinkish neck and chest approximately 15 minutes post vaccine administration. Within 10 minutes of further observation, more reddened splotches noted on chest, and c/o tightness in chest. Taken to ED via wheelchair immediately. Treated with Benadryl, solumedrol and famotidine. Pt discharged to home within 2 hours.
40-49 years	Dec., 2020	905993-1	"The patient was in her normal state of good health prior to the vaccination. Almost immediately after receiving the vaccination, she began having a headache, then got an urticarial rash. She then felt a ""lump in [her] throat."" She was coughing uncontrollably. She was brought immediately to the Emergency Department where I assessed her with my resident. She had signs of a Type I Hypersensitivity Reaction including a hoarse voice, globus feeling and diffuse urticaria. She was treated at the vaccination site in the hospital with Benadryl 50 mg PO prior to ED evaluation and she self-administered Ibuprofen 400 mg. She did not have stridor or airway swelling. She was able to speak in full sentences. She was NOT treated with epinephrine, as she was in stable respiratory condition and improved with Benadryl (as previously administered at the vaccination clinic, Pepcid IV and Solumedrol IV. My concern over this reaction is that the patient has NO PRIOR HISTORY OF ANY ALLERGIES AT ALL. I have read and seen in the media reports of anaphylaxis with a history of allergies, however, this is the first case I have heard of regarding an anaphylactoid reaction in a patient with no prior history."
			Employed as a nurse at this hospital. Around 8 PM she received her COVID-19 vaccine. She waited the 15 minutes she was required to wait and then walked to her car. She reports that as she walked to her car she had a pain in her left shoulder which was short-lived but followed by numbness and

40-49 years	Dec., 2020	905999-1	tingling of her left arm and the left side of her face going up the back of her head. Symptoms started around 8:20pm. She reported back to the clinic to report the symptoms--she lives along and wanted to be assessed before going home. In the clinic, she was assessed by myself. Employee noted that she had not eaten. She ate in the clinic and had something to drink. While in the clinic over the next 10-15 minutes, she noted that she had some numbness and tingling in her feet and calves bilaterally. No leg pain or swelling. Around 9pm, the clinic was closing and she could no longer be monitored under observation. She opted to go to the ER for observation. Per ER note-- She denies any headache. She denies any left-sided weakness. Patient is right-handed. She also reports some mild chest heaviness that lasted for about 20 minutes and then resolved. No shortness of breath. No dizziness, syncope or presyncope. No nausea or vomiting. No rash. No visual or speech changes. No ataxia. Patient continues to have the left-sided numbness and tingling but states that it is less intense than it was. She denies any other complaints. Follow up this AM-- Pt is only fatigued and has some muscle soreness where she had the vaccination. All of her symptoms have resolved and she is not having any further sx's of chest tightness or numbness
40-49 years	Dec., 2020	906001-1	Right after the injection I became acutely lightheaded. I tried to wait it out and it improved somewhat but not all the way. I then started to drive home after the 15 min. observation period. About 5 min into my drive home, I developed trouble swallowing/throat tightness and worsened lightheadedness. I called 911 who stayed on the phone with me as I drove back to the hospital. It started to improve rather soon and was resolved within 30 min later.
40-49 years	Dec., 2020	906007-1	About 10 minutes after the injection I felt something in my throat like when I have a sore throat. I was checked by the nurse and she said my pulse is beating a little faster. My breathing was fine. I was brought to ER and my blood pressure was elevated than usual. About almost an hour after the vaccine my forehead started itching and but I was given benandryl so my hives didn't continue to develop..
40-49 years	Dec., 2020	906026-1	around 1730 Patient was given vaccine and d/t allergy history was brought in the 15 minute observation. Patient stated that she was feeling dizzy and throat feeling funny also the same way when gets the flu shot. Patient was kept in observation while being monitored and Code Blue Team arrived d/t the possibility of an anaphylactic reaction.
40-49 years	Dec., 2020	906030-1	Around 0800 the patient got her vaccination. During the registration process, she was seen by An Employee (Pharmacy) and associate stated that she never had any allergic reactions in the past and filled in both forms that she does not have any allergic reactions to either the vaccine components, food, and medication. She was then escorted to the Observation room for 15 minutes where she felt dizzy at first. The observation nurse and pharmacy was also present at site. After a few minutes, associate complained of more dizziness, some tightening of the jaw but was still able to speak and swallow. Associate was then given Benadryl around 0804 and connected to the vitals machine for continuous monitoring. Around 0806 patient was feeling worst and Observation RN took her vitals and her HR went down to the 30's associate was given epinephrine and hence the CODE BLUE was called on 0807. During the CODE BLUE, ED was notified, and a gurney was sent to the Observation Room. Patient was then transported to ED for further evaluation and observation.
40-49 years	Dec., 2020	906047-1	Urticaria to arms started on the eve of December 20, 2020, took benadryl and applied triamcinolone ointment to rash, woke up and found more rash all over the body took benadryl again, after an hour of taking the benadryl, my face started to itch, that;s when I went to the ED where they gave me, a steroid IV , Benadryl IV and Pepcid IV.
40-49 years	Dec., 2020	906116-1	light headedness; shortness of breath; headache; some nausea; get some redness to her neck and upper chest; Had elevated BPs; This is a spontaneous report from a contactable pharmacist. A 41-year-old female patient (non-pregnant) received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 Vaccine, Batch/lot number: EH9899), intramuscularly on right arm on 15Dec2020 at 13:30 at single dose for immunization. The COVID-19 vaccine was administered in hospital. Medical history included arrhythmia - right bundle branch block, GERD (Gastroesophageal reflux disease), spinal headache, allergy to gabapentin, adhesive, duloxetine hydrochloride (CYMBALTA). The patient wears contact lenses. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medication within 2 weeks of vaccination included hydrocodone bitartrate, paracetamol (HYDROCODONE/ACETAMINOPHEN, 5-325 mg), omeprazole, meloxicam, docusate sodium, sennoside a+b (SENNA AND DOCUSATE SODIUM). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Within a few minutes of receiving the shot on 15Dec2020, the patient developed lightheadedness, shortness of breath, headache, and some nausea and was taken to the ED (emergency department). She did get some redness to her neck and upper chest, had elevated blood pressure. O2 saturation was fine. The patient received treatment for the events which included acetaminophen (TYLENOL), dexamethasone, diphenhydramine, famotidine, ketorolac, ondansetron, and 1 L normal saline in ED. The patient was prescribed adrenalin autoinjector (EPIPEN) and prednisone and discharged home. Since the vaccination, the patient hadn't been tested for COVID-19. Outcome of reactions was resolved in Dec2020.; Sender's Comments: Based on the close temporal relationship and the description of the events lightheadedness, shortness of breath, headache, nausea, erythema and high blood pressure, there is a reasonable possibility that the events are related to BNT162b2 vaccine. The case will be reassessed upon receipt of follow up information.
40-49 years	Dec., 2020	906161-1	Nausea and Vomiting
			12/19/2020 Received vaccine 12/20/2020 around 2am woke up with strong body aches, pain at

40-49 years	Dec., 2020	906238-1	injection site, chills, and fever 100.9. Continued with extreme fatigue, headache, body aches and high fever through out the day. 12/21/2020 fever gone, arm still sore and headache returned mid day.
40-49 years	Dec., 2020	906299-1	Ten minutes after received the vaccine, patient felt lightheaded, weak, diaphoretic, dizzy, nauseous, and experiencing palpitations. At that time BP 112/78 mmHg, pulse Ox 99%, HR 102. Patient was transferred to the Emergency Department for monitoring. Patient was discharged without any further sequelae.
40-49 years	Dec., 2020	906301-1	hives on neck and chest 20mins after the injection. The hives burned no itching
40-49 years	Dec., 2020	906328-1	12/17/2020 INJECTION. 12 HOURS LATER, NAUSEA W/ TACCYCARDIA, PROXIMAL. HEARTRATE 150. WENT TO ER. HAD TESTS DONE. NO HISTORY OF ANXIETY; HAD PRETTY ANXIETY. LASTED ABOUT 45 MINUTES. ATIVAN PRESCRIBED BY ER DOCTOR. DIAPHORETIC. I AM WORKING BUT STILL DIAPHORETIC AND STILL FEEL A LITTLE FATIGUED. DON'T KNOW IF RELATED TO VACCINE.
40-49 years	Dec., 2020	906403-1	chest pain, across bottom of rib cage, pain with deep breathing, Motrin did not help
40-49 years	Dec., 2020	906434-1	30 minutes post vaccination, pt started feeling flushed and itchy (mostly in the anterior neck, Rside of face and R ear). Positive pruitis and flushing, vital signs taken, within normal limits for pt
40-49 years	Dec., 2020	906445-1	7 hours after vaccination onset of fever, lethargy, headache, dizziness. 1 Liter Normal Saline
40-49 years	Dec., 2020	906456-1	Right after given the covid vaccine. When I stood up to go to another desk, I sat down and my throat started to feel funny, and my tougue started to swell and I had a hard time swallowing. I informed the nurses that I have a problem. I was taken to the emergency room right away. I was treated with an epi injection and it did not relieve my reaction. They then gave me another injection, then later my throat started to swell again, and I was given another dose of an epi injection. I was release at 7pm after observation. Last night, I had another delayed reaction, I took a benadryl, and a zertec, and prednisone and the symptoms went away. This morning, I am fine. Today, it feels a little tight, but it's not bad.
40-49 years	Dec., 2020	906496-1	Developed tachycardia, tremors, hypertension, rash. Given diphenhydramine and fluid bolus in ED and discharged home.
40-49 years	Dec., 2020	906504-1	Vaccinated at 9:00am through employee health. Within 5 minutes of vaccine administration, developed palpitations and flushing. These persisted and worsened and I was transported to the ED. During transport I developed chest tightness and throat tightness. On arrival to ED, HR 125, BP 150/97. Observed for 2 hours, given normal saline but no medications. Over time, palpitations and flushing subsided first. Then chest tightness persisted for about 2 hours. Was discharged from ED within 2 hours. Throat tightness persisted for approximately 8 hours total and gradually resolved.
40-49 years	Dec., 2020	906511-1	Patient became Lightheaded, dizzy @ 11:24 am BP 155/92, Sat 100% on room air, P-100, repeat BP 11:25 141/94 Sat 99% P-98, 11:28 154/91 sat 100%, P-99, patient described having palpitations, transferred to ER via gurney for increased BP, light headed, dizzy palpitations
40-49 years	Dec., 2020	906514-1	Patient was administered the Covid19 vaccine. She was advised to wait 30 minutes post vaccination. While the patient was waiting, she reported having an itchy throat, throat tightness, then a hoarse voice and a cough developed. This happened at about 20 minutes after she received the vaccine. The patient was assessed by the nursing and provider staff. She received an adult epi pen injection and EMS was called. Patient was taken to the ER by EMS. She reports she received two more epi injections, benadryl, and Solu Medrol. She was stabilized. Patient was discharged from the ED after several hours. She then reports a second episode of throat tightening and worsening cough at 12:30 am and was taken by ambulance to the ICU and admitted. She is still in the hospital at this time 12/22/2020.
40-49 years	Dec., 2020	906525-1	17 minutes after vaccination, had itching all over body, inside mouth; noted itching palate and tongue, hot flashes and given famotidine and diphenhydramine and sent to ED for evaluation. in ED: given diphenhydramine 25mg PO one time felt abdominal discomfort and radiating up to the chest and given GI cocktail with temporary improvement. also mild nausea given ondansetron x2; also NS IVF given for 2L Discharged with ondansetron and prednisone 40mg PO daily for 5 days.
40-49 years	Dec., 2020	906532-1	seizure, resident sent to er and in CCU
40-49 years	Dec., 2020	906552-1	12/16/2020 2:30 AFTER VACCINATION, STARTED TO FEEL INCREASE HR. STARTED TO FEEL WOOLY, UNABLE TO FOCUS. CHECKED VITALS IN ICU; HR 116. WENT TO ER, TRIAGE BP WAS 163/101; HR 115. GIVEN LITER SALINE, DREW LABS. BP AND HR CAME DOWN. TOLD TO REST COUPLE DAYS. WAS CONCERNED AS HX OF STROKE. F/UP WITH CARDIOLOGIST 'DOESN'T THINK THE SECOND VACCINE WOULD BE HARMFUL' BUT 'I JUST DON'T KNOW'. FAMILY HAS HX OF HEART DISEASE. I KNOW ANXIETY BUT NEVER HAD HR DO 'WHAT IT DID'. DON'T FEEL LIKE IT WAS ANXIETY. I KNOW MY BODY. I HAD TAKEN CARE OF COVID PATIENTS THE WEEK BEFORE. I DON'T KNOW WHAT TO THINK. TRYING TO LOOK AT ALL FACTORS. 12/17/2020 HEADACHE; FOLLOWING DAY I WAS FINE
40-49 years	Dec., 2020	906556-1	After receiving the vaccine earlier, patient had difficulty swallowing for 3 minutes and also dizziness -> went to ED for evaluation. Symptoms resolved after rooming in ED. ED physician DX with possible allergic reaction and he was given diphenhydramine 50mg PO x1 and prednisone 40mg PO

			x1 in ED-- > discharged home with PRN diphenhydramine, cetirizine 10mg daily and epi pen PRN.
40-49 years	Dec., 2020	906577-1	Employee was being monitored post Covid19 vaccine, approximately 10 minutes after receiving vaccine she complained of feeling dizzy and light headed and then became unresponsive. 911 was called and employee was taken to ER
40-49 years	Dec., 2020	906594-1	"15 minutes after vaccination, started to have SOB, numbness on legs and extremities-- > sent to ED for evaluation. She c/o funny feeling in her mouth and tingling in her arms and legs after vaccination. She felt short of breath initially, but not at ED. No rash. No swelling that she is aware of. She just doesn't feel right. States she feels ""jittery"" and shaky. Received 2 L NS and epi 0.3mg IM x1 and diphenhydramine 25mg IV x-- > symptoms improved. Observed for 4 more hrs in ED. Discharged home on Epi pen."
40-49 years	Dec., 2020	906602-1	Patient states 20 minutes after receiving the injection she began having a scratchy throat and began having shortness of breath. She also developed some itching to the site. She presented to the Emergency Department and noted to have hoarseness but no severe dyspnea. Patient was given steroids and Benadryl. Her symptoms did not worsen and she was discharged home.
40-49 years	Dec., 2020	906609-1	"Severe Headache (""Felt like someone hit me with a bat in the head""; water/tylenol given; sent to ED - given Toradol; later: chills; resolved per follow-up call prior day."
40-49 years	Dec., 2020	906741-1	Approximately 20 minutes following COVID-19 vaccination the patient suddenly developed hives, itching - Hives around face and upper chest. Throat was red and slightly swollen. Was brought to the Emergency Department within out hospital for assessment and medical care. Acute treatment included methylprednisolone 125 mg IV x 1 dose, diphenhydramine 50 mg IV x 1 dose, epinephrine 0.3 mg IM x 1 dose, and famotidine 20 mg IV x 1 dose. The patient felt better following this treatment Upon reassessment oropharyngeal swelling had improved, the patient no longer had hives and the throat appeared clear. The patient stated he no longer feels itchy but does feel a little short of breath. Lungs were clear with pulse oximetry 97%.
40-49 years	Dec., 2020	906775-1	Chills at 5-10 min after vaccination, with voice change and SOB 15-20 min after vaccination concerning for anaphylaxis. Epi given im x1. given immediately at voice change and immediately taken to ED.and currently receiving care
40-49 years	Dec., 2020	906782-1	Received COVID-19 vaccine on 12/18/2020 around 1225pm, ten minutes later while being monitored I started to feel hot flash, got dizzy like about to pass out, I asked to let me lay down, I felt the medication bitter taste in the back of my throat, I was clammy pale, I lay on a stretcher and put my feet up elevated, rapid response was called and BP was checked and Spo2, my hands were getting cold and tingling I was talking to RN, another RN, after laying down for ten minutes I sit up I was getting my BP back to normal, I sat down in the chair again for another 10 minutes, I was offered to go to the ER but I decline, I said I was getting better, after 15 minutes I left monitored by my supervisor I felt the medication in my stomach, after the tingling my fingers were numbed for the next days until present.
40-49 years	Dec., 2020	906797-1	rash and dizziness
40-49 years	Dec., 2020	906806-1	"Patient was done receiving vaccine at 0921, approximately 5-10 minutes later reported feeling flush, metallic taste in mouth (first symptom), heart racing. VS taken: 152/93, HR 120. Pt seated, calm, given water to drink, speaking full sentences, NAD and no difficulty breathing or swallowing. At 0948 VS: 132/91, HR 96, SpO2 98% room air. At 0955, patient continued to feel waves of heart racing, HR on monitor 90-108, SpO2 98%. At 1002, notified ED charge nurse that patient will be escorted for further monitoring, work up if necessary. Still no respiratory or swallowing symptoms. At 1002, patient escorted to ED by RN, ambulated without difficulty. Upon ED arrival, patient reported feeling ""fine"" without symptoms."
40-49 years	Dec., 2020	906822-1	I received the Covid 19 vaccination at 3:00 pm on 12/18 no trouble went home. Upon going to sleep the left arm was numb thought and got up to use the bathroom had diarrhea. While in the restroom hit face had a Syncope episode regain conscience went to ER had 4 stitches in chin. Since 12/20 felt fine and was able to return to work.
40-49 years	Dec., 2020	906824-1	"Hard lump and redness at injection site on right deltoid almost immediately after injection. Patient describes a ""fireball"" in her throat. Denies swelling. No difficulty swallowing, maintaining airway independently. Headache. In E.D., patient received NS 1000 ml at 2000 ml/hr at 19:34, Diphenhydramine 25 mg IV x1 at 19:36, Methylprednisolone 125 mg IV at 19:38, Ketorolac 30 mg IV at 19:41, Famotidine 20 mg IV at 19:42. Forty minutes post injection, all symptoms gone. Discharged from E.D. at 20:52 with prescription for prednisone 50 mg po daily x4 days, diphenhydramine 25 mg po q6h prn, and famotidine 20 mg po nightly prn."
40-49 years	Dec., 2020	906912-1	About 5 min after I got the vaccine I was on observation and I started getting a rapid, pounding, heartbeat, they waited about 5 min and it started getting faster and stronger, so they called paramedics to take me to the ER. It seemed it could be a severe reaction, I had fast rate for several hours and also broke up in hives while I was at the ER. They did a cardiac workup and noticed I had change on my heartrate according to the EKG they had previously done.
40-49 years	Dec., 2020	906927-1	After 24 hours felt tired, achy, arm hurt my head hurt for 48 hrs little longer. Upon waking up on Sat felt same symptoms. Due to patient exposure I contacted Covid hotline for that hospital employees. Then I was informed to go get tested ER for Covid results negative. I had to miss work on 12/21 due to taking Acetaminophen being a hospital criteria couldn't work while taking that medication.
40-49			Reports within 15 min of covid vaccine she had facial pressure, throat tightening, headache, light

years	Dec., 2020	906944-1	headed, increase in BP-179/123
40-49 years	Dec., 2020	907010-1	Developed itching to lips and left arm 10 mins after injection. Benadryl 25mg oral given. Symptoms progressed to tongue and mouth itchiness. Pt transferred to ED for further eval and care. IV NS famotidine and methylprednisolone given. Discharged home.
40-49 years	Dec., 2020	907011-1	1406, Monitored pt 1:1. She reported feeling fine for the first 15 minutes then reported itching involving her face but not forehead. Gave 25 mg IM diphenhydramine. pulse ox Reading was wnl. Within 5-10 min after diphenhydramine pt reported itching involving her arms, facial flushing but no shortness of breath. extra 25mg diphenhydramine IM given and Epinephrine IM administered. medical director notified. Dr. came and assessed and monitored patient. Symptoms resolved while on site. Pt escorted by medical colleagues to workplace ER where she agreed to stay for further monitoring. Dr followed up with pt later in the evening and she was doing. Patient updated progress December 20, 2020. I have had continued symptoms since Thursday though initially I felt that they were just typical post-reaction type symptoms. Thursday night I just had some itching and occasional hives. Friday I woke with a terrible headache and could not lift my left arm above by head due to pain but figured that these were vaccine effects. I had intermittent hives and itching that I was able to suppress by taking Allegra, Zyrtec and Claritin (each once) throughout the day. I was also taking Pepcid at night. Saturday, I tried to decrease my antihistamines to just Allegra BID, Pepcid once and Benadryl just last night. I woke with hives and worse itching again. I also appeared to have what looked like eczema on my hands that was new. So I took Pepcid and Allegra prior to going into my shift this morning. I took Zyrtec around 9 am as I had not yet had any improvement in my hives or itching. My co-attending noted that I was progressively becoming more flushed and around 11 am I started to experience an odd sensation in my throat with a persistent cough. My vitals were normal (HR 75, sat 98%, BP 113/78), so I talked the other attending out of more epinephrine and she prescribed me dexamethasone 16mg. I took the dex plus a Claritin at noon today and by 2 pm, had resolution of all of these symptoms. I also noted that my chest felt significantly less tight and retrospectively think I have been experiencing chest tightness and pressure since Friday but hadn't realized it because it occurred gradually. As of December 21, 2020, patient was to start prednisone 40 mg daily x 5 days.
40-49 years	Dec., 2020	907016-1	"Patient complained of ""racing heart beat, dizziness"" BP noted 141/92 P104 oxygen 99 repeat temp 97.6 BP 145/89 P96 repeat BP 145/95 Pulse 104 taken to ER for further evaluation and treatment. Temperature rose to 101 while in ER. Patient reports symptoms resolved approximately 1 1/2 hours after injection ""feels fine"" now Discharged home steady gait."
40-49 years	Dec., 2020	907022-1	Anaphylaxis/Angioedema Patient was given EpiPen 0.3 mg IM; Methylprednisolone 125 mg once; Diphenhydramine 25 mg IV push once; Famotidine 20 mg IV push once; Dexamethasone 10 mg IV push once Patient was intubated and put on propofol and midazolam drips for sedation
40-49 years	Dec., 2020	907042-1	Received vaccine around 10:40 am, by 10:50 started to feel dizzy, eyes felt full, dry, tingly, swollen, voice became raspy and throat itched. Received 25 mg Benadryl PO at around 10:55. Face, arms, chest and abdomen developed a fine red itchy rash, tongue swollen and itchy, lips tingling, wheezing, blood pressure elevated, pulse thready given 25 mg PO Benadryl, taken to the Emergency Room, symptoms persisted, stomach hurt became nauseated, received IV solumedrol, Pepcid, IV fluids, nebulized albuterol. Sent home once stable after 3 hours, with instruction to take Benadryl every 4-6 hours fir the next 2 days, albuterol as needed, and prednisone for the next 5 days.
40-49 years	Dec., 2020	907044-1	Pfizer-BioNTech COVID-19 Vaccine EUA within 5-30 minutes: dizziness, weakness, palpitations, chest tightness, injection site pain, left arm numbness and weakness, headache, nape pain, drop in BP, high BP, left shoulder and elbow joint feeling like to be detached. Sent to Hospital ER, was given Zofran and Ativan
40-49 years	Dec., 2020	907045-1	During 15 observation period I developed tachycardia rate in the 140?s. Hypertension 180/100. Rapid response was called and sent to ER. I also became flushed, chest rash, chills low grade temp 99.4. I was given a 500cc bolus of Normal saline. Benadryl 25mg IVP and my morning dose of carvedilol 6.25mg. On discharge Bp was 102/ 74, Hr 76.
40-49 years	Dec., 2020	907047-1	Pt hx of DM Type I, HTN, reported pruritic urticarial rash 5AM 12/21/2020 inner wrists, anterior distal LE bil. Resolved aprox 30 mins later. Urticaria recurred mid day 12/21/2020, pt treated with Benadryl 25mg PO, resolved. Urticaria returned evening of 12/21/2020 wrists, axilla, nape of neck. Pt treated with Benadryl 25mg PO, resolved. Urticaria returned 5AM AM 12/22/2020 similar distribution as evening of 12/21/2020. No air way or facial involvement. Pt treated with Benadryl 25mg PO, urticaria resolved. Sought medical eval 12/22/2020 around 10AM: no sx nor urticaria present. 1:30PM 12/22/2020 after eating lunch pt called to report recurrence of urticaria now involving face, lips tingling, itchy back. Administered 50mg Benadrly IM, observed, urticaria/pruritis resolved x 45 mins. Urticarial sx and lip tingling returned in 2 hours, pt transferred to ED for treatment with epinephrine, steriods, observation.
40-49 years	Dec., 2020	907052-1	"Pt with dizziness and chest pain that started about 10 minutes after getting the Moderna Covid19 vaccine. No shortness of breath, no rash, no fever, no swelling, no weakness. Feels pain in center of chest and on L side. Pt also has been having stress with work. Pain started in the R side of the chest and migrated to the L side. It improved with Nitro and Aspirin but pt states he still feels, ""fussy."" He has no symptoms of allergic reaction or anaphylaxis. Pt has no known hx of cardiac dz, nonmoker, nondrinker. His Mom has a cardiac murmur but no other known history of heart disease."

40-49 years	Dec., 2020	907059-1	Tingling in head, headache, mouth, itching
40-49 years	Dec., 2020	907075-1	Patient experienced bronchospasm with coughing and tongue itching approximately 10 minutes after the injection.
40-49 years	Dec., 2020	907080-1	"Per patient, she had received the COVID vaccine at her workplace and developed 30-40 minutes later symptoms of throat tightness, chest tightness and difficulty swallowing and was given at her workplace in the ED oral Benadryl, oral Decadron and IM epi. About an hour and a half later she developed symptoms of recurrent throat tightness and was given another dose of IM Epi and was then transferred to this hospital for further evaluation as per the patient ""all of her symptoms are pretty much ""unchanged"""". She was observed for many hours in the ED without evidence of recurrent symptoms and was later discharged with a 3 day prescription of prednisone and prn diphenhydramine for itching."
40-49 years	Dec., 2020	907101-1	patient felt slightly nauseated at 10 minutes after injection, then developed slight sweating; BP 160/81; 83 at 5:45 and then 158/87 with HR 82 at 5: 52 pm. Her lungs were clear, she was speaking in full sentences and was denying any chest pressure, her usual sense of asthma exacerbation. At 6:05 it was 164/83 with HR 79 and patient developed a dry cough; we decided to have her wait just a bit longer, then cough worsened, so at 6:25, decision was made to have patient seen in ER for further assessment, and en route in wheelchair to ER the dry cough became persistent, spasmodic and patient was unable to speak. Epi-Pen was injected in right mid thigh, and patient transported to ED urgent eval. She noted immediate palpitations, and slight improvement of breathing, was able to speak in four word sentences. On arrival to the ED, patient was administered Duonebs, Albuterol neb, IV Benedryl, IV Solumedrol; CXR was obtained, with results pending. Patient was sent to observation for ongoing monitoring and assessment of breathing. at 6:30 PM in the ER, she
40-49 years	Dec., 2020	907116-1	Tachycardia, hypertension, flushing and tingling around mouth within minutes after injection. Lasted about an hour
40-49 years	Dec., 2020	907118-1	Dizzy, heart palpitations. Was taken to the ED for evaluation
40-49 years	Dec., 2020	907124-1	13:40 dizziness/vertigo feeling. 14:25 nausea, headache, dizziness. Went to Emergency room in our hospital to get checked out. My blood pressure was severely elevated, felt unwell, headache increased in intensity, nausea worsened & dizziness.
40-49 years	Dec., 2020	907187-1	Possible allergic reaction - paresthesias of L tongue and throat; Possible allergic reaction - paresthesias of L tongue and throat; Possible allergic reaction - paresthesias of L tongue and throat; Sensation of tongue and throat swelling; Sensation of tongue and throat swelling; This is a spontaneous report from a contactable Health Care Professional. A 48 years old non-pregnant female patient received BNT162B2 (Pfizer-Biontech covid-19 vaccine) on 17Dec2020 at 15:15, at single dose, for COVID-19 immunisation. The vaccine was administered at hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Relevant medical history included food and drug allergy. The patient received concomitant medications (unspecified, received within 2 weeks of vaccination). Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient has not been tested for COVID-19. On 17Dec2020 at 15:15, the patient experienced possible allergic reaction - paresthesias of L tongue and throat, with sensation of tongue and throat swelling. No anaphylaxis. No abnormal physical exam findings. Emergency Room Visit required and the patient received the following treatment: diphenhydramine hydrochloride (BENADRYL), prednisone, and loratadine (CLARITIN). Clinical outcome of the adverse events was unknown at time of this report. The case was assessed as non-serious. Information on the lot/batch number has been requested.
40-49 years	Dec., 2020	907197-1	my eyes were painful; my eyes were itchy; Eyes swelling; my face were swelling; A little short of breath; Hands are still swollen, my arms are slightly swollen and so is my eyes; Dry rash on hand almost looks like dry eczema rash or psoriasis like it looks like it's a dry patchy rash; Severe headache almost like a migraine; I started to feel little bit, a little off; This is a spontaneous report from a contactable nurse, the patient. A 49-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EJ1685), intramuscular in the left arm on 16Dec2020 (at the age of 49-years-old) as a single dose for COVID-19 immunization. Medical history included hypertension and hot flashes. Concomitant medications included clonidine (MANUFACTURER UNKNOWN) taken for hot flashes, fish oil (MANUFACTURER UNKNOWN) for an unknown indication, omeprazole (MANUFACTURER UNKNOWN) for an unknown indication, spironolactone (MANUFACTURER UNKNOWN) as a diuretic, and multivitamin (MANUFACTURER UNKNOWN) for an unknown indication; all from unknown dates and unknown if ongoing. On 16Dec2020, the patient experienced eyes were painful and itchy, eyes and face were swelling, a little short of breath, hands swollen, arms slightly swollen, dry rash on hand almost looks like dry eczema rash or psoriasis like it was a dry patchy rash, severe headache almost like a migraine, and felt a little bit off. The clinical course was as follows: the patient received the vaccine on 16Dec2020 and waited 15 minutes and did not have any reaction. She went back to work. As she proceeded to work her shift, she started to feel little bit, a little off. She couldn't really describe it but thought it may have been psychological because she was just really watching heavily for any type of symptoms. She had worked an hour over her shift and it usually took her about 40 minutes to get home. When she got home around 21:00, her eyes were painful and itchy and when she looked in the mirror her eyes and face were swelling. Then, she became a little short of breath not to a point where she thought she needed oxygen, just a little short of breath. She called the hospital where

			she worked and talked to the manager and then they advised her to go the emergency room. At the emergency room, she received intravenous fluid, diphenhydramine hydrochloride (BENADRYL), famotidine (PEPCID), and dexamethasone (DECADRON) for treatment. She also took cetirizine (ZYRTEC), prednisone (MANUFACTURER UNKNOWN) and triamcinolone cream for the dry patchy rash. The patient stated that she had lab work done earlier in Dec2020 (before the vaccination) and everything was normal. The clinical outcomes of the itchy eyes, eye swelling, hands swelling, and arms slightly swollen were not recovered and ongoing; while that of the little short of breath, dry patchy rash, headache, and feeling a little off, were unknown. The outcome of the eye pain was recovered on an unknown date in Dec2020; while that of the face swelling was recovering.; Sender's Comments: Based on the close temporal relationship and the description of the events, there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate
40-49 years	Dec., 2020	907283-1	Patient with hx of SVT stood up after receiving COVID-19 vaccine and did not feel well - sat back down. put pulse ox on and HR was 180. Pt vagaled twice, HR sitting in the 90s - brought to ED for evaluation.
40-49 years	Dec., 2020	907288-1	About 30-40 minutes after patient received COVID-19 vaccine, she felt that she was having difficulty swallowing. Denied respiratory distress. Some swelling felt in middle of throat. No fever, chills, pain, shortness of breath or wheezing.
40-49 years	Dec., 2020	907301-1	About 5 min after receiving the vaccine, I got dizzy, 15 min after I stumbled after I tried to stand up. I have not had breakfast so they thought could be low blood sugar, and gave me some trail mix with m&ms and water. About 40 min after that I stated jerking and then they called the MERT team (emergency) and was transferred to the ER. My speech was delayed. They gave me clonapin and it stopped maybe between 20-30 min later. I believe it was all caused my my PNES. Somehow the vax triggered it, it has been in control for over 2 years. After that I was just fatigued for 24 hrs later. Now I am fine
40-49 years	Dec., 2020	907333-1	tingling in throat, swelling of tongue Became very anxious upper lip swelling
40-49 years	Dec., 2020	907426-1	48 y.o female with history of atrial tachycardia who presents to the ED via EMS for a possible adverse reaction to Covid vaccine. Patient received her Covid vaccine around 1600 today, and soon became diaphoretic, shaky, and lightheaded. She had presented to the emergency department. Currently she denies any chest pain, difficulty breathing, throat swelling, tongue swelling, or any other symptoms currently except for palpitations. áAllergic Reaction The primary symptoms are shortness of breath. The primary symptoms do not include cough, abdominal pain, vomiting, dizziness or rash. The current episode started 1 to 2 hours ago. The problem has not changed since onset. The onset of the reaction was associated with a new medication. Significant symptoms also include flushing. 48-year-old female with a history of atrial septal defect, status post atrial septal defect repair in 1980. She works as a nurse at Hospital and has been experiencing increasing rapid palpitations associated with chest pain, and hypertension. With her episodes, she experiences marked lightheadedness, dyspnea, and feeling marked anxiety, as well as chest tightness. She received the COVID-19 vaccine today and while waiting in the observation room, she started feeling unwell, with rapid palpitations, associated with lightheadedness and dyspnea. She last had a sustained episode 2 - 3 weeks ago and had presented to ER and Hospital. No syncope. No orthopnea, PND or increased lower extremity swelling. Active Hospital Problems á Diagnosis ? Atrial paroxysmal tachycardia ? History of repair of atrial septal defect á á 1. Paroxysmal atrial tachycardia in setting of prior atrial septal defect repair - she is having breakthrough episodes through flecainide/digoxin - it is likely her atrial tachycardia is related to her ASD patch. Will hold flecainide/digoxin for now, and try to schedule an ablation during her hospital admission due to highly symptomatic episodes resulting in multiple ER visits. á 2. Acute renal insufficiency - most likely pre-renal - iv fluids started. á 3. Possible COVID-19 vaccine reaction - she probably had an incidental atrial tachycardia episode post vaccine administration, rather than an actual adverse reaction. Continue to monitor.
40-49 years	Dec., 2020	907427-1	COVID vaccine admin 1645 around 1715 sudden onset heart palpitations feels like heart racing, employee heart rate was noted to be 170s, employee was escorted to the ED. 12/23/2020 1030 spoke with Employee she advised d/c from ED last pm, this am resting heart rate 90s, but 140's-150's with ambulation. Denies chest pain, shortness of breath, palpitations, cold symptoms, n/v/d. Has reported moderate fatigue this am.
40-49 years	Dec., 2020	907438-1	Dizziness, nausea, vomiting. Elevated BP. Shortness of breath. Headache. Went to ER, improved with solumedrol.
40-49 years	Dec., 2020	907447-1	12pm started feeling fatigue and sickness throughout body. 3pm nausea. 6pm body aches and chills. Slept horribly like I was getting the flu. Up at 4:30am to go to work. Still fatigue, nausea, chills and some little bit of upper back pain, between shoulder blades. Went home early today from work.
40-49 years	Dec., 2020	907503-1	Employee complained of lightheadedness/dizziness after vaccination which was at 9:15am
			I received the vaccine at 1:40 PM in my left arm. They had me wait 15 minutes for observation. 15 minutes later, I left feeling fine. I went back to work. Around 2:15 I started getting chills. I ignored

40-49 years	Dec., 2020	907582-1	it thinking that I was psyching myself into it thinking about the shot. But then the nausea began. I was at work and started feeling horrible. I started cramping in my stomach. I was alone at work, and then I started throwing up. It started at 3:40. I left work at 4:30 with the most body wracking chills and went to the emergency room. I was violently heaving at this point and they rushed me into a room where I received an IV drip of fluids and anti nausea medication. It wasn't until after the medication was administered that I felt better. I would say this was around 5 pm. They sent me home with an anti nausea medication. I was released to go home around 730-8 PM. I felt so much better after the medication was administered.
40-49 years	Dec., 2020	907587-1	Acute onset nausea and abnormal throat sensation shortly after receiving COVID vaccine. Hemodynamically stable in ED, saturating well on RA, did receive Epi .3 mg IM for concern of throat sensation, tolerated well.
40-49 years	Dec., 2020	907635-1	Patient received covid 19 vaccine. She began to experience itching throat and swollen tongue. She was sent to the Emergency Department. She received IV Benadryl 50 mg, IV famotidine 20 mg and 125 mg IV solu-medrol. Around 930, patient stated that symptoms had resolved, except for tongue being slightly swollen. Patient was admitted to the observation unit of the hospital.
40-49 years	Dec., 2020	907637-1	Employee received vaccine, within 10minutes, c/o of weakness, dizziness, shaking.... no complaints of Shortness of breath or tightness... refused to receive any additional treatment. Continued monitoring for another 2 hours, no additional symptoms, then developed numbness and tingling around mouth and trouble swallowing.... sent to ER.
40-49 years	Dec., 2020	907703-1	scratchy throat, stiff neck ,
40-49 years	Dec., 2020	907705-1	Within 2 minutes of injection, I became tachycardic; shaky; a bit dizzy; This is a spontaneous report from a contactable consumer (patient). A 49-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL0140), via an unspecified route of administration on 18Dec2020 07:15 AM at right arm, at SINGLE DOSE for covid-19 immunization. Medical history included anxiety and depression, allergies to IV dye, Bee stings. Concomitant medication included famotidine (PEPCID), diphenhydramine hydrochloride (BENADRYL), ergocalciferol (VIT D), acetylsalicylic acid (BABY ASPIRIN). The patient previously took levofloxacin (LEVAQUIN) and experienced allergy, ceftriaxone sodium (ROCEPHIN) and experienced allergy. The patient was not pregnant at the time of vaccination. Within 2 minutes of injection, the patient became tachycardic, shaky and a bit dizzy from 18Dec2020 07:15AM. These events resulted in Emergency room/department. No treatment was received for these events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The action taken in response to the events for bnt162b2 was not applicable. The outcome of the events was recovered in Dec2020. No seriousness criteria: no Results in death, no Life threatening, no Caused/prolonged hospitalization, no Disabling/Incapacitating, no Congenital anomaly/birth defect.
40-49 years	Dec., 2020	907753-1	Severe dizziness and nausea 3 days after vaccine with fatigue for approximately 24 hours
40-49 years	Dec., 2020	907771-1	After 15 min patient had tingling in her left arm all the way down to her hand, then started to travel to left side of face. 5 min later tingling started to travel to her left leg. Pulse ox- 96% HR 57. 1251-ED lead RN was then contacted to evaluate patient in the ED.
40-49 years	Dec., 2020	907801-1	Vaccine recipient developed mild nausea, acid reflux, and stomach pain 10 minutes after vaccine administration. Vaccine recipient then developed nasal congestion and cough at 19 minutes, and then shortness of breath at 21 minutes. The vaccine recipient was then sent to the emergency department. While in the emergency department it was determined that the vaccine recipient had an allergic reaction. When vaccine recipient had shortness of breath the oxygen saturation went to 89-90%. The vaccine recipient received albuterol, diphenhydramine, famotidine, methylprednisolone, and fluids. During re-examination, the vaccine recipient's condition improved and stable. Vitals were within normal limits. 89-90. They were discharged to home. At follow-up phone call on 12/23/2020, the vaccine recipient reported that they felt much better but was still experiencing voice hoarseness.
40-49 years	Dec., 2020	907806-1	Patient presented for COVID-19 vaccine (Pfizer-Sars-COV2-vac), pt received the vaccine and then 15 minutes later started feeling some lumpiness in her throat, watery eyes, and ear fullness. Pt denied feeling any itchiness, difficulty breathing, lip swelling, or throat swelling. Pt received two doses of oral diphenhydramine 25 mg each without improvement in symptoms. Patient was observed for 1 hour and 20 minutes. After consulting with Dr., it was recommended to have the patient go to the emergency room for more observation. The patient was then escorted to the ER by one of the volunteering staff. In ED, reported throat tightness without SOB or difficulty swallowing. Also reports feeling sense of ingestion/gas bubble in chest. Had COVID, dx'd 12/1/20, recovered fully. States that sensation in chest was also felt during her COVID illness and seemed to be brought back by vaccine this afternoon approximately 90min pta, Observation for additional 90min in ED. with possible mild improvement, no progression/worsening. Discharged home
40-49 years	Dec., 2020	907814-1	Several minutes after the injection, my right little finger was tingling. ~0815 I was driving home and lost function in my right little finger. The left side of my jaw felt tight, the left side of my tongue felt thick, and my vision was blurry in both eyes. I also noticed that my heart was out of rhythm and beating rapidly. I had a near syncopal episode. I began having mid-sternal chest pressure. I drove to my home - took 50mg of liquid Benadryl and had someone drive me to the ER. Symptoms started

			to resolve within 20 minutes of taking Benadryl. I was seen at Medical Center.
40-49 years	Dec., 2020	907816-1	I had a cough , hives and a fever of 101
40-49 years	Dec., 2020	907836-1	About 15 minutes I started to get hives, skin reaction and felt chest pressure, I let Dr. know I wasn't feeling well, administered Epinephrine with own EpiPen, noticeable hives and redness across neck and upper chest. Transported to the ED. 2nd dose of Epinephrine at 1:20pm for throat swelling and bronchospasm.
40-49 years	Dec., 2020	907847-1	lightheaded, dizzy, nausea, vomiting, tingling in the hands and face, diaphoretic, tachycardia
40-49 years	Dec., 2020	907867-1	feeling off, shaky, swollen hand and arm on injection side. slight slurred speech
40-49 years	Dec., 2020	907883-1	general warmth and dry throat
40-49 years	Dec., 2020	907887-1	Patient complained of a rush of feeling hot, symptoms progressed to feeling light-headed and dizzy. Skin was warm and dry. Experienced hypertension which got worse when told her blood pressure was high. Patient was transferred to the ED for further observation.
40-49 years	Dec., 2020	907907-1	Right sided jaw pain started 12/22/20 in the AM progressed through the evening. When I woke I had numbness and weakness on the right side of my tongue which I quickly realized included the lower portion of my right face. An ER trip and a CT scan confirmed it was Bells Palsy. The upper portion of my face has is now included in the weakness and paralysis.
40-49 years	Dec., 2020	907919-1	Diffuse hives started ~ 12 hours post vaccine, progressively worsened to involve entire body, and required solumedrol & antihistamines at an Urgent Care visit
40-49 years	Dec., 2020	907922-1	Patient reports shortness of breath and persistent cough.
40-49 years	Dec., 2020	907943-1	1 hr post administration patient developed urticaria, pruritus
40-49 years	Dec., 2020	907999-1	10 minutes after receiving the vaccine, I became tachycardic. Heart rate was in the 150s. I believe the rest of my vital signs were normally initially, but about 10 minutes after the tachycardia started, my BP was 170/110. I remained tachycardic so was sent to the ER. I continued to have waxing and waning tachycardia during my ED stay. Per MD, EKG, BMP, CBC were all normal. I did not receive any medications. After about 3 hours of monitoring, my heart rate was under 100 at rest so was discharged home. For the next 24 hours, with minimal exertion (talking, walking on flat surface) my heart rate would elevated into the 110-120s. 48 hours after vaccine, my heart rate returned to normal. I will be following up with cardiology 12/28/2020
40-49 years	Dec., 2020	908002-1	Shortly following vaccination, developed redness, skin rash, itchiness, dizziness and anxiety. Was given diphenhydramine 25mg with no relief and began worsening - walked over the Emergency Department in same building and treated there with the following: Solu-Medrol 125 mg IV Push, Diphenhydramine 50mg IV Push, and Prednisone 40 mg by mouth. Symptoms began to improve within about an hour and was given a prescription for Prednisone 20 mg Po X 3 days.
40-49 years	Dec., 2020	908003-1	ANAPHYLACTIC REACTION, SOB, CHEST PRESSURE, TIGHTNESS IN THROAT, TACHYCARDIA
40-49 years	Dec., 2020	908026-1	Received the COVID vaccine, after the 30 min observation time she left the area and returned about an hour after her administration with complains of Shortness of breath, tightness in chest, elevated BP, Flushing and rash on upper extremities and neck.
40-49 years	Dec., 2020	908027-1	Received the COVID vaccine, after the 30 min observation time she left the area and returned about an hour after her administration with complains of Shortness of breath, tightness in chest, elevated BP, Flushing and rash on upper extremities and neck.
40-49 years	Dec., 2020	908029-1	An 1 h and 20 mins after vaccine was given, driving home and felt some difficulty swallowing. Was able to drink water no difficulty but unable to do swallow without the aid of water. No SOB, some tachycardia. Went to closest ED.
40-49 years	Dec., 2020	908035-1	Patient presented to ED 1 day after administration of COVID-19 vaccine. She had rigors and chills the day before and day of ED presentation. Denies having a fever prior to ED presentation but did note general body aches and nausea. Patient also had 1 episode of vomiting on 12/22. Patient's vital signs were BP 145/109, HR 75, RR 20, O2 sat 96, temp 98.7F. Receive IV bolus of NaCL 0.9% 1,000 mL in ED in addition to ketorolac 15 mg, and ondansetron 4 mg. Patient was discharged home from the ED.
40-49 years	Dec., 2020	908062-1	Age: 43 years 12/23/2020 12:21 Chief Complaint: ALLERGIC REACTION History of Presenting Illness: This 43 yo female presents from specialty clinic for an allergic reaction. Patient has just received the Moderna Sars-Cov2 vaccine. She has had covid in the past, and her Igg tested outpatient was positive at 5.2 (per patient). She had received the vaccine at 11, and says that she usually has a reaction to vaccinations and drugs. She began having some rash around the neck and felt like her throat was closing. She was brought to the emergency room.
40-49 years	Dec., 2020	908069-1	developed dizziness, palpitations, shaky, headache
40-49 years			Severe whole body myalgia and weakness with inability to stand or walk without significant pain

years	Dec., 2020	908127-1	and weakness. Unable to work or do ADL . Doctors not sure what to do . Have seen pcp and ER with still severe pain and weakness over three days
40-49 years	Dec., 2020	908144-1	hot all over her face, followed by itchiness on her face, tongue and throat. denies any shortness of breath or chest pain. She denies any difficulty speaking or swallowing
40-49 years	Dec., 2020	908156-1	"She exhibited no symptoms immediately after the shot and began driving home at approximately 6:30 pm. As she was driving home, she gradually developed perioral numbness with the sensation of a ""gummy"" throat and bilateral eye ""warmth and numbness"","
40-49 years	Dec., 2020	908157-1	Initially started with nausea around min 5, shortly after then itching on arms. Around min 15 ? lump? sensation in throat. Around min 20 swelling of tongue, worsening feeling in throat, wheezing, itching around mouth. Sent to ER, received IM Epi, IV: Steroids, Benadryl, Zofran, Pepcid, Albuterol inhaler.
40-49 years	Dec., 2020	908186-1	My jaw felt numb. I was lightheaded, and a felt nauseated
40-49 years	Dec., 2020	908207-1	Patient experienced an anaphylactoid reaction within 20 mins of receiving the vaccine. Patient is a physician and attempted to self treat with diphenhydramine. After a short time of seemingly no resolution patient presented to the Emergency Department. Patient was examined. Elevated BP was noted (192/100), flushing, difficulty swallowing, and strange sensation of mouth and tongue were also present. An ECG was performed and sinus tachycardia was observed at 105bpm. Patient received IM epinephrine and PO dexamethasone. Symptoms resolved. Patient was observed for 3-4 more hours.
40-49 years	Dec., 2020	908263-1	"started to feel a warmth in her chest and abdomen; She felt like her heart was racing; Developed chest pain; This is a spontaneous report from a contactable other HCP (healthcare professional). A 45-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot #: EJ1685), intramuscularly in the left arm on 18Dec2020 at 15:30 (at the age of 45-years-old) as a single dose for COVID-19 vaccination. Medical history included known allergies to apple, cantaloupe, peach, avocado and IV contrast dye; all from unspecified dates. The patient was not pregnant at the time of vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included ongoing famotidine and salbutamol (ALBUTEROL HFA) as needed (PRN); both for unknown indications from unknown dates. The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient previously received hydromorphone (DILAUDID) and triamcinolone acetonide (KENALOG); both from unknown dates to unknown dates for unknown indications and experienced allergy. The patient also previously received diphtheria vaccine toxoid/pertussis vaccine acellular/tetanus vaccine toxoid (Tdap) vaccine on an unknown date for immunization and experienced allergy. On 18Dec2020 at 15:45, the patient started to feel a warmth in her chest and abdomen, she felt like her heart was racing, and developed chest pain. It was reported that ""patient started to feel a warmth in her chest and abdomen. She felt like her heart was racing. Developed chest pain. No shortness of breath or difficulty swallowing"". It was unknown whether the patient received any treatment for the events. It was reported that the adverse events resulted in emergency room/department or urgent care visit. It was also reported that the events were non-serious and did not cause or prolong hospitalization. The clinical outcomes of the events started to feel a warmth in her chest and abdomen, she felt like her heart was racing and developed chest pain were all unknown. It was unknown whether the patient had been tested for COVID-19 since the vaccination."
40-49 years	Dec., 2020	908266-1	At approximately 1.5 hours after the vaccine, I started to feel warm.; developed a red, blotchy rash on my chest, neck, abdomen, back, and arms; There was a fullness in my throat, but I was not short of breath; This is a spontaneous report from a contactable other health care professional. A 47-year-old female patient received bnt162b2 (BNT162B2; lot number: EL0140, expiry date: unknown), via an unspecified route of administration arm left on 18Dec2020 08:45 at, single (Dose Number: 1) for immunization. Medical history includes: Allergies to medications, food, or other products: Seasonal allergies. The patient's concomitant medications were not reported. On 18Dec2020 10:30, At approximately 1.5 hours after the vaccine, the patient started to feel warm. But 2.5 hours, she noticed that she developed a red, blotchy rash on my chest, neck, abdomen, back, and arms. There was a fullness in my throat, but I was not short of breath. The patient was brought to the Emergency room/department or urgent care. Treatment was received: Benadryl 50 mg po(per oral), Decadron 10 mg IV, Pepcid IV. The outcome of the events was recovered.; Sender's Comments: The reported information is limited. Based on the close temporal relationship and the description of the events, there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
40-49 years	Dec., 2020	908342-1	Seizure witness by wife who is a physician. Bit tongue. No history of seizure or other neurologic disease.
			Patient is a 47 y.o. female who arrived by Car presented to the emergency department for Stroke symptoms. Patient awoke at 6:15 this morning, some difficulty seeing out of the right eye and also was stumbling towards the left and to table. Concerned about things not being right so brought to the emergency department. Patient feels her speaking and swallowing are okay. She did drink a bit of coffee earlier. She denies headache or significant vision problems presently. Continues to not feel

40-49 years	Dec., 2020	908917-1	normal on her left side. No history of stroke and parents or siblings. She does give personal history of an occipital migraine many years ago at which time she did not have a headache but had some vision troubles. Physical Exam Vitals signs and nursing note reviewed. Constitutional: General: She is not in acute distress. Appearance: She is not ill-appearing or diaphoretic. HENT: Head: Normocephalic and atraumatic. Right Ear: Tympanic membrane normal. Left Ear: Tympanic membrane normal. Nose: Nose normal. Mouth/Throat: Mouth: Mucous membranes are moist. Pharynx: No oropharyngeal exudate or posterior oropharyngeal erythema. Eyes: Conjunctiva/sclera: Conjunctivae normal. Pupils: Pupils are equal, round, and reactive to light. Comments: Patient displays absence of left lateral movement Neck: Musculoskeletal: Normal range of motion. No muscular tenderness. Cardiovascular: Rate and Rhythm: Normal rate and regular rhythm. Heart sounds: No murmur. Pulmonary: Effort: Pulmonary effort is normal. Breath sounds: Normal breath sounds. Abdominal: General: Bowel sounds are normal. There is no distension. Palpations: Abdomen is soft. Tenderness: There is no abdominal tenderness. Musculoskeletal: Right lower leg: No edema. Left lower leg: No edema. Lymphadenopathy: Cervical: No cervical adenopathy. Skin: Findings: No rash. Neurological: Mental Status: She is alert. Cranial Nerves: Cranial nerve deficit (left facial droop, dysarthria) present. Comments: Patient's speech seems a bit slurred to me. Absence of ocular movements towards left noted as well as upward movements. Tongue is midline. Patient is unable to shrug the left shoulder or lift the left arm off the bed. Grip strength is 4 out of 5 on the left. Left leg strength is 3 out of 5. Extremity strength on right arm and leg is 5 out of 5. After consultation with a neurologist, the patient is being transferred from the ED.
40-49 years	Dec., 2020	908969-1	Starting that night 12/19/20 at approx 8pm I became nauseous with a 100.8f fever. I felt achy for the 2 days with the fever subsided. On Monday 12/21/20 I was at work (Firefighter) when I started to have palpitations. I was able to obtain a 12 lead EKG right away which showed a ventricular rhythm lasting for approx 5 min. After that I was having multiple PVC's / Ventricular beats. I was taken to Hospital where I was admitted. Over night the rhythm subsided, all my labs were good with other test's being done. I was discharged home. I have not had any other episodes since Monday. I was cleared by our Occ Health Doc who suggested I fill this out.
40-49 years	Dec., 2020	908973-1	15 min after receiving Covid 19 vaccine patient started to feel like her heart was racing / felt faint. Burning feeling in upper thigh and pelvic area. BP 180/100 HR 130. Rapid Response called / transported to ER. Admitted for 24 hr observation.. Solu -medrol, Benadryl and Ativan given in ER. Released home the next day. 72 hrs later patient states she has numbness and tingling in hands and feet. 12/24/2020 patient reports she is feeling better today / no symptoms noted.
40-49 years	Dec., 2020	909030-1	Within 10 minutes presyncope ,tachycardia, hypertension 1h-1h30 while in emergency department Paresthesia and violent tremor in pelvis and thighs supra ventricular tachycardia higher than 170 Blood pressure200/120 Felt better with IV Benadryl Pepcid solumedrol ativan
40-49 years	Dec., 2020	909146-1	listed before
40-49 years	Dec., 2020	909586-1	The patient was vaccinated on 12/17/20. Wife was diagnosis with COVID-19 on 12/18/20. He was diagnosis with COVID-19 on 12/21/20. Symptoms worsen on 12/26/20. And he had chest exam (x-ray's), pneumonia bi-lateral and he was hospitalized on 12/26/20.
40-49 years	Dec., 2020	909614-1	Fever, muscle aches, hypertension, rapid heart heart
40-49 years	Dec., 2020	909635-1	Palpitations, shortness of breath, chest tightness, presyncope, which led to New onset atrial fibrillation with rapid ventricular response and required synchronized cardioversion and hospitalization. Discharged on anticoagulation and beta-blocker.
40-49 years	Dec., 2020	909720-1	12/23- began to experience intermittent right lower quadrant pain in the morning, fever of 100.4 F in the evening which subsided with ibuprofen. 12/24- no fever noted but intermittent right lower quadrant pain continued, seen at the Health Clinic, sent to Hospital ER for CT scan, diagnosed with appendicitis, appendectomy performed.
40-49 years	Dec., 2020	909978-1	When I woke up at 0800AM, noticed with rashes on my back about 25%. I took Loratadine but not relieved. Went to ER at 05:00PM and they give Benadryl IV. Prednisone 60 mg tab & Pepcid 20 mg tab. After 2 Hours rashes resolved. Noticed with rashes also on both legs and adomen when I was in the ER.
40-49 years	Dec., 2020	910035-1	right after the vaccine she felt light headed felt better in observation after about 7 minutes employee c/o heart racing,Chest pressure, feeling light headed, throat scratchy and tight. allergy to MRI contrast dye only - Gadolinium. Has had lots of vaccines in the past without problems. Taken to ED via W/C was talking all the way not SOB admitted to ED. 12-28 States she was admitted to the hospital overnight for anaphalaxis on a second trip to ED. She will not be able to get her second dose of the vaccine. this should be entered into the VAERS reporting system. She is till using the benedryl.
40-49 years	Dec., 2020	910251-1	41-year-old male who presents to the ED today with a complaint of weakness in his bilateral arms and legs. He states he fell slightly weak yesterday but this morning when he woke up around 6 AM he was not able to get out of bed because he was so weak. He states he feels like he has no muscle strength in his arms and legs. He denies any fever. He denies any cough or shortness of breath. He denies any chest pain or abdominal pain. He denies any nausea, vomiting or diarrhea. He denies any numbness in his extremities. He denies any neck or back pain. He did receive the first Covid vaccination on December 17.
			anaphylaxis; nausea; This is a spontaneous report from a contactable physician. A 49-year-old

40-49 years	Dec., 2020	910297-1	female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number EK5730) intramuscular in the left arm on 17Dec2020 at single dose for COVID-19 immunisation. Facility type vaccine: Public Health Clinic/facility. Relevant medical history included diabetes mellitus, hypertension, pulmonary embolus, protein C deficiency, lumbosacral radiculopathy and iodine contrast media allergy. Concomitant medications included apixaban, metformin, chlortalidone, metoprolol, clonidine, atorvastatin, magnesium oxide, tramadol and diphenhydramine as needed. About 13 minutes after vaccination, while under observation, the patient experienced anaphylaxis and developed hives, facial swelling, throat swelling/itching and nausea. She was taken to the ED. Corrective treatments taken as a result of the events included IM epinephrine and IV methylprednisolone sodium succinate (SOLU MEDROL), IV diphenhydramine hydrochloride (BENADRYL), normal saline and IV famotidine. The patient was hemodynamically stable during the entire ED visit. The anaphylaxis resolved and she was discharged. The patient recovered from the events in Dec2020.; Sender's Comments: Based on the information available, a possible contributory role of the suspect products cannot be excluded for the reported event anaphylaxis and nausea due to temporal association.
40-49 years	Dec., 2020	910299-1	experienced a strong medicine-like smell; a rush of warmth throughout my body; felt that my hands were swelling and slightly itchy but they did not appear to be swollen; felt that my hands were swelling and slightly itchy but they did not appear to be swollen; panicked; felt that my throat was tight but I didn't feel short of breath; My BP was elevated at 140s/80s; tachycardic; This is a spontaneous report from a contactable nurse (patient). A 42-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EH9899), intramuscularly at the right arm on 18Dec2020 at 13:00 (1 pm) at single dose for COVID-19 immunization. The patient was not diagnosed with COVID-19 prior to vaccination and since the vaccination, the patient has not been tested for COVID-19. The patient was not pregnant at the time of vaccination. The patient's medical history included asthma r/t environmental allergies, anxiety, and known allergies to PCN, Sulfa, grass, trees, ragweed, weeds, mold, dust mites, cat and dog. Concomitant medication included cetirizine hydrochloride (ZYRTEC), venlafaxine hydrochloride (VENLAFAXINE XR), colecalciferol (VITAMIN D), ibuprofen, and montelukast sodium (SINGULAIR). The patient received the vaccine on 18Dec2020 at approximately 1 pm (13:00) and 5 minutes later (18Dec2020 at 13:05), she experienced a strong medicine-like smell and a rush of warmth throughout her body. She then felt that her hands were swelling and slightly itchy but they did not appear to be swollen. She was panicked and felt that her throat was tight but she didn't feel short of breath. Her BP was elevated at 140s/80s and she was tachycardic. She gave herself an epinephrine injection and about 10 minutes later the occupational health nurse gave her 25 mg Benadryl at her request. The adverse events results in Emergency room/department or urgent care. The clinical outcome of the events was recovered on an unspecified date.; Sender's Comments: Based on the close temporal relationship, the association between the reported events with BNT162b2 can not be fully excluded. The history of asthma, allergies, and anxiety may have been contributory. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
40-49 years	Dec., 2020	910303-1	right sensorineural hearing loss; Had tinnitus to right ear (no hx of tinnitus); This is a spontaneous report from a contactable nurse (patient). A 45-year-old male patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EJ1685), via an unspecified route of administration in left arm on 18Dec2020 08:00 at single dose for COVID-19 immunization. No other vaccine administered in four weeks. Medical history included diabetes type 2, asthma, and latex allergy. Concomitant medication included metformin, glipizide. No Covid prior vaccination. No Covid tested post vaccination. The patient previously took clarithromycin and experienced allergy. The patient experienced 29 hours (as reported) after vaccine dose (19Dec2020 12:00) - woke up and had tinnitus to right ear (no hx of tinnitus) - went to urgent care - MD did tests and found right sensorineural hearing loss. Prescribed prednisone 60 mg daily for 10 days. The outcome of events was not recovered.; Sender's Comments: Considering temporal relationship, a causal association between the onset of events right sensorineural hearing loss and tinnitus and the 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), cannot be completely excluded. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
40-49 years	Dec., 2020	910314-1	had a syncopal event and hit her face when falling; had a syncopal event and hit her face when falling; hit her face; This is a spontaneous report from a contactable consumer via Pfizer sales representative. A 41-year-old female patient received BNT162B2 (Pfizer product) , via an unspecified route of administration on 18Dec2020 at single dose for COVID-19 immunization. The patient medical history was none. The patient's concomitant medications were not reported. The patient had COVID vaccine administration yesterday (18Dec2020). She went to bed that night and woke up in the middle of the night to use the bathroom. She had a syncopal event and hit her face when falling. She required a trip to the urgent care and stitches. She was a healthy female with no underlying conditions. Event took place after use of product. Therapeutic measures were taken as a result of hit her face. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

40-49 years	Dec., 2020	910591-1	<p>Vomit; Coughing; Felt like Throat was itchy; This is a spontaneous report from a Non-contactable Nurse. A 41-years-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (lot number: EH9899) intramuscular on Left arm on 21Dec2020 16:30 at single dose for COVID-19 immunization. Medical history included allergies to medications, food, or other products. There were no concomitant medications. The patient did not receive any other medications within 2 weeks of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 21Dec2020, 10 minutes after the vaccine the patient began to vomit, felt like throat was itchy, and began coughing. Events resulted that she was taken to the ER (Emergency room). She received Epinephrine, Dexamethasone as treatment for events. Events outcome was recovered on 21Dec2020. No follow-up attempts are possible. No further information is expected.; Sender's Comments: A causal association between BNT162B2 and the reported events vomiting, cough, and itchy throat cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.</p>
40-49 years	Dec., 2020	910602-1	<p>"pancreatitis; acute lower abdominal pain; This is a spontaneous report from a contactable pharmacist. A 46-year-old non-pregnant female patient received the first dose of the bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EJ1685), intramuscularly on 18Dec2020 at 08:00 (as reported) at 46-years-old at a single dose for COVID-19 immunisation. The patient medical history was not reported. The patient had no known drug allergy (NKDA). Concomitant medications included acetaminophen (MANUFACTURER UNKNOWN), propranolol (MANUFACTURER UNKNOWN), sertraline hcl (MANUFACTURER UNKNOWN), sertraline hydrochloride (ZOLOFT); all taken for an unspecified indication from an unspecified date to an unspecified date (which were received within two weeks of vaccination). On 18Dec2020 at 17:00, the patient experienced pancreatitis and acute lower abdominal pain; which required hospitalization and were assessed as medically significant. The patient was hospitalized for pancreatitis and acute lower abdominal pain for 3 days on unspecified dates. The clinical course was reported as follows: The patient received the vaccine "" at some point in the AM on 18Dec2020 (as reported)."" That evening, the patient presented to the emergency department (ED) with acute lower abdominal pain. The patient was diagnosed with pancreatitis and was admitted overnight. It was unknown if the patient received any other vaccines within four weeks prior to the COVID vaccine. Prior to the vaccination, it was unknown if the patient was diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Therapeutic measures were taken as a result of pancreatitis and acute lower abdominal pain. The clinical outcome of the events was recovering.; Sender's Comments: The information currently provided is too limited to make a meaningful medical assessment. Other than a temporal association , there is no evidence or argument to suggest a causal relationship between BNT162B2 and the events pancreatitis and acute lower abdominal pain. The events are likely due to an underlying medical condition. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate."</p>
40-49 years	Dec., 2020	910605-1	<p>She gained some weight and she thinks she was told she was 84 or 86 kg at the clinic. She weighs about 175 pounds; An EKG was done and she was told she had a prolonged qt interval; Her blood pressure went really high to 177/110; This is a spontaneous report from a contactable consumer. This consumer [patient] reported that the 48-year-old female patient received bnt162b2 (BNT162B2, Batch/lot number: EK5730), via intramuscular injection in left upper arm on 19Dec2020 07:30 am at single dose for covid-19 immunisation (Preventative). Medical history and concomitant medications were none. She got the Pfizer Biontech covid vaccine on the 19Dec. She was sent over to ER from the (clinic name) since her blood pressure went really high to 177/110 on 19Dec2020. Her blood pressure stayed around 170/100 and then she would rest for 10-15 minutes, the ER kept her there till her blood pressure went to about 144 or 150 and then she went home. She confirmed she was not admitted. She was told to go back to the ER if her blood pressure went up. An EKG was done and she was told she had a prolonged qt interval on 19Dec2020. She has not had an EKG since and was told to follow up with her doctor. Treatment: declines any, they just monitored her. When querying weight, states she knows she gained some weight and she thinks she was told she was 84 or 86 kg at the clinic. She weighs about 175 pounds. Reports she had some blood work done at the ER and it came back normal. She does not have any health conditions. She has an allergy to Cipro and fexofenadine. Vaccination Facility Type was Hospital. No Vaccine Administered at Facility. History of all previous immunization with the Pfizer vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available was none. Additional Vaccines Administered on Same Date of the Pfizer Suspect was none. AE(s) required a visit to Emergency Room. No Physician Office. Prior Vaccinations (within 4 weeks) was none. AE(s) following prior vaccinations was None. The outcome of the events was unknown.</p>
			<p>SNEEZING, STUFFY NOSE, LIP SWELLING, TINGLING MOUTH, THROAT CLOSING, UVULA SWOLLEN 1. Allergic reaction (Allergy, unspecified, initial encounter) . Pt. received Moderna COVID vaccine the morning of 12/22/20 and developed angioedema reaction the afternoon of 12/23 Vaccine is only new medication reported by pt. - denies any new products, foods, etc History of hives with spirinolactone 2.5 months ago; taking HCTZ now - unknown if reaction is related to this med rather</p>

40-49 years	Dec., 2020	910822-1	than vaccine? Due to severity of her reaction and uncertainty if all attributable to vaccine versus some other culprit I would recommend Epi pen at time of discharge Has received IM epinephrine, racemic epi neb, Solu-Medrol, Benadryl, Pepcid in the ED Continue with Benadryl 25mg IV q6h, Pepcid 20mg IV q12h, and Solu-Medrol 40mg IV q6h 2. Angioedema (Angioneurotic edema, initial encounter) . Arrived to the ED with R. side lip, tongue, and uvula and oral cavity edema Airway patent, room air O2 sats WNL - monitor throughout the night for any worsening of angioedema or airway involvement Treatment as above
40-49 years	Dec., 2020	910948-1	Difficulty breathing 5 minutes after receiving first dose of Covid-19 vaccine by Pfizer/BioNTech, small erythematous spots to bilateral arms.
40-49 years	Dec., 2020	911025-1	Patient presents to the emergency department 12/26 complaining of dry cough associated with fever and chills and headache associated with myalgia and diarrhea for 1 week duration. She had Covid vaccine 12/20 and the symptoms started the same night, she denied any sick contacts at home however she works at the Covid unit and reports constant exposure to sick Covid patients.
40-49 years	Dec., 2020	911035-1	"Approximately 7 hours after receiving the vaccine patient who is a L&D Nurse return to work in her area. She describes that after finishing with a C-section she felt burning in both of her eyes (she thought this feels like an allergic reaction, but I am not sweating and haven't rubbed my eyes). She went to the restroom to get a cloth to wash her eyes; afterwards she reports her vision went totally black in both eyes. She reports feeling frustrated that no one came to help and some panic in trying to figure out how to get out of the restroom. She did make it out of the bathroom. Her Staff reports she postured and turned arms inward, head going to one side and passed out. They also report ~ 10 minutes of incoherent conversation and stating ""I got the vaccine, maybe I was given the wrong thing and now I'm blind"". Upon waking, patient vision fully restored and patient does not remember incoherent conversation. Differential diagnosis- TIA vs. CVA > seizure disorder>>> complex migraine"
40-49 years	Unknown Date	904135-1	Began experiencing numbness/tingling in right hand and arm approximately 20-25 minutes after receiving vaccine. Nurse and pharmacist went to monitor more closely. Began to feel flushed, lightheaded, sweating. SpO2 99. Dr ordered 25mg diphenhydramine po. Placed in wheel chair and taken to ER for further observation.
40-49 years	Unknown Date	907328-1	Patient c/o feeling dizzy + lightheaded 10 minutes after receiving vaccine. Treated in ER
50-59 years	Dec., 2020	902770-1	Patient started to develop maculopapular rash and itching starting ~15 minutes after the vaccine administration. The patient did not report shortness of breath or other respiratory symptoms. The patient was given IV diphenhydramine 50 mg, famotidine 20 mg IV, and methylprednisolone 125 mg IV. The patient's symptoms resolved and was sent home with a Medrol dose pack and antihistamine.
50-59 years	Dec., 2020	902791-1	":1039: Responded to notification of potential adverse reaction after receiving COVID-19 vaccination. Pt had been escorted from observation area to emergency area with PA with c/o tightness in throat. On my arrival, pt was eupneic, p/w/d, ambulatory, NAD. á Vitals @ 1039: P72, 100% pulse ox on RA Vitals @ 1056: P72, 98% pulse ox on RA, 112/78 seated. á Administered 25mg diphenhydramine po per PA @ 1050, pt swallowed with water. á Called 911 for EMS response @ 1103 per instruction from provider. á Vitals @ 1103: 98% pulse ox on RA, P74, denies shortness of breath or pain. á Off phone with EMS @ 1108, en route. á EMS on site @ 1115, report given to medic. á Pt left with EMS en route to ED @ 1116. á Report called to ED Charge Nurse @ 1121. Patient presented to vaccination clinic. Patient received her vaccination at approximately 1021. Patient reports symptoms onset at approximately 1038 with tightness of the throat and difficulty swallowing. She described it as a swelling of the throat sensation. She states she had a sensation moving from her head to her toes as in a ""wave "" . Patient denied shortness of breath, chest pain denies nausea. Patient denies hives or rashes or pruritis. á á Patient was assessed and moved to the emergency area. á Her symptoms continued with some improvement. At this point time 25 mg of Benadryl was administered orally. Approximately 10 to 15 minutes after administration the patient developed numbness tingling around the upper lip, the right upper extremity. She denied shortness of breath or chest pain. She denied increasing severity of the throat sensations. á Pertinent past medical history: Reactions bee stings currently carries EpiPen. á She is not had any previous reactions to vaccinations. á á Allergic reaction. á The patient symptoms seem to continue with the numbness tingling around the lips after administration of the Benadryl. Hand tingling of the right upper extremity also continued although it was decreasing. á Her symptoms of the tightness of the throat remain the same. She did not develop shortness or breath or chest tightness or pain. á At this time I feel be prudent to evacuate the patient to higher level care. á Patient was evacuated at 11:16 by ambulance service. á á á"
50-59 years	Dec., 2020	902815-1	Feeling flush and wheezing when walking.
50-59 years	Dec., 2020	902895-1	Systemic rash, dry cough (causing cough); 650mg Tylenol every 6; 50mg Benadryl to start then 25 mg every 6, Pepcid 20mg every 12 hours; rash is slowly resolving; throat still very dry with dry cough
			Approximately 11 minutes after receiving the vaccine, the patient complained of shortness of breath, tingling in arms and hands, numbness and tingling in legs and feet, and was observably shaking, with no complaints of swelling in throat or other signs of anaphylaxis. Patient was brought to ER in same facility via stretcher and was examined by staff there. ER report states the patient

50-59 years	Dec., 2020	903016-1	presented with shortness of breath and what appeared to be a panic attack, with fast breathing, slight flushing, and shaking. Per ER report, the patient was treated for an acute anaphylactic reaction, with clear lungs and given an EpiPen shot in the right thigh. IV was initiated and given a fluid bolus, solu medrol, famotidine, and lorazepam. Labs and a chest x-ray done and reviewed. After treatment, patient found to be stable and was discharged home at 4:42 pm with orders for famotidine, albuterol inhaler, and epinephrine pen.
50-59 years	Dec., 2020	903030-1	~30 minutes after vaccination, patient reported lightheadedness, difficulty swallowing, SOB, feeling flushed, pallor, bilateral arm tingling, brief chest pain and tremors. Symptoms lasted approximately 30 minutes and then resolved. Benadryl given after resolution of acute symptoms. Reported a metallic taste in her mouth immediately after receiving the COVID vaccine (dose #1). Had uneventful 15 minute recovery period immediately after vaccination.
50-59 years	Dec., 2020	903047-1	Employee states that there was confusion at the time of vaccine injection, and that she was possibly given a second injection right after the first. approximately 45 minutes later she experienced headache and dizziness and had an observed syncopal episode. She was taken to the ER, evaluated for MI. Was found to be stable and was discharged.
50-59 years	Dec., 2020	903155-1	At 11:15am, patient received first dose of SARS-CoV-2 vaccine. At 12:00pm, patient began to develop a rash and had mild edema noted in the uvula. She did not have difficulty breathing/swallowing/speaking. She was given prednisone 50mg x 1 and diphenhydramine 50mg x 1 in the ED.
50-59 years	Dec., 2020	903218-1	Patient reports chest heaviness, muscle aches, loss of energy. No fever or chills noted.
50-59 years	Dec., 2020	903332-1	Seizure approximately 24 hours after vaccination
50-59 years	Dec., 2020	903337-1	COMPLAINS OF NUMBNESS TO TIP OF LIP WITHIN MINUTES OF ADMINISTRATION. DENIES HISTORY OF ANAPHYLAXIS. TRANSFERRED IMMEDIATELY TO HOSPITAL ED
50-59 years	Dec., 2020	903400-1	"5 minutes after the Pfizer Covid-19 vaccine administration, the patient developed flushing, hives, felt warm and eventually short of breath. She started to wheeze and was wheeled into ER c/o "I can't breathe while holding throat and thrashing with facial flushness noted. PT took 2 Benadryls and had several Epi shots. She was then discharged from the ER and later on that day, started to feel short of breath again. In the ED today she was audibly gasping for air, however had no wheezing, had a normal saturation and a normal blood pressure. She had taken another dose of her EpiPen IM and diphenhydramine 50 mg by mouth prior to coming. She was then admitted to the hospital for further observation. While on the floor, she started to feel short of breath again (about 9 am on 12/18/2020), which required an RRT . Patient received another dose of diphenhydramine IV, methylprednisolone 125 mg IV and several doses of IM epinephrine. She also required oxygen. She was then transferred to an ICU for further care."
50-59 years	Dec., 2020	903425-1	1 hour after administration of vaccine 0.3ml the staff member began to have a systemic blotching on skin and dry, severe cough.
50-59 years	Dec., 2020	903436-1	Itchy throat and back of tongue, received IM epi, pt complaints unchanged <5 min after epi inj, received diphenhydramine, famotidine, prednisone (1 hr later), patient comfortable, throat symptoms improving (2.5 hrs later)
50-59 years	Dec., 2020	903470-1	"lightheaded; "funny feeling" in throat; systolic BP in the 80's; given famotidine and loratadine @ 12/16 (2 hrs later); pressure and heart rate improved greatly (3.5 hrs later)"
50-59 years	Dec., 2020	903504-1	The patient began to feel itchy throughout the body, particularly both arms and the back. This happened 30 minutes after injecting her with the COVID-19 vaccine
50-59 years	Dec., 2020	903507-1	Became hot and felt itching minutes after receiving vaccine. No swelling of lip or tongue or throat. No rash. No shortness of breath. ER doctor on site evaluated and determined this was not likely to be an allergic reaction.
50-59 years	Dec., 2020	903514-1	Vaccine recipient was administered the vaccine at 11:30 am and then around 1:30 pm started to feel dizzy with hives and itching to his arms. The vaccine recipient was sent to the emergency department for further evaluation. There was an erythematous macular/papular rash on bilateral arms. He was administered diphenhydramine 12.5 mg IV, famotidine 20 mg IV, and methylprednisolone 125 mg IV. After reexamining, the patient felt much better, no dizziness, no itching, and no rash. He was discharge to home at 4:57 pm same day.
50-59 years	Dec., 2020	903528-1	about 12 minutes after receiving the vaccine had a sudden onset of sharp headache while seated. When she stood up became lightheaded and dizzy and nauseous. She also had elevated Blood pressure p to 168/108. After 35 minutes her positional symptoms persisted with BP still elevated 159/102. No respiratory or skin symptoms. She was transported to the ED and had a head Ct which was normal, discharged with pain medications.
50-59 years	Dec., 2020	903596-1	1208- Flushed/warm, scratchy throat. lethargy, decreasing oxygen saturation, placed on 4L NC, EMS called 1211- Diphenhydramine 50mg, Solumedrol 125mg, Epi pen injector adult 1231- EMS arrived, patient transferred to ER on 4L NC, SP02 94%
50-59 years	Dec., 2020	903604-1	Hives, scratchy throat but no swelling or change in phonation
50-59 years	Dec., 2020	903615-1	"Patient initially felt dizzy which resolved after a couple of minutes. Patient stated she felt better, just "tired". She went to her locker, felt dizzy and went to Nursing office at 10:57 pm via

years			wheelchair."
50-59 years	Dec., 2020	903633-1	Patient developed hives on lower back to the side and left leg. 25mg of benadryl tablet was given in ER and later a dose of 500mg tylenol was given by patient herself at home. The next day patient reported woke up with joints stiffness all over whole body . Hives has been diminished by day 2.
50-59 years	Dec., 2020	903661-1	Vaccine injection went fine it did not hurt at all, but I sat down for observation and within 2 minutes I felt mildly dizzy and then brief chest pressure and a wave of nausea. The chest pressure went away quickly but I was more flush than usual, about 15 min in my eyes felt watery and itchy. Went to ER to be observed, EKG came out fine. 118/72 HR 68 . Everything was fine. No meds prescribed, just observation, stayed about 90 min in observation by the time I left I was just mildly nauseated. By the time I arrived home, 2 hours later all symptoms were resolved.
50-59 years	Dec., 2020	903683-1	After the shot I felt dizzy, sweating profusely, felt throat tightness, my heart was racing. They gave me an epinephrine shot in the leg and I was sent to the ER at Hospital. By the time I got to the ER m symptoms were gone. They did monitor me, put me on oxygen and hooked me up and around 2:45 I got up to use the restroom and they did not have to hook me up anymore. I took the day off because after the Benadryl and epinephrine I just feel groggy for about 24 hrs.
50-59 years	Dec., 2020	903720-1	Dizziness, Rapid Heart Rate
50-59 years	Dec., 2020	903763-1	Throat tightening and patient started to tremble 30 minutes after vaccination. Also became tachycardic. Patient was treated with methylprednisolone 80 mg IV x 1, famotidine 20 mg IV x 1, and diphenhydramine 50 mg IV x 1.
50-59 years	Dec., 2020	903822-1	metallic taste, sob, joint pain, cephalaea tx: solumedrol 125mg Benadryl 50mg
50-59 years	Dec., 2020	903859-1	Dizziness sense of throat swelling
50-59 years	Dec., 2020	903881-1	Following her vaccination during the post-observation period of 15 minutes, she began to be dizzy, short of breath, and right-sided chest pressure. Also c/o headache. BP 156/102, pulse 76, O2 Sat 99%. She was evaluated by Dr. and determined to transfer to the ED
50-59 years	Dec., 2020	903890-1	pt with n/v diaphoresis and hypertensive with SBP 180's
50-59 years	Dec., 2020	903902-1	Very vague, did not feel well, felt concerned enough to come to emergency department
50-59 years	Dec., 2020	903907-1	Slight non-itchy rash noted after vaccine administration. Rash well demarcated, nontender approx 4x4 cm, no desquamation. No other sx's, no respiratory sx's.
50-59 years	Dec., 2020	903910-1	pt had c/itchiness at the injection site quick onset of HA Diaphoretic numbness upper and lower lips dry throat Monitored vitals vitals stable fluid provided Sx continued advised assessment at the ER pt agreed pt escorted to the ER denied SOB or chest pain
50-59 years	Dec., 2020	903968-1	tachycardic, site edema, shortness of breath, dizzy, and felt like her throat was getting tight. She got one dose of epi and 50mg of oral benadryl
50-59 years	Dec., 2020	903990-1	The individual developed a quarter size welt immediately after receiving the vaccine. Within the first 5-10 minutes post vaccination, the individual was complaining of pain at the injection site going down her arm, red streaks were visible from the injection site, and she did develop some difficulty breathing, which may have been related to the situation and the mask she was wearing.
50-59 years	Dec., 2020	904027-1	Within 30 minutes - Skin flush to hands and forearms. Denied shortness of breath or problem with swallowing. Declined Epinephrine. Monitored for 45 minutes then she was escorted back to work within the building. 15-25 minutes later stated she was having trouble swallowing and was jittery. She walked herself to the Emergency room for triage.
50-59 years	Dec., 2020	904067-1	Patient experienced tachycardia and diaphoretic. His heart rate was in the 170s. He was taken to the hospital emergency room. He had an EKG - results normal. Lab work was performed - basic metabolic panel and CBC. All results normal. Symptoms resolved - he was discharged. No further treatment needed.
50-59 years	Dec., 2020	904098-1	Burning in eyes, excessive, bloodshot eyes
50-59 years	Dec., 2020	904166-1	Flushing, rash, dizziness, lightheadedness, slightly elevated BP and heart rate
50-59 years	Dec., 2020	904171-1	Tingling injection side arm and face rash
50-59 years	Dec., 2020	904209-1	Within 10 minutes of receiving vaccine patient reported arm feeling tingly and numb which progressed to a squeezing feeling. Slight shortness of breath.
50-59 years	Dec., 2020	904231-1	About 3 min post vaccination I experienced a transient sensation of warmth in my chest followed approx in a minute by tachycardia and a slight tightening sensation at the base of my throat which was transient - may 15-30 seconds. It recurred in a few min and I began to feel little lightheaded . With a 3rd episode of tachycardia only I felt more lightheaded and was taken to the ED in a wheelchair. My extremities felt cool with each episode as well.
			Within 5-10 minutes after vaccine given, patient started feeling tingling of the hands and fingers.

50-59 years	Dec., 2020	904263-1	Shortly after, she felt the need to clear her throat because she felt like there was a furball in her throat. She drank some water, which didn't help. She then started feeling hot and became flush. She then felt her inner ear and tongue swelling. Shortly later, she felt chest pain and felt like she couldn't breathe. She was given IV Benadryl 50mg, IV dexamethasone 4mg, and IV Pepcid 20mg without symptom resolution. Epipen was administered by vaccine clinic staff, and the patient felt a little better. Her shortness of breath continued and her chest felt heavy as she was transported to the ED. She also complained of blurred vision, which could have been due to Epipen administration. In the ED, the patient still felt that her throat was tightening up. She was given IV Pepcid 20mg, IV Benadryl 25mg, IV SoluMedrol 125mg, racpinephrine & albuterol nebulizer. By 2150, she felt better. By 2257, she did not have any more tingling in hands or weakness and she stated she felt she was back to normal. Patient discharged home in stable condition at 2336.
50-59 years	Dec., 2020	904271-1	12/17/2020, 15 minutes after vaccination started to experience tingling on forehead and radiated on left side of face, nauseas, light headed, HR increased, 'funny on tongue' , 'felt like going to faint'. The BP was 149/109. The medical crew tried to calm down. BP would not come down. Placed in gurney, administered oxygen, given a 'benadryl and some sort of shot' to slow down the reaction. Given rest of the day off. 'I slept for a few hours' and after 4 hours, my chest started to tighten, radiated to back 'tightness' , felt like heartburn. I didn't sleep that whole night, had to keep sitting with the tightness in the chest. By morning I was better, I went to work, took inhaler (flovent and albuterol). Headache at work, took Tylenol. At 12, I went to each lunch and felt there was a lot of mucous in throat / acid reflux feeling ; 'felt full in throat'. I went in a coughing spell, 'bubbly mucous'. I couldn't talk, drank water, sat in car until I had to go back to work. I couldn't breathe when I walked back into work. At approximately 2:15 they rushed me to urgent care, 25 childrens benadryl, administered oxygen and omeprazole for reflux. I stayed with the oxygen till 4:45; BP 140/98 and slowly came back down. 'At same time, co worker was experiencing same thing that just had had vaccination'. My asthma 'kicked in', white blood count was elevated to 17. Work in urgent care and where i was rushed to. flu shot 2 months prior TB skin test one month prior; negative
50-59 years	Dec., 2020	904353-1	Coughing, chest tightness, decreased saturation, itching forehead and back, rash on upper back
50-59 years	Dec., 2020	904356-1	Patient received COVID 19 vaccine at 1636 12/19/2020. Patient returned to clinic at 1733 complaint of throat closed and hard to clear. Patient had declined observation period and returned to work. Vitals 131/79, HR 90, 97.7 F, 98%, RR30. Complaint of dyspnea and palpations and occasional chest pain. Patient states history of asthma and hypertension.
50-59 years	Dec., 2020	904395-1	The patient experience tightness of her chest. She was hook up to be monitored. Her BP was 185/91. Her heart rate was 122. Her O2 level was 100. The nusre notice swelling at the area of the site with mild erythema (redness).
50-59 years	Dec., 2020	904412-1	9:50 am patient states she does not feel right, feels funny, leaning over in chair, denies SOB no CP c/o of heart racing, NKA RN and RN summoned to help. Patient laid down on floor. BP 192/103 P-112 PO 100%. Eyes noted to be pink, denies itchiness. RN called 911, advised not to give Benadryl. 9:55am BP 178/99 P-119 PO 100% patient continue to feel heart racing but no SOB, chest or throat tightness. 10am BP 177/100 P-114 PO 100% continues to be A&O x3 no resp. distress 10:03 EMS arrived and took her to the ER. Patient states her 15 min observation time was up at 10:05am. RN
50-59 years	Dec., 2020	904430-1	12/19 1000 developed chills, 1230-body aches, nausea, and headache, fever 101.5 (self reported), 1300 fever increased to 102 (self reported), fever then increased to 106 (self reported). Pt reported dizziness. Visited ER. Fever 100.8 on arrival. Patient reports taking PO advil, tylenol, and benadryl. Used ice packs at home to decrease fever. TX in ER with IVF, tylenol, and zofran. D/c from ER. OHN f/u 12/20-patient feeling better, resting at home, denies fever.
50-59 years	Dec., 2020	904489-1	Sudden onset of fainting sensation . Followed by dizziness moderate shortness of breath lightheaded ness panic tingling in hands feet top of head headache distress.
50-59 years	Dec., 2020	904495-1	Patient with symptoms of severe myalgias, low back spasms, fevers, chills, headache, SOB since Saturday. Treatment included intravenous fluids, Tylenol, magnesium repletion, frequent reassessments, infectious disease consultation in the Emergency room.
50-59 years	Dec., 2020	904540-1	Pt was found lying on cement at base of steps. Recovery RNcalled outside to the back. Patient was alert & oriented. Stated that he fell and landed on the cement walkway. Complained of left food pain and said he heard a crack when he fell. 911 was called per patient's request. Was able to talk inside with assistance and Vitals obtained (stable). Noted swelling in posterior back of ankle, pain with palpitation. Ice was applied. 911 arrived and taken to hospital
50-59 years	Dec., 2020	904821-1	So I got up from the chair to go to the other room to be on the 15 min observation. I started feeling a little weird within a minute. A sharp shooting numbness in my jaw and my head felt a little dizzy, and a burst of heat in my spine. I felt off and sat down and took my BP and my BP was 185/80. Within a couple of minutes I was at the walk in clinic where they monitored me for a couple of hours. The jaw experience went away but I still felt a little shaky. I also had a numbness/tingling in the face and jaw. They gave me a Benadryl injection and it did not resolve. They gave me prednisone it felt a little better (about 30min) afterwards. They checked my airways and it was ok. I had elevated BP but within a couple of hours it was ok . They discharged me since I felt ok and a friend drove me home. Symptoms were better next day but in the afternoon I felt the numbness again on my lips. They decided to prescribe me medro and I started taking it since Friday evening. I still feel a little head ache and like I am a little sick. The headache is still lingering. Left side of my

			face since yesterday I have a stiff neck. It is like a pain in my face.
50-59 years	Dec., 2020	904886-1	"I was ok for first 15-20 mins post vaccine and was sitting in chair and calling family and friends When I stood up I felt 'funny'" - kind of hard to describe I walked around and mostly felt ok but not hundred % but didn't feel dizzy but didn't feel 100% myself either I checked my radial pulse and it felt normal and there was no BP machine there to have a check done I left hoping to feel 100% soon I walked to my car in the parking lot and started driving home Around 200 yards from the hospital I felt weird warm rush like feeling through my whole body Knowing that anaphylaxis can occur at this stage I panicked and turned car around and went directly to ER to be checked out My BP was not low and I was observed for short duration and discharged home then- vitals were taken almost half an hour post vaccine Further records can be sought from ER as they should have reported this as well I also had arm pain/malaise and low grade temp of 100.5 at home for 24 hrs that resolved subsequently The initial symptoms within first half an hour made me file this report"
50-59 years	Dec., 2020	904978-1	Patient/Employee became dizzy 15 min after covid vaccine
50-59 years	Dec., 2020	905162-1	Palpitations - patient stated he may have anxiety attacks when getting shots. Patient sent to ER for evaluation
50-59 years	Dec., 2020	905183-1	12/21@11:50-Caller stated that he had vaccine at 9am and had a seizure about 4am the next morning. Patient also had slight head. Caller stated that he is feeling better no medications were given .Caller had Cat scan and EEG. Caller has follow up 12/22.
50-59 years	Dec., 2020	905185-1	"COVID vaccine was administered by local health department in hospital setting. Approximately 10 minutes after receiving the vaccine, the patient reports feeling ""weird,"" short of breath, heart racing, dry mouth, & anxious."
50-59 years	Dec., 2020	905488-1	general malaise and abdominal discomfort after vaccine, three days later started with facial rash and fever Treatment: Famotidine, Benadryl
50-59 years	Dec., 2020	905501-1	flushing, felt dizzy. given Benadryl 50mg and resolved in 15 minutes
50-59 years	Dec., 2020	905544-1	Pt expressed feeling tachycardic, jittery, shaky, site edema, shortness of breath and dizziness. Pt received epipen 0.3 mg IM injection x1 dose and benadryl PO, responded favorably and transported to ED for follow up care.
50-59 years	Dec., 2020	905554-1	Tongue felt thick, tingling in extremities, shortness of breath. Given 50mg Benadryl, 20 mg famotidine
50-59 years	Dec., 2020	905561-1	Tightness in back of throat. Received 50 mg Benadryl.
50-59 years	Dec., 2020	905565-1	Edema in left side of face, hand, knee, and shoulder.
50-59 years	Dec., 2020	905574-1	After 15 minutes of monitoring post injection, I developed itching to left shoulder with diffue hives to shoulder and chest
50-59 years	Dec., 2020	905637-1	Patient became dizzy, vital signs -10:32 am 162/101, P-96, sat 98% on room air, hot clammy, blurry vision, heart palpitations, repeat vitals 1036- 171/102 P-85 sat 98% on room air, transferred to Emergency Room 10:43 am
50-59 years	Dec., 2020	905645-1	One hour post vaccination my top lip felt tight. On inspection my buccal mucosa of my top and bottom lips were swollen greater on the top lip. My soft palate felt numb as well as my tongue from the tip to middle. My nose was also slightly swollen. 24 hours later the I have a slight swelling of areas mentioned with the exception of my nose. I was instructed to take Benadryl on the day of the event 25mg x 2 doses. the day after 12/21 I was given Claritin 10mg x 1 dose and Famotidine 20mg x 1 dose by mouth.
50-59 years	Dec., 2020	905674-1	Patient pre-medicated with diphenhydramine due to infusion-type reactions in past. Patient with hoarse voice, itchiness to upper back, arms, and face, hives on bilateral arms. Per health system protocol (patient is health system employee) Patient administered diphenhydramine, famotidine, methylprednisolone succinate, epinephrine. All symptoms resolved by 1440.
50-59 years	Dec., 2020	905694-1	Gradual onset of very mild rash and symptoms gradual improved with IM administration of diphenhydramine 50 mg and oral famotidine 20 mg. The physician was questioning if the mild rash was from where the patient was scratching secondary to anxiety vs allergic reaction. Patient was monitored for improvements.
50-59 years	Dec., 2020	905702-1	Anxious, tachycardiac and hypertensive.
50-59 years	Dec., 2020	905746-1	Immediately after receiving the dose of vaccine, rash, tickle in throat taken to ED treated with Benadryl on 12/20 developed swollen lips taken to ED treated with epinephrine, steroids, Pepcid discharged from ED 12/21/20 symptoms resolved
50-59 years	Dec., 2020	905774-1	Nurse reports that patient had no problems after receiving vaccination. Patient went home and EMS was called early the next morning and team administered vaccination was contacted physician that the associate works for stating the patient had a heart attack.
50-59 years	Dec., 2020	905775-1	Nausea, lightheaded, some throat swelling, difficult to swallow. Transported to ED. No respiratory distress. Stable

50-59 years	Dec., 2020	905786-1	5 days after vaccination on 12/20, patient developed a mild, erythematous rash on left hand (dorsal) and forearm. The character of symptoms is redness, no pain, no itching, and no swelling. Radiating symptom(s): spreading proximally. The degree of symptoms is minimal.
50-59 years	Dec., 2020	905844-1	headache, dizziness, hypertension, subjective mild shortness of breath, BP 160/100 Taken to the ER for evaluation
50-59 years	Dec., 2020	905864-1	Tingling in the back of throat with possible decreased ability to breathe and swallow. She was given oral Benadryl, 2 doses of IM Epi. Reaction improved. She was sent to the ER to be evaluated. Received IV Decadron. Clinically improved. Discharged home on Decadron, Zyrtec and Pepcid as well as an Epi pen. Discussed to follow up with primary care physician.
50-59 years	Dec., 2020	905876-1	Hives, rash, and tingling to lips 14 minutes post injection
50-59 years	Dec., 2020	905916-1	"within 5-10 mins of receiving vaccine she started to feel light headed and jittery and ""floaty"" - she says she feels like, ""I am not here, right now"" - there are no hives - no swollen lips or tongue - pt denies SOB. pt was sent to ED at 8:18 AM for further evaluation. no significant findings and patient was discharged at 10:22 AM"
50-59 years	Dec., 2020	905937-1	"PT WITH KNOWN H/O SEVERE ALLERGIC REACTION - APPROXIMATELY 15 MINUTES AFTER INJECTION, BEGAN TO COUGH AND EXPERIENCE ITCHY THROAT. SHE REPORTED THAT THIS IS WHAT HAS HAPPENED WITH OTHER ALLERGIC REACTIONS. SHE REQUESTED ORAL DIPHENHYDRAMINE HOWEVER SYMPTOMS WORSENEED QUICKLY - DETERMINATION WAS MADE TO ADMINISTER EPINEPHRINE. SHE WAS GIVEN A DOSE OF 0.3 MG EPINEPHRINE IM AT 1402. PT QUICKLY BEGAN TO FEEL BETTER. SHE WAS GIVEN ORAL BENADRYL 100 MG (PER HER REQUEST - SHE SAYS THIS IS HOW MUCH SHE TAKES EVERY TIME SHE HAS AN ALLERGIC REACTION). DOSE GIVEN AT 1410. SHE DID HAVE COMPLETE RESOLUTION OF HER SYMPTOMS. SHE WAS KEPT IN THE CLINIC FOR OBSERVATION. AT 1430, PT AGAIN BEGAN EXPERIENCING SYMPTOMS AGAIN, SHE WAS COUGHING AND HAD ITCHY THROAT. SHE WAS IMMEDIATELY TAKEN TO THE ED. SHE HAD COUGH, RUNNY NOSE, RASH ON FORARMS ONLY - NOT PRESENT ON CHEST OR BACK OR FACE. AN IV WAS PLACED BY ULTRASOUND IN HER LEFT AC. AT 1438, EPI 0.3 MG IM GIVEN 1440 - FAMOTIDINE 20 MG IV GIVEN 1441 - METHYLPREDNISOLONE 125 MG IV GIVEN 1442 - FAMOTIDINE 20 MG IV GIVEN 1443 - DIPHENHYDRAMINE 50 MG IV 1444 - VITALS - 136/94, HR - 92, OXYGEN SAT - 96% ON RA 1445 - PT C/O HEADACHE, STILL COUGHING, RASH PERSISTS 1450 - IPRATROPIUM / ALBUTEROL + RACEMIC EPI GIVEN 1453 - STILL CONTINUOUS DRY COUGH, RASH BETTER 1455 - BREATHING TREATMENT COMPLETE - COUGH MUCH BETTER 1457 - HEIGHT - 63"" WEIGHT - 87.7 KG, 97.4 TEMP, HR - 77, OXYGEN SAT 96% 1504 - PT REPORTS FEELING MUCH BETTER, NO COUGH, NO RASH, LUNGS CTA BIL, NSR - HR - 75, 127/89, 96% ON RA 1610 - PT DOING WELL - PLANNING TO BE DISCHARGED - WITH RX FOR EPI PEN AND PREDNISONE 50 MG DAILY X 3 1616 - SYMPTOMS RETURNED, CONTINUOUS COUGH RETURNED, RASH PRESENT ON ARM, OXYGEN SAT 93%, 146/102, HR - 91, RUNNY NOSE 1619 - IPRATROPIUM / ALBUTEROL + RACEMIC EPI GIVEN - LUNGS DIMINISHED IN BASES WITH STRIDOR HIGHER UP NEW IV PLACED IN LEFT HAND 1620 - 151/91, OXYGEN SAT 99% ON RA, HR - 86"
50-59 years	Dec., 2020	905971-1	COVID Vaccine administered 12/21/20 @ 15:16 and about 15 minutes later, pt reported feeling tachycardic. She felt short of breath and had a tingling sensation on her tongue. 25 mg of benadryl PO was given to her at 15:30. She continued to feel SOB and her voice sounded much more compromised so an additional 25 mg of benadryl PO was given and she was taken to the ED for observation. In the ed she was given prednisone and pepcid.
50-59 years	Dec., 2020	905984-1	flushed face, facial swelling, lips and tongue swelling, elevated HR, elevated BP, light headedness, after vaccine I waited for 20 min with no symptoms, once I left the facility I immediately felt symptoms of face flushing and swelling and elevated heart rate. I immediately turned around and went to the ER,
50-59 years	Dec., 2020	905996-1	~1 h 15 min after receiving experienced flushing, dizziness, near-fainting, arrhythmia, progressed rapidly to a rapid heart rate, elevated BP, hives, cool extremities, diaphoretic treatment: NS 1 liter, Benadryl 50 mg IV, Solumedrol 125 mg/ml discharged after 6 h with Rx for Epi Pen experienced dizziness/near-fainting episodes off/on for 3 days, slight headache, chest tightness, green/bloody nasal discharge for 2 days
50-59 years	Dec., 2020	906131-1	Headache; Dizziness; Nausea; This is a spontaneous report from a contactable other health professional. A 56-year-old female patient received bnt162b2 (BNT162B2) via intramuscular in right arm on 17Dec2020 at single dose for vaccination. There were no medical history or concomitant medications. The patient experienced headache, dizziness, nausea all on 17Dec2020. The reporter described that immediately after patient was administered the COVID-19 vaccine injection she was handed the paperwork, stood up and had sudden onset headache, dizziness and nausea. As of time of the report the headache had subsided slightly but came and went in waves. The dizziness and nausea remain persistent. She reported the seriousness criteria as probably medically significant or somewhere between not serious and medically significant. Patient was currently under observation in the ED (emergency department), but had not been admitted to the hospital. The patient had been in the ED for over 30 minutes at time of report, so patient did not believe that these events are vagal. The reporter called to report these events and to ask for recommendations on how to respond to these events relative to this product. The reporter verified that there had been no relevant testing, imaging, lab work or investigations done at this time. The outcome of the event headache was recovering while for all other events was not recovered. Information on the Lot/Batch Number has been requested.; Sender's Comments: The reported information is limited. Based on

			the close temporal relationship and the description of the events, headache, dizziness and nausea, there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
50-59 years	Dec., 2020	906132-1	waves of heat feeling; tachycardia; chest tightness; This is a spontaneous report from contactable physician via Pfizer Sales Representative. A 50-year-old female patient received bnt162b2, via an unspecified route of administration in 2020 at single dose for immunization. The patient's medical history and concomitant medications were not reported. The patient experienced waves of heat feeling, tachycardia, chest tightness 15 min after receiving the vaccine in 2020. Patient received several doses of steroid and was kept overnight in hospital and recovered. The outcome of events was recovered in 2020. Information on the Lot/Batch number has been requested.; Sender's Comments: The reported information is limited. Based on the close temporal relationship and the description of the events, waves of heat feeling, tachycardia, chest tightness, there is a reasonable possibility that the events are related to BNT162 vaccine.The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
50-59 years	Dec., 2020	906157-1	"Employee reported ""tongue thickness"" and dry mouth. Employee was taken to ED for evaluation and treatment."
50-59 years	Dec., 2020	906232-1	12/18/2020 5 MINUTES AFTER INJECTION, FELT HOT. TEMP KEPT GOING UP. TEMP WOULD NOT GO DOWN. STAFF PUT COLD PACKS ON ME. ITCHING STARTED BUT NO RASH VISIBLE ON ARMS AND BACK. DR. STATED TIME TO TX TO ER. THE HEAD HAD INCREASED EVEN MORE. COULDN'T BREATHE DEEPLY, 'AIR STOPPED', COULDN'T SPEAK PROPERLY. PREDNISONE, ANXIETY AND BENADRYL ADMINISTERED. MONITORED O2 STATES, MONITOR HEART. AT HOME BODY STARTED TO ACHE, NOT MEDICINE TYPE PERSON. HELD OFF TILL 1AM, TOOK 2 TYLENOL 500MG. BY 3 AM ABLE TO SLEEP. HEAT SENSATION WAS STILL THERE. BY 12/20/2020, INJECTION SITE SORE, LUMP. I WAS TIRED. BY 12/21/2020 THE SITE WAS SORE, I RUBBED WITH ALCOHOL. PROBLEMS WITH SWALLOWING, EATING GINGER CANDY TO HELP WITH DRYNESS. THROAT BOTHERS AFTER TALKING, TIGHTENING. DR. STATED AT 2ND INJECTION WILL PROVIDE THE BENADRYL, PREDNISONE, AND ANXIETY MEDS 30-60 MINUTES BEFORE ADMINISTERED. 'I DO BELIEVE I NEED OTHER SHOT TO BE COVERED'. 'CLOSE TO ER FOR SECOND SHOT'. I DO HAVE PROBLEM WITH VACCINATIONS; I GET INTO TROUBLE. MY BODY HAS REACTIONS, TROUBLE BREATHING. 'SOLE PROVIDER FOR WHOLE FAMILY; I HAD TO TAKE THE SHOT' 'FEELING ABOUT 100%'
50-59 years	Dec., 2020	906282-1	Given the vaccine at 712 pm on 12/20/20. At approximately 715 pm, she began to clear her throat and then became unable to speak, followed by audible wheezes and short, shallow breaths. At 1923, Epinephrine was administered. At 1928, she was able to speak again and was transported to the ED. The patient reports after arrival to the ER, the symptoms returned. She was given PO Benadryl, followed by IV Benadryl, and then a 2nd dose of Epinephrine. She was admitted to the ICU for observation.
50-59 years	Dec., 2020	906297-1	I woke up the next morning with a little puffiness in my face, my eyes and my cheeks
50-59 years	Dec., 2020	906310-1	Hives at day 2 treated with OTC medication like benadry. Day 4 reported shortness of breath and patient being seen in the ED.
50-59 years	Dec., 2020	906318-1	57-year-old female history of hypertension, hyperlipidemia, type 2 diabetes, COPD, subsegmental PE is not on anticoagulation, multiple cardiac stents presenting with greater than 12 hrs of worsening left-sided chest pressure, headache and shortness of breath. Patient takes a daily aspirin and had no improvement of symptoms with her at-home nitroglycerin. Here afebrile, HTN, remaining vitals wnl. Non-toxic, in moderate distress 2/2 to pain. EKG with minimal ST depressions in leads II and III. Will plan for CXR and labs. Pt given zofran and morphine for pain control. Will give additional aspirin for total 324 mg in last 24 hrs. On re-evaluation, pt with mild improvement in pain. Troponin elevated at 0.18, remaining labs wnl. At this time concerned for NSTEMI, pt treated with 1 mg/kg of lovenox and MOD consulted for admission. MOD evaluated pt and cardiology was consulted. Given concerning PMHx and current hx of chest pain with findings consistent with NSTEMI, cardiology at recommended likely transfer for cardiac cath. Will pend repeat troponin and EKG for dispo decision.
50-59 years	Dec., 2020	906324-1	Increased heart rate, increased blood pressure, cold/clammy feeling, urticaria (neck), swelling in neck and chest. At vaccine clinic area, Benadryl 50mg IM given. Rapid response called via overhead page. Patient taken to ER from vaccine clinic. In ED, given famotidine 20mg IV, methylprednisolone 125mg IV.
50-59 years	Dec., 2020	906374-1	My arm was not that sore or anything but Friday morning when I woke up my throat was really really sore and I felt congested. My nasal mucus was green and I was also coughing up some green phlegm. I went to the walk in clinic because I had to go to work and wanted to make sure I was well enough.
50-59	Dec., 2020	906417-1	"12/21/2020 4:30PM itching throat, clearing of throat, lump in throat, coughing, very dry throat, coughing sensation to remove ""something"" in throat, fat tongue/throat feeling, throat feeling as if closing, coughing fit --- pt transferred to ER. Panic attack, unable to breath feeling --medications via

years			IV -- Benadryl (flushed), Pepcid and steroid for inflammation) administered. Heart monitored while receiving treatment. Discharged at 08:00 PM with prescription for Benadryl and steroid Prednisone."
50-59 years	Dec., 2020	906438-1	Contracted associate received vaccine on 12/18/2020 at 1000. Within 1/2 hour began to feel very hot and extremely tired. She left and had to rest in the lobby before she could drive home. She finally drove home and all weekend was short of breath, hot (not sure if she had a fever), fatigued. She went to the ED this morning (12/21/20) had a Rapid COVID test that was neg and is now waiting for PCR test results. She has been instructed to quarantine for 20 days. She has lupus and a history of kidney transplant in 2004.
50-59 years	Dec., 2020	906495-1	11 minutes into the vaccination, patient noted to have tongue and mouth tingling and heart racing. No noted tongue/lip/throat swelling, dyspnea, n/v, abdominal pain, rash, near-syncope. Started to improve after 30 seconds.. H/o tachycardia secondary to salmon, no prior anaphylaxis or use of epinephrine in the past. Sent to ED for evaluation
50-59 years	Dec., 2020	906531-1	Initially employee experienced flushing, palpitations, nausea. ER- developed hives on arms TX:Prednison 60mg po given at 11:53am Benadryl 50mg po given at 11:52am Observed for 2 hours with symptom resolution. Discharged with oral steroids.
50-59 years	Dec., 2020	906544-1	Hypertensive to 190/80; shaking; chills; after 30 minutes, BP reduced 159/80; sent to ER; monitored; sent home; resolved, per follow-up call following day.
50-59 years	Dec., 2020	906592-1	Upper left arm/shoulder pain. Also reported 36 hours of low grade fever and body aches after injection Left arm at deltoid felt somewhat warm to touch, very mild erythema, tender to palpation. Pt sent to Urgent care for evaluation
50-59 years	Dec., 2020	906595-1	Dizziness; hypertensive to 109/80; nausea, sweating, sent to ED for monitoring; follow up call next day: symptoms resolved.
50-59 years	Dec., 2020	906622-1	tingling to the tip of the tongue and further back to the middle of tongue, oral tingling (upper lip and then into the lower lip); mild swelling to the tip of the tongue; This is a spontaneous report from a contactable nurse. A 51-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EH9899), intramuscularly in the left deltoid on 17Dec2020 11:15 at a single dose for COVID-19 immunization. Medical history included palpitations multiple premature ventricular contractions (PVC)s from 11Jan2020 to an unknown date. The patient's concomitant medications were not reported. Patient denied any history of previous adverse reactions to vaccines. The patient previously took dexamethasone (DECADRON) and experienced tingling of lips and tongue and sulfamethoxazole trimethoprim (BACTRIM) and experienced allergies and acute kidney injury. The patient experienced tingling to the tip of the tongue and further back to the middle of tongue, oral tingling (upper lip and then into the lower lip) and mild swelling to the tip of the tongue on 17Dec2020 11:15. During the 15-minute waiting period after the injection, the patient began to experience oral tingling (upper lip and then into the lower lip). It then progressed to the tongue and she reported tingling to the tip of the tongue and further back to the middle of tongue. She thought there might be some mild swelling to the tip of the tongue. She denied rash, hives, welts, difficulty breathing, difficulty swallowing, wheezing, throat tightness, hoarseness, stridor, itching, lightheadedness, dizziness, facial swelling and lip swelling. The patient went to the emergency room/department or urgent care. The patient received diphenhydramine hydrochloride (BENADRYL) as treatment for the events. The outcome of the events was recovered in Dec2020.
50-59 years	Dec., 2020	906733-1	anaphylaxis
50-59 years	Dec., 2020	906738-1	12/21/2020- 1 called with increased BP 12 hours after vaccination. Was seen by MD and went to ER. Med for BP increased and modified until stable.
50-59 years	Dec., 2020	906759-1	Day 1-4 large raised bright red injection site warm to touch Day 3 Bright red raised rash all over face and scalp, going down neck
50-59 years	Dec., 2020	906768-1	Severe abdominal cramping, diarrhea, rectal bleeding. Went to ED.
50-59 years	Dec., 2020	906769-1	After I got the shot I could feel it going into my system (histamine). I had myalgia on my right shoulder and up into my neck, those I felt first. I felt like a histamine release. It is like I felt a drug being released in my body, a strange feel. Made me feel woozy. Not a major reaction, no airway constrictions, just felt uneasy. As I was walking to my vehicle to leave the hospital my arms started feeling tingly so I decided to walk to the ER and get checked. Vitals were taken and a shot of Benadryl - 50mg, sat around until it kicked in about 30/40 min and it made the symptoms subside. Next morning I felt fine , arm was sore from the injection but that was all.
50-59 years	Dec., 2020	906802-1	"Approximately 10 minutes after receiving the vaccination the patient began complaining of dizziness and ""not feeling right"". Vital signs indicated the patient to be hypertensive, vital signs otherwise within normal limits. Patient denies rash, itching, shortness of breath, chest. Patient transported to the ER for evaluation within 15 minutes."
50-59 years	Dec., 2020	906842-1	Gave me shot did not feel anything. Probably 2-3 minutes later, it started to feel flush and chest tightening, and heart started racing. I did sit down, because they were monitoring us. Had my Apple watch on and heart was going up and down. They kept me monitored for about 30-45 minutes before I was hooked up to BP pressure machine. First reading was 180/110. At that point, they asked if I wanted to go to ER. I went to ER and they did an EKG which was normal. Heart rate came

			down with Benadryl. I was still feeling little tight in chest. Blood pressure 167/97 upon discharge. Sent home instructed to take Benadryl. At home was relaxing, few hours later, heart rated spiked again and stayed for 15-20 minutes. Took Benadryl and heart rate came down. Did not take BP at home. Next day one other time where heart rate spiked again.
50-59 years	Dec., 2020	906887-1	Pfizer-BioNTech COVID-19 Vaccine EUA: Systemic: Anaphylaxis, Fainting
50-59 years	Dec., 2020	906910-1	HPI: 56 y.o. male with no pmhx c/o generalized bruising for 2 days, noticed small blood tinged spots generalized. Gradual onset, severe on severity, no alleviating or aggravating factors. Patient denies fevers, chills, N/V/D, abdominal pain. In ER: Platelet <1. Platelet transfusion in ER. Admitted for Thrombocytopenia/ITP
50-59 years	Dec., 2020	906928-1	Patient with a reported history of anaphylaxis to several things and carries her own EpiPen. She was brought to monitoring room at 1835 With complaints of cough and at that time had taken two puffs of albuterol inhaler. Patient also reports some medicating with 50 mg of Benadryl two hours prior to vaccine. O2 sats were 99% heart rate 69 and lungs CTA. At 1845 patient self dosed another 2puffs of albuterol. At 1845 HR 130 and sats 98%. At 1850, BP 173/139 HR 127. Patient continued to develop a progressive cough and SOB. Consulted Dr. by phone. We dosed with Zyrtec 10 mg po and assisted pt with administration of her own epi-pen. Followed up with ED next day. Pt had been escorted there from vaccine clinic after epi-pen administration and progressive SOB. ED reported pt remained hemodynamically stable and A&O x 4. Treatment consisted of Benadryl 50 mg IV, Pepcid 20mg,IV, solumedrol 125 mg IV, fluids 1L, and racemic epi. Discharged home after 3 hours.
50-59 years	Dec., 2020	906929-1	15 mins after the vaccine I had a bad headache and very dizzy blood pressure 168/109 very hypertensive Possibly stroke after vaccine (No stroke) Took ibuprofen Had Tylenol before the vaccine 12/22/2020 slight high blood pressure still
50-59 years	Dec., 2020	906955-1	Reports after covid vaccination while she was driving home she experienced swelling of the tongue, dry mouth, legs twitching, and diarrhea. Went to ER for treatment.
50-59 years	Dec., 2020	906982-1	anaphylactic--started with mild itching, progressed to throat tightness--patient was given IV Benadryl, Pepcid, Solu-Cortef, Epi-pen x 2, oxygen
50-59 years	Dec., 2020	906983-1	I was at the observation area and all of a sudden I started rapidly coughing and my throat felt itchy. I notified the nurse and she started observed me. The back of my tongue started feeling weird. She then hit me with an epi-pen as a precaution. Because of that I was moved to the ER for observation for 2 hours to make sure everything was ok. After the epi-pen all symptoms went away. Before I left they drew labs to check if I was having an allergic reaction. And the results came next day and it was 0.
50-59 years	Dec., 2020	906988-1	PT WAS OBSERVED IN HOLDING AREA LEANING FORWARD IN HER CHAIR ABOUT 7 MINUTES AFTER RECEIVING THE VACCINE. RN ASSESSED AND NOTED: AUDIBLE WHEEZE, RESP 40/MIN, LIP SWELLING AND PT COMPLAINED OF NAUSEA. PT WAS ESCORTED TO ER IN WHEELCHAIR ACCOMPANIED BY 2 RN'S (2 MINUTE WALK) ONE HOUR LATER - AS REPORTED BY DR (ER) WORKING DIAGNOSIS - ANAPHYLAXIS / STATUS ASTHMATICUS MEDS RECEIVED: SOLUMEDROL 125, DIPHENHYDRAMINE 50MG, FAMOTIDINE 20MG --ALL IV EPINEPHRINE 0.3MG IM X1 FOLLOWED BY 0.3MG IV X 1 FOLLOWED BY 0.1MG IV X1 PT IS RECEIVING O2 - AND PROGRESSING TO BIPAP
50-59 years	Dec., 2020	907043-1	Swelling left deltoid and left neck followed by feeling of throat closing. began 14 min after administration; Code Assist called and taken downstairs to ED; received epinephrine, Solumedrol, Benedryl. Prescribed prednisone and Pepcid 40 mg bid .
50-59 years	Dec., 2020	907064-1	Itching, shortness of breath, throat hurting
50-59 years	Dec., 2020	907109-1	approximately at 3:32pm felt heart racing, then 2-3 minutes later tongue tingling, few minutes later felt a lump on throat. 25mg benadryl taken, hoarse voice and anxious, then another 25mg benadryl taken. I was then taken to ER for observation. I was given pepcid and prednisone in ER. Continued to feel lump in throat but no shortness of breath or difficulty breathing. Felt calmer and normal heart rate. Discharged approximately at 5:30 pm
50-59 years	Dec., 2020	907131-1	About 10-15 minutes after receiving vaccine patient reported that her heart began to race and throat began to swell.
50-59 years	Dec., 2020	907160-1	(I'm a physician who received the vaccine at my medical clinic). 5 minutes after receiving the vaccine, I felt very dizzy and faint. We checked my BP (which is usually 120/70; I do not have hypertension), and it was 190/120, HR 120-130 bpm. We rechecked it several times and it stayed there. After 5 minutes, I suddenly felt better and my BP had dropped to 140/70, HR 70. I felt exhausted. No other problems. They watched me for 30 minutes and I felt fine. I had my husband drive me home. As we were driving home (now one hour after the vaccine), I realized that my throat was closing up. I was breathing fine but I realized I was having an anaphylactic reaction from the vaccine. I have never had any allergic reactions before to vaccines, etc. He drove me back to the emergency room of my hospital, where they diagnosed me with an allergic reaction/anaphylaxis to the vaccine. They gave me emergently IV solumedrol (steroids), pepcid, and benadryl, which fortunately worked immediately. They observed me for several hours and I was fine. They sent me home. The next morning, I felt exhausted and my throat was hoarse and sore, but that went away several hours later. It was a terrifying, terrible experience. I thought I was going to die. I had to pay \$1000 out of pocket for the ER deductible.

50-59 years	Dec., 2020	907173-1	Anaphylaxis reaction with hives, stridor/airway edema, wheezing
50-59 years	Dec., 2020	907241-1	I didnt notice but evidently my eyes changed because the CNO looked at me and asked if I was ok. Im not sure of what they looked like to make her cue in on I wasnt feeling well but she came over and began to monitor me at that time. I felt light and fluffy and when I got up to get juice I felt like I was disassociated from my body, my movements were awkward, I was severely weak and was not steady on my feet. I felt as if my mind was moving but my body couldnt keep up. I was very laggy and felt as if I was intoxicated. The head of the ER made me drink alot of cold water about 24oz of water and 4 oz of juice which then caused me to get super cold and shivery. Vitals were stable the whole time but my BP shot up to 170/90 a few moments after the water. I was transferred to a monitoring room where I was covered with alot of blankets and allowed to lay down until I warmed up until my BP lowered and I was released. My arm didnt begin to hurt until about 6-8 hours after and I have a red mark and the top layer of skin just do not want to heal. I am still today having to put bandages on the spot because its red and the skin on top keeps coming off. I had joint pain and aches into the next day after causing me to take an Aleve gelcap for the pain. Nausea here and there also.
50-59 years	Dec., 2020	907242-1	Sore/Itchy throat - 25mg Benadryl IM. Relief 8 minutes post Benadryl
50-59 years	Dec., 2020	907243-1	"Patient received Pfizer -BioNTech COVID-19 vaccine in the clinic. At check out, patient reported 'heart racing, dizziness, and feeling flushed'" ED Proceed Out called. Patient evaluated by ED team. Patient transported to ED for further monitoring. In ED, patient complained of mild throat tightness which was resolved by Benadryl. patient was monitored for 4 hours and was discharged home on benadryl"
50-59 years	Dec., 2020	907259-1	Severe itching, irritation, took oral Benadryl, proceeded to nearest Emergency Room
50-59 years	Dec., 2020	907309-1	Patient described a metallic taste in her mouth 10 minutes after getting the COVID19 Vaccine. Soon after, she described the posterior left side of her tongue was feeling numb. No itching of throat, no swelling of lip or tongue. No respiratory or GI symptoms. No urticaria or pruritis. She was treated with loratadine 10 mg and famotidine 20 mg orally. She was observed for 2 hours with no progression or additional symptoms. She was discharged to home.
50-59 years	Dec., 2020	907324-1	Patient felt like back of tongue swelling and itchy ~ 15 min after administration Patient received 12.5 mg Benadryl, 125 mg soul-Medrol in ED Sent home with an epi pen and steroids x 4 days
50-59 years	Dec., 2020	907330-1	Employee presented to COVID Clinic for Moderna COVID 19 vaccination 1st dose. Given to left arm. Left clinic prior to completing 15 minute observation time and told an MA in waiting area that she felt ill ot her stomach and having trouble taking deep breaths. Employee found in nearby Bathroom sitting on the floor, she had vomited, reported she was lightheaded, couldn't breath, shaking, abdominal discomfort sweating, attempted to move employee to wheelchair, did respond well to transfer to Wheelchair, She reported symptoms worsening: HA, abdominal pain and developed blotchy skin, hyperventilating, and dizzy. CODE Blue called, patient given Epinephrine injection 0.5mg patient sent to ER
50-59 years	Dec., 2020	907456-1	c/o dizziness, HA, nausea, went to ED on 12/18 for tx, will f/u with rheumatologist on 12/21
50-59 years	Dec., 2020	907524-1	Reports had joint pain & shoulder pain, shortness of breath, pale-instructed to go to ED for medical treatment.
50-59 years	Dec., 2020	907528-1	History to allergic to IVP dye, after the covid vaccine and said felt itchy in face. Patient given dexamethasone 10 mg diphenhydramine 50mg ,epinephrine 0.5 mg and lactated ringers. Patient issue resolved and will be discharged home.
50-59 years	Dec., 2020	907616-1	12-22 HPI 53-year-old female with a history of Addison's disease, anaphylactic reaction who presents to the ED complaining of hives and shortness of breath. Patient reports that 3 days ago she received the COVID-19 pfizer vaccine. She reports that since that time she has developed progressively worsening hives on her legs and arms. Approximately 1 hour ago she began to develop shortness of breath and so she presented to the ER. Patient reports a previous history of anaphylactic reactions multiple times. Denies any other acute complaints at this time. MDM Patient came in with shortness of breath and hives. Suspect allergic reaction to the COVID-19 vaccine. Patient had already taken 50 mg of Benadryl. She was given Solu-Medrol and EpiPen. She reported feeling better with improvement in the pruritus. She reports that she has had rebound reaction requiring EpiPen at 24 hours. Given the distance that she lives from adequate medical care and the possibility for recurrent severe reactions, the patient will be hospitalized for further observation. 12-23 Female with history of asthma and addison's had anaphylaxis to covid vaccine. Admitted over night to ensure that she did not rebound. Received IV Dex and this am has had no reoccurrence of hives or shortness of breath. Will discharge home on epipen, hydrocortisone prn, prednisone bid for 5 days. Return to ER or go to PCP for worsening symptoms.
50-59 years	Dec., 2020	907628-1	Employee received vaccine, stayed 15 minutes and left ?. came back within 5-10 minutes c/o throat tightness and difficulty breathing
50-59 years	Dec., 2020	907681-1	Lightheadedness; This is a spontaneous report from a contactable pharmacist. A 52-year-old male patient started to receive bnt162b2 (BNT162B2, lot number EJ1685), intramuscular from 19Dec2020 10:45 to 19Dec2020 10:45 at a single dose for an unspecified indication. Medical history included hypertension. The patient's concomitant medications were not reported. The patient

			experienced lightheadedness on 19Dec2020 11:00 and took ondansetron. The outcome of the event was recovered on 19Dec2020.
50-59 years	Dec., 2020	907805-1	First night following after vaccine I woke up with chest pain (i though pleuritic) which went away. I had mild body aches and fatigue, chills. next day I experienced chest(again I thought pleuritic) discomfort especially when taking a deep breath. i felt better then had mild fatigue and body aches again. day 3 post vaccine I woke up with discomfort when taking a deep breath with continued discomfort. i felt tired through the day. Then that evening i developed SOB, severe palpitations and chest pain and went to ER. Diagnosis New onset rapid A fib. I was hospitalized and once my work up was finished and I had normal sinus rhythm I was discharged home the next evening.
50-59 years	Dec., 2020	907878-1	Patient received COVID vaccine at approximately 9AM this morning. Stayed 15 minutes after injection for monitoring, felt fine and returned to department. Employee returned at approximately 11:45AM with possible symptoms of reaction. Admitted to a headache that started approximately an hour after injection. Symptoms now include heaviness of arm, chest, feeling emotional, light headed. Vitals taken at 11:48 BP 150/86, P 79, R16 Pox 97. Oral Benadryl 25mg administered PO 11:50AM. EKG run. Patients symptoms progressed to include difficulty breathing and swallowing. Epi pen adult 0.3mg administered IM Left thigh at 12:13PM. Vitals checked at 12:13PM BP 188/90, pulse 97, pulse ox97. Called for emergency response for transport to ER. Pt remained stable until transport by EMS to ER. Employee health informed of patient transport. ER informed of patient transport.
50-59 years	Dec., 2020	907901-1	tachycardia, dizzy, dry mouth
50-59 years	Dec., 2020	907973-1	11am on the 20th I noticed pain on my back torso and it came around to the left of my abdomen and was told it was textbook shingles rash and was prescribed valacyclovir 1gram 3x daily for one week, the pain is now mild and I can treat it with tylenol and I've only had to take it once, the rash is still there but it's not spreading I started the medication at 3pm after seeing the dr
50-59 years	Dec., 2020	908043-1	mild chest tightness, cough, feeling anxious and lightheaded minutes after receiving the shot pt received: Benadryl 25 mg iv push Solumedrol125mg iv push Normal saline 1000ml IVpb
50-59 years	Dec., 2020	908044-1	"PT WAS ADMINISTERED MODERNA VACCINE AT HD ON 12/23 AROUND 1540. PT HAS EXTENSIVE HISTORY OF ALLERGIC REACTIONS (HEP A VACCINE AND TREE NUTS). PT ALSO COVID + ON 12/8/20 . HX REVIEWED WITH HD RN PRIOR TO ADMINISTERING. PT WAS ADVISED TO WAIT 30 MIN IN WAITING ROOM. EMS STAFF ON SITE FOR CLINIC. PT STARTED COMPLAINING OF ""ITCHY MOUTH"" AROUND 1620 AT WHICH POINT EMS ATTEMPTED TO ESCORT PT TO PERSONAL VEHICLE TO DRIVE HER TO LOCAL ED. PT MADE IT TO THE THE VEHICLE BUT DEVELOPED INCREASED RESPIRATORY DISTRESS AND AIRWAY RESTRICTION. AMBULANCE WAS CALLED. EMS ADMISNTERED .3ML EPI AT 1631 AND APPLIED 8L O2 VIA MASK. ABUMBULACE ARRIVED AT 1636. PT TAKEN TO LOCAL ED VIA AMBULANCE"
50-59 years	Dec., 2020	908079-1	Pruritus - Benadryl given at COVID vaccine area. Relieved. Symptoms advanced after the caregiver went back to work. Called vaccine provider. Went to ED. Received Solu-medrol and Epinephrine. Released in stable condition
50-59 years	Dec., 2020	908101-1	Patient stated that he had blurred vision. He was taken to the Emergency Dept at the Hospital where his vital signs were monitored to include blood pressure, pulse and oxygen. After 1 to 1.5 hours of observation, patient stated that he was no longer experiencing any symptoms.
50-59 years	Dec., 2020	908109-1	Difficulty breathing, no oral swelling, stridor, altered mental status. Bag valve mask ventilate. IM epi. Initial care by MD and nurse. 911 ACLS called, transported to ER.
50-59 years	Dec., 2020	908112-1	swelling of tongue, lips, throat
50-59 years	Dec., 2020	908135-1	Employee reported reaction of hives approx 2 hours and 12 minutes after getting the covid vaccine. She was administered epipen and was sent to the ED. The ED observed her and then discharged her.
50-59 years	Dec., 2020	908150-1	"Pfizer-BioNTech COVID 19 VACCINE EUA- within 2 minutes felt tingling on the tongue and then tingling around the mouth. Within five minutes, itching of the face that spread to scalp and neck. Continued to increase itching during the 15 minute observation time. Sensation of heart in my ""throat"" upper chest. Slightly light headed. Nausea 15- 20 minutes after receiving injection. Headache. Given 50 mg Benadryl IM that resolved symptoms of itching within 5-10 mins. Observed in ER x 1 additional hour. BP 149/90 approx. HR 88, estimated from .memory."
50-59 years	Dec., 2020	908163-1	sat 12/19/20 , approx 2000 , started to feel hot, burning, and itchy. went to emergency room 12/20/20 at 1200pm , was taking Benadryl since onset of symptoms, given peptid, loratadine, and have continued these medication as directed , called PMD , given hydroxyzine 12/21/20 due to severe itching and burning feeling, and currently taking at directed,
50-59 years	Dec., 2020	908177-1	Patient reported numbness on left side of tongue, being lightheaded, rash under chin and excessive secretions in the throat within 15 minutes of covid-19 vaccine administration. Vital signs were stable, O2 was 98% and BG was 225. Patient reported not taking his DM and BP medication prior to vaccination.
			The patient is a 57 year old female who presents to the ED with an allergic reaction. Patient received her COVID vaccine this morning at a vaccine POD at 0708, 5 minutes after receiving the injection she began to feel short of breath, with dry cough and felt tightness in her throat. Patient

50-59 years	Dec., 2020	908227-1	used her inhaler at that time and then her symptoms improved. Of note patient also took a Benadryl prior to receiving the vaccine because she has a history of allergies (reports allergy to codeine). She was evaluated by people at Covid vaccine site and cleared. She went to work at the clinic where she works as a tech but continued to have tightness in her throat, so a doctor at the facility told her to take another Benadryl. Patient states that an hour after taking the second dose of Benadryl she began to feel drowsy and nauseous. She had a sip of coffee and try to eat something but then became tremulous and vomited. She was given epinephrine at work and transferred here for further work-up and management. On arrival patient reports that she feels back to baseline. She denies at any time having any rash, pruritus, or angioedema.
50-59 years	Dec., 2020	909130-1	Acute NSTEMI with symptom onset 4 days after vaccination
50-59 years	Dec., 2020	910298-1	sudden onset of a fainting sensation/not wanting to stand up due to fear of fainting; mild shortness of breath; heart beating faster than normal; intense anxiety; hyperventilation; tingling in limbs, top of head; headache; general weakness; This is a spontaneous report from a contactable consumer (patient). This 52-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number EH9899) via an unspecified route of administration in the right arm on 18Dec2020 at 11:00 at single dose for COVID-19 immunisation. The patient was not pregnant. Vaccination facility type: hospital. The patient did not receive other vaccines in four weeks. Relevant medical history included depression and allergy to sulfa. Concomitant medications included bupropion hydrochloride (WELLBUTRIN SR) 150 mg daily and escitalopram oxalate (LEXAPRO) 10 mg daily. On 18Dec2020 at 12:15, the patient experienced sudden onset of a fainting sensation, mild shortness of breath, heart beating faster than normal, intense anxiety/hyperventilation, tingling in limbs, top of head, headache, general weakness, not wanting to stand up due to fear of fainting. The events resulted in the emergency room/department visit or urgent care. The patient underwent a nasal swab for COVID-19 on 18Dec2020 which resulted negative. The patient recovered from the events in Dec2020.
50-59 years	Dec., 2020	910308-1	Diaphoresis; palpitations of 180-150 beats per minute, and SVT supraventricular tachycardia on the heart monitor.; palpitations of 180-150 beats per minute, and SVT supraventricular tachycardia on the heart monitor.; This is a spontaneous report from a contactable physician. A 56-year-old male patient received the first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 18Dec2020 at 09:00 at single dose for covid-19 immunization. Medical history included hypertension, episode of SVT (supraventricular tachycardia) in the past. There were no concomitant medications. The patient experienced diaphoresis, and palpitations of 180-150 beats per minute, and SVT supraventricular tachycardia on the heart monitor on 18Dec2020. The events were reported as serious per medically significant. Event details: the patient received the vaccine 18Dec2020 at 09:00AM. About 40 minutes later the patient returned to hospital where he worked, where he received the vaccine, with diaphoresis, palpitations of 180-150 beats per minute, and SVT supraventricular tachycardia on the heart monitor. Reporter stated this was temporally related. Patient was given Adenosine 6mg IV with no response; then 12mg Adenosine with no response. Then the patient the spontaneously converted 10 minutes after the last dose of adenosine to 75 beats per minute and sinus rhythm, in one beat. The reporter was an emergency room (ER) physician and the patient was the ER right now. The patient was stable at time of reporting and expected to be discharged. The reporter did order a Troponin and cardiac workup. Troponin result was less than 6 which was normal. With regard to the Adenosine that didn't work reporter stated those vials usually went into a container and after consulting with another coworker stated the Adenosine vial had been discarded at this time and he was unable to provide NDC, lot or expiration date. The outcome of the events was resolved on 18Dec2020. Information on the lot/batch number has been requested.; Sender's Comments: Based on the close temporal relationship and the description of the events,diaphoresis, palpitations and SVT, there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
			Started to have a cough wheezing high respiratory distress again; anaphylaxis; Shortness of breath; Hives; she had red rash on her chest that progressed to her face; Swelling of tongue; Angioedema; Stroke; This is a spontaneous report from a contactable physician. A 55-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; lot number EK5730), intramuscular into the left deltoid on 17Dec2020, at 11:as single doses for covid-19 immunization and epinephrine (MANUFACTURER UNKNOWN), via an unspecified route of administration from an unspecified date at an unspecified dose for a cough wheezing high respiratory distress again, , diphenhydramine hydrochloride (BENADRYL), via an unspecified route of administration from an unspecified date at an unspecified dose for an unspecified indication, dexamethasone sodium succinate (DECADRON), via an unspecified route of administration from an unspecified date at an unspecified dose for an unspecified indication, famotidine (MANUFACTURER UNKNOWN), via an unspecified route of administration from an unspecified date at an unspecified dose for an unspecified indication. Medical history included asthma, hyperlipidemia, hypothyroidism and allergies in the past to food, corn and dye (reported as she's had allergies in the past to food, corn and dye), all since unspecified dates. Concomitant medication included levothyroxine (MANUFACTURER UNKNOWN) and montelukast sodium (SINGULAIR). The patient experienced the following events with outcomes: patient started to have a cough wheezing high respiratory distress again involving hospitalization on 17Dec2020, at 23:20 with outcome of unknown; hives involving

<p>50-59 years</p>	<p>Dec., 2020</p>	<p>910580-1</p>	<p>hospitalization on 17Dec2020 with outcome of unknown; shortness of breath involving hospitalization on 17Dec2020 with outcome of unknown; anaphylaxis involving hospitalization on 17Dec2020 with outcome of unknown; stroke that was medically significant in Dec2020 with outcome of unknown; angioedema that was medically significant in Dec2020 with outcome of unknown; swelling of tongue in Dec2020 with outcome of unknown; on 17Dec2020, she had red rash on her chest that progressed to her face with outcome of unknown. Therapeutic measures were taken as a result of started to have a cough wheezing high respiratory distress again, shortness of breath, anaphylaxis, stroke, angioedema, swelling of tongue and she had red rash on her chest that progressed to her face. Details were as follows: The physician reported that the patient was in the ICU, and admitted for anaphylaxis reaction to BNT162B2. Relating to causality, the physician said yes as the patient had allergic reaction in the past and showed protracted anaphylaxis. Patient had a unspecified rabies vaccine in the past, for which she had respiratory distress afterwards. The physician guessed some skin redness but no she didn't have any there is no need for intervention or anything like that didn't have the details exactly but she said that she had a response to it, it didn't seem like anaphylaxis reaction; she was pre-medicated prior to the vaccine, which was elaborated as got 4 of Decadron and 25 of Benadryl. She didn't have anything to eat other than cereal what she had before with no reaction. She immediately after the vaccine (Covid vaccine) was administered, she said that she had red rash on her chest that progressed to her face. She started to experience shortness of breath and then respiratory distress. She gave herself EpiPen and then she was given steroids, famotidine and epinephrine in the hospital in the emergency department. The patient was sent home with the Benadryl and instructed to take two sips. At 11:20 that day, at night patient started to have a cough wheezing high respiratory distress again. She gave herself a dose of Epinephrine from her Epi and once she got more Epinephrine, Famotidine steroid, Benadryl and then she was admitted had another episode of stroke and then rash and it progressed to angioedema and tongue swelling. She got intramuscular steroids and was currently on an epinephrine drip. Patient was hospitalized in the surgical intensive care unit. The outcome of the events were unknow. Reaction assessment per the reporter for anaphylaxis reaction to the BNT162B2, noted that patient showed protracted anaphylaxis; the method of assessment: Global Introspection reported a drug result of related. Pfizer is a marketing authorization holder of epinephrine in the country of incidence or the country where the product was purchased (if different). This may be a duplicate report if another marketing authorization holder of epinephrine has submitted the same report to the regulatory authorities.; Sender's Comments: There is a reasonable possibility that the events respiratory distress, anaphylactic reaction, angioedema, dyspnea, and urticaria, were related to BNT162b2 based on known drug safety profile and temporal relationship. The association between stroke and BNT162b2 can not be completely excluded based on the limited information. There is a reasonable possibility that the events stroke, anaphylaxis, angioedema, dyspnea, and urticaria, were related to epinephrine use based on known drug safety profile and temporal relationship. The association between the event respiratory distress with epinephrine use can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>
<p>50-59 years</p>	<p>Dec., 2020</p>	<p>910595-1</p>	<p>broke out in hives on face and hoarseness, tightness in throat; broke out in hives on face and hoarseness, tightness in throat; broke out in hives on face and hoarseness, tightness in throat; throat pain, coughing; throat pain, coughing; This is a spontaneous report from a contactable Other HCP. This Other HCP reported for self that the 57-year-old female patient received fist dose of bnt162b2 (BNT162B2, Brand Pfizer), via unknown route of administration in Left arm on 21Dec2020 12:00 PM at single dose for covid-19 immunisation. Medical history included Known allergies to medications, food, or other products: Azithromycin Flushing, Spinach-anaphylaxis, mild allergic reactions to the Ocrevus, azure and Seasonal allergies, Multiple Sclerosis, Irritable bowel syndrome (IBS-C), post herpactic neuralgia. Concomitant medications included other medications the patient received within 2 weeks of vaccination baclophen, clozapine (KLOPIN), ocrelizumab (OCREVUS), sertraline, cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]), mo. She is not pregnant at the time of vaccination. Facility type vaccine was Hospital. No other vaccine in four weeks. The patient experienced within 15 to twenty minutes of vaccine, broke out in hives on face and hoarseness, tightness in throat then sent to ED where hives continued to form on back the arms, throat pain, coughing, hoarseness increased from 21Dec2020 12:15 AM. AE resulted in: [Emergency room/department or urgent care]. Outcome of the events was unknown. Treatment received included Epinephrine, solumedrol, Benadryl IV. No covid prior vaccination. Covid tested post vaccination. Covid test post vaccination: covid test type post vaccination was Other, covid test name post vaccination was Nasopharyngeal Sofia2 SARS Antigen on 21Dec2020 with result of Negative. Facility where the most recent COVID-19 vaccine was administered was Hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, has the patient been tested for COVID-19. Test Name was Nasopharyngeal Sofia2 SARS Antigen. Vaccine Facility information available. Information on the lot/batch number has been requested.; Sender's Comments: Based on the close temporal relationship, the association between the reported events with BNT162b2 can not be completely excluded. Medical history of known allergies may have predisposed patient to react this way. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory</p>

			authorities, Ethics Committees, and Investigators, as appropriate.
50-59 years	Dec., 2020	910601-1	<p>presyncope-transient; chest discomfort; tachycardia-transient; episodic tachycardia; This is a spontaneous report from a contactable Physician reported for self. This 56-year-old female patient (No pregnant) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on an 17Dec2020 12:00 PM on left Arm via Intramuscular at single dose (Lot # EK5730) for covid-19 immunisation. Facility type vaccine: Hospital. No other vaccine in four weeks. Medical history included Allergies to medications, food, or other products: Possibly Sulfas. Concomitant medications included famotidine (PEPCID AC) and colecalciferol (VITAMIN D). About 3 min post vaccine on 17Dec2020 12:03, chest discomfort and tachycardia-transient; then on 17Dec2020 12:15 episodic tachycardia and presyncope-transient 4 episodes in about 13 min; then taken to Emergency room/department or urgent care and treated/monitored and it stopped. IV fluids; Solumedrol; IV Famotidine were received for the events. The patient was a physician, and this was given at her medical center. Outcome of the events was recovered in Dec2020.; Sender's Comments: A causal association between BNT162B2 and the events chest discomfort, tachycardia, and presyncope cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.</p>
50-59 years	Dec., 2020	910641-1	<p>Weakness and tingling down left arm; Weakness and tingling down left arm; Lightheaded; PVC's every 3 beats; emotional too and just very tired; Can not read the vaccination card as she does not have her glasses; Palpitations; Fatigue; Slept a lot; Thready pulse and vertigo; Thready pulse and vertigo; Soreness in left arm at the injection site and down the left arm; Soreness in left arm at the injection site and down the left arm; This is a spontaneous report from a contactable nurse (patient). A 54-year-old female patient received first dose bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, reason for no lot number of COVID Vaccine: Can not read the vaccination card as she does not have her glasses, Expiry Date unknown), via an unspecified route of administration in the left arm on 18Dec2020 at single dose for 'Work with COVID patients'. Medical history included none. There were no concomitant medications. The patient experienced weakness and tingling down left arm (hospitalization) on 22Dec2020, lightheaded (hospitalization) on 22Dec2020, PVC's every 3 beats (hospitalization) on 22Dec2020, soreness in left arm at the injection site and down the left arm on 18Dec2020, thready pulse and vertigo on 19Dec2020, fatigue on 20Dec2020, slept a lot on 19Dec2020, palpitations on 21Dec2020. Details as follows: Caller says she received the vaccine, she is a nurse. She got the vaccine on Friday, 18Dec2020. She had soreness in her arm and at the injection site on Friday but that was it. On Saturday (19Dec2020) she noticed a thready pulse, but went on with her day with only a little arm pain. Sunday (20Dec2020) she was fatigued and the thready pulse continued. She slept a lot on Saturday (19Dec2020) and Sunday (20Dec2020). Yesterday (21Dec2020) she felt a little better, but had palpitations here and there. This morning (22Dec2020) she went into work, was very lightheaded, had tingling down her left arm, and had palpitations. So she hooked herself up to a monitor. Her pulse ox was between 97-99%. Her heart rate would be in the 90s and then drop to 48, so she went down to the ED. She has had a CT, and she is throwing PVC's every 3 beets. She has not been admitted as they are still waiting for results. She is still in the ED. They did a CT to see if there was a possible clot. On 18Dec2020 she received the vaccine around 2 PM. She had soreness at the injections site and down the left arm, which went away by Sunday (20Dec2020). She now (22Dec2020) has weakness and tingling down the left arm. It was never red or anything at the injection site. Saturday, 19Dec2020, she had thready pulse and Vertigo which lasted until Sunday 20Dec2020. She would be laying in bed and try to flip to the other side and having vertigo. When the fatigue started on Sunday (20Dec2020) she did not feel like herself. She was very emotional too and just very tired. Since she went to the ED she has had a CT scan, one with contrast and one without. She had a chest X-ray, and she is on a cardiac monitor. Results are pending. She has Trigeminy PVCs. She says she never goes to the hospital. But she is not admitted yet (pending clarification). Can not read the vaccination card as she does not have her glasses. Unable to read off the NDC, lot, and expiration date. History: Has been on the same vitamins for two years with nothing new. Blood pressure: Normal base line is 130s/80s maybe lower. Heart rate: Currently within her normal limits of 80s-90s. Depending on what happens, it was asked if she should get the second dose. The patient underwent other lab tests and procedures which included blood pressure measurement: 163/76 on 22Dec2020, chest x-ray: unknown result on 22Dec2020 (Result: Pending), computerised tomogram (CT scan): unknown result on 22Dec2020 (Result: Pending), heart rate: 80s-90s on 22Dec2020, Pulse oximetry: 97-99 % on 22Dec2020, cardiac monitor: results are pending on 22Dec2020. The outcome of events weakness and tingling down left arm, pvc's every 3 beats, lightheaded, palpitations and fatigue was not recovered. The outcome of the event soreness in left arm at the injection site and down the left arm was recovered on 20Dec2020. The outcome of the events thready pulse and vertigo was recovered on 20Dec2020. The outcome of the event slept a lot was recovered on 20Dec2020. The outcome of other events was unknown. Information on the lot/Batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject vaccine cannot be excluded for the reported events due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part</p>

			of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
50-59 years	Dec., 2020	911241-1	anaphylactic reaction/worsening anaphylactic symptoms; This is a spontaneous report from a Pfizer-sponsored program. A contactable pharmacist reported that a 55-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot: EK5730, expiry:31Mar2021) via an unspecified route of administration on 17Dec2020 at 0.3 mL, single for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. On 17Dec2020 30 minutes after vaccination, the patient had an anaphylactic reaction and went through an anaphylactic treatment protocol and was sent home. The patient returned to the hospital on 18Dec2020 with worsening anaphylactic symptoms and was admitted to the hospital at that time. The patient was admitted to an Intensive Care Unit and supplemental oxygen was given. It was further reported that the patient did not require intubation. The patient underwent lab tests and procedures which included SARS-CoV-2 test: negative and antibody test: negative; both on an unspecified date. Outcome of event was not recovered.; Sender's Comments: The reported anaphylactic reaction was likely causally related to the vaccine of BNT162B2 due to temporal relationship. This case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
50-59 years	Dec., 2020	912669-1	Chest pain, short of breath. Morphine, sublingual Nitro, IV Nitro drip & Heparin drip
50-59 years	Dec., 2020	913144-1	Eight minutes after receiving the injection it felt like a tickle in my throat and then felt like I needed to keep clearing my throat, coughed a couple times and then there was stridor my airway was closing. I was given a shot of epinephrine and it subsided pretty quickly. I was taken to the ED to be watched. Still clearing my throat some so the ED physician had me take oral Benadryl. I developed stridor again and was given IV Benadryl and the symptoms still quickly advanced to complete airway closure. I was given another dose of epinephrine and the symptoms again resolved in probably about a minute. I was unable to swallow adequately and I was admitted to ICU for observation. I was kept NPO till 0900 and at that time had no difficulty. I was released the following night. In the following days I have developed increased myasthenia gravis symptoms.
50-59 years	Unknown Date	906643-1	Patient c/o lightheadedness, dizziness & nausea about 4 hour after receiving vaccine.
50-59 years	Unknown Date	908354-1	On day of vaccine, had migraines, took Excedrin yesterday for HA, Nausea started yesterday afternoon. Today feeling tired, chest tight, SOB.
60-64 years	Dec., 2020	903260-1	Approximately 10 minutes after vaccine administration, patient reported wheezing and coughing. Patient received epinephrine IM, IV Benadryl, IV solumedrol and racemic epinephrine SVN. Patient never developed a rash, hypotension, swelling of the lips, mouth or tongue, other GI side effects . Per ER attending and admitting physician, this reaction seems to be a clear exacerbation of the patient's tracheomalacia. The patient was more responsive to racemic epi SVN as opposed to IM epi. Patient admits that psychological stress may have been a component of her symptoms. The admitting physician does not consider this to be an anaphylactic reaction to the vaccination.
60-64 years	Dec., 2020	903327-1	Patient reported that she started to feel unwell immediately after the vaccine with some nausea. She presented to the Emergency Department where she was treated by myself approximately 17 hours vaccine administration. She was having vomiting, diarrhea, diffuse rash, and throat discomfort. She was successfully treated for anaphylaxis and was able to discharge to home.
60-64 years	Dec., 2020	903334-1	Immediately after administration felt a strange sensation on nostrils and mouth that dissipated after the initial 15 minutes. Then I started with mild itching in the next arm and neck. About 30 minutes after administration my eyelids became swollen. No shortness of breath or tachycardia. I received Benadryl and solumedrol at ER. Stay at the ED for about 2 hours and left home. After that I felt strange for a while and could not sleep at all. The next morning everything was fine except for mild left arm side of injection pain.
60-64 years	Dec., 2020	903374-1	Monitored 30 minutes in clinic, woke up at 930pm itchy hands/arms, then spread. No respiratory issues, but called to ED. Spread to thighs, and back of legs rash. 10:30 ED medicated with IV Solumedrol, Pepcid and Benadryl. Sent home with Prednisone, Pepcid and taper. Dr. spoke with this am and plan to pre-medicate prior to 2nd dose, but does approve. Monitor another 30 minutes . Rash resolved minimal on forearms.
60-64 years	Dec., 2020	903533-1	"Pt was ambulating through hospital cafeteria at approx 13:50 when she developed sudden difficulty walking, gait ataxia witnessed by nursing staff. States, ""It felt like the floor was rolling and I couldn't stay balanced."" Pt diaphoretic, hypertensive. No other focal deficits. On arrival to ED, pt continues to have gait ataxia, but no ataxia on NIHHS assessment. Denies headache. Received COVID vaccine at approx 1 pm today."
60-64 years	Dec., 2020	903628-1	Patient c/o dizziness immediately after receiving the vaccine. She walked from the vaccine station to the waiting area and alerted staff that she felt dizzy. No SOB, no rash, no throat tightness. She had a similar episode in October. Recently increased Lisinopril dose. She was laid down on a stretcher. Vitals were stable. Glucose=105. Transported to ER for further work-up. Dizziness resolved prior to transport.

60-64 years	Dec., 2020	903638-1	"Patient is a very pleasant 62 year old gentleman with a history of HTN, hyperlipidemia who presented with left facial numbness and left UE numbness. He states that it is worse medially on his arm. Present in upper and lower face. He states it started around 730 am this morning. He also notes intermittent ""foggy"" sensation since Monday associated with some blurred vision that comes and goes. Denies focal weakness, unsteady gait, difficulty with speech and swallow. He denies f/c, cp, sob, rash, pruritis, n/v/d, edema. He did receive the Pfizer COVID vaccine yesterday"
60-64 years	Dec., 2020	903662-1	"at 12:55 pm ""enormous hot flash"", became diaphoretic, chest tightness, immediate need to have BM, ""uneasy"" feeling. Waited 40 minutes, then went to ED. No meds given. 1 Liter IV fluids given. VS monitored and within ""normal"" range. Cardiac enzymes and other labs drawn and within normal range. Released to self after 2 hours. Returned to work next morning."
60-64 years	Dec., 2020	903782-1	Vaccine recipient reported bilateral hand tingling (paresthesia) in fingers shortly after vaccination. Vaccine recipient was sent to the ED for further evaluation. She reported to be also feeling anxious. She was alert and oriented to person, place, time, and situation. No focal neurological deficit. After re-evaluation, her condition was improved/stable and was subsequently discharged to home the same day. Followed up with the vaccine recipient the same day. They are resting comfortably at home and reported that symptoms have resolved.
60-64 years	Dec., 2020	903790-1	Pt complained of dizziness. Headache pain 7/10. flushing and fatigue. BP was 207/120. Pt sat down in treatment, She took 650 of APAP. She eventually had to lay down. Eventually she seemed fine but was recommended to got to the ER. Pt went to ER, got a ketorolac shot, and BP was down to 130/100.
60-64 years	Dec., 2020	903819-1	tachycardia, flushing, severe hives on arm received vaccine, dizziness, palpitations
60-64 years	Dec., 2020	903870-1	The patient received the vaccine and reported shortness of breath, pallor and feeling that her throat was closing. Patient was given 25mg PO Benadryl and brought to the ED. On arrival patient continued to report feeling tightness in throat but states that she is breathing well.
60-64 years	Dec., 2020	903956-1	anxiety, palpitations, and HTN
60-64 years	Dec., 2020	903998-1	received 1526, returned 1708 with hives on chest, short of breath, itchy head to toe. phone consult with physician, taken to ED for care
60-64 years	Dec., 2020	904060-1	Patient reported feeling faint and nauseous. Placed on monitor, oxygen saturation was normal. Rapid Response Team called. Patient reported feeling that tongue was swollen. RRT escorted patient to Emergency Room.
60-64 years	Dec., 2020	904141-1	Tingling of lips and throat. Received treatment with dexamethasone, benadryl
60-64 years	Dec., 2020	904194-1	7 minutes after her vaccine she complained of tongue numbness which progressed to swelling. No wheezing, no rash, no nausea no vomiting. She was transferred to the ED for further management
60-64 years	Dec., 2020	904237-1	Approximately 45min after the injection, I started feeling dizziness, palpitations and racing heartbeat. Another 15min after that there was red hives that broke out on my upper chest but no where else on my body.
60-64 years	Dec., 2020	904377-1	"28 minutes after PT. received vaccine she told RN on duty she felt funny""heart fluttery"", , light headed, dizzy B/P 190/110 HR 70-80,98-99% RA per facility RN. 0932 182/105, HR 60-70, 99% RA per RN 0945 Continue to monitor 180/95, HR 60-72, 99%RA blood glucose 90(PT ate breakfast) RN @ bedside chair 0954 119/91, 99% RA , 60-73 HR feels better but has headache 10:00 ambulance called10:08 208/96, 68-76 HR 99.24% 10:13 Ambulance arrives,report given 40 Medic 10:20 210/112 per EMS monitor HR80 100% RA 10:28 Loaded onto stretcher left with EMS"
60-64 years	Dec., 2020	904386-1	Patient had vaccine at 1330 on 12/20. At around 1815 she began experiencing heart palpitations. She presented to the ED and she was found to have a heart rate in the 130s. EKG showed junctional tachycardia. She was given 6mg of adenosine and an EKG was repeated and showed sinus tachycardia. Eventually her heart rate decreased to the 70s-90s. She was noted to have a potassium of 3.4 which was repleted. She was admitted overnight for observation. In the morning her potassium was normal and she remained in sinus rhythm. She was discharged later that afternoon.
60-64 years	Dec., 2020	904504-1	Throat closure (angioedema/anaphylaxis) requiring ambulance transport to Hospital emergency room and stay IV infusion of Benedryl, solumedrol, and Pepcid with excellent results. Observed twelve hours, then discharged.
60-64 years	Dec., 2020	904555-1	I had no reaction following the vaccination. The next day I had very mild soreness at the injection site. The next morning (about 36 hours after the vaccination) I woke up with fatigue and a sore throat. I had breakfast and about 10 minutes later I vomited everything (projectile vomiting, no nausea or abdominal pain). An hour later I had episode of severe watery diarrhea (just one episode). Felt very weak so I decided to sit down, stumbled to a chair, and then proceeded to have a syncopal episode with about 4 minutes of seizure like activity (witnessed, I don't remember that part). Decided to go to the ER, where I had labs, EKG, CXR, head CT scan, MRI and EEG. I was admitted for 24 hour observation, all the tests were normal.
60-64 years	Dec., 2020	904709-1	Left eye puffiness, left eye paresthesia Tx benadryl, solumedrol, head ct scan
			Approximately 10-15 minutes after receiving COVID-19 vaccine, patient reported itching, tingly

60-64 years	Dec., 2020	905323-1	feeling, face appeared more flushed. Seemed anxious due to history of allergic reactions and reported slight shortness of breath. Treated with diphenhydramine 50 mg po and epinephrine 0.5 mg IM and transported to Emergency Department. Observed in that area and released a few hours later as symptoms resolved.
60-64 years	Dec., 2020	905486-1	Hypertension (220/110) and shortness of breath after Pfizer-BioNTech COVID-19 0.3 IM injection in the right deltoid. Presented to ED within 6 minutes of injection for evaluation. Symptoms resolved within 10 minutes in the ED except BP remained in 160s/90s. Blood glucose, CMP, and ECG normal. No medications given. Patient asked to leave following resolution of symptoms.
60-64 years	Dec., 2020	905680-1	Next day between 3 -6 AM - swelling of left eyelid followed by swelling and paresthesias of lips, followed by severe paresthesias of the left side of the face mostly lower half associated with a heavy sensation. Emergency treatment with 150 mg solumedrol and 50 mg benadryl. Symptoms persisted on and off for 3 days requiring benadryl 50 mg and claritin round the clock. On the second day post-vaccine headache, mouth blister (1), and diarrhea. Today (4 days post) very tired and fatigued.
60-64 years	Dec., 2020	905871-1	Metallic taste in her mouth Itchiness to site, then progressed to whole body and back pain Arm pain
60-64 years	Dec., 2020	906078-1	"Patient developed sudden onset of headache with hypertension (BP 205/112), tachycardia (HR 137), redness and hives around 10 minutes after receiving the Pfizer covid vaccine (time 1600). She described ""feeling a wave of heat climbing from her feet up to her face"". 911 called and patient was transported to ER at around 1630. Upon arrival her BP trended down to 129/89 with HR of 78. She did not report difficulty breathing, and she did not receive additional medications while in ER. She was monitored for around 2 hours and discharged at 1847."
60-64 years	Dec., 2020	906126-1	Feeling of going to pass out; PVC's; PVC's; Shaking feeling internally from neck down to ankles; Sweating; palpitations; This is a spontaneous report from a contactable consumer (patient herself). A 60-year-old female patient received bnt162b2 (lot number: FK5730), via an unspecified route of administration at site of right arm at 10:15 on 17Dec2020 at single dose for immunisation. Medical history included Chronic migraine. Occasional PAC/PVC's. Concomitant medication included clonidine (strength: 0.02 mg). Within about 5 minutes of receiving the vaccine, the patient experienced shaking feeling internally from neck down to ankles, sweating, feeling of going to pass out. Some palpitations and PVC's. Shaking Symptoms lasted approx 4 hours. The patient visited emergency due to events. No treatment received for events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The outcome of events was recovered on 17Dec2020.
60-64 years	Dec., 2020	906226-1	10 minutes after initial vaccine was given patient experienced numbness and tingling to tongue, lips, and fingers. No shortness of breath or respiratory distress noted
60-64 years	Dec., 2020	906285-1	At work patient had ALOC x10 minutes. Rapid response called. Transf to Hospital (12/18-12/20). D/C Dx ACUTE CORONARY SYNDROME (NON-STEMI)
60-64 years	Dec., 2020	906315-1	At 35min post vaccine patient noted with redness to the chest, neck and going up to face and bilateral ears. Ears were swollen. Patient transferred to the Emergency Department where she was noticed to have swollen lips
60-64 years	Dec., 2020	906719-1	Patient recieved dose one of the Pfizer Covid 19 Vaccine. Within ten minutes scratchy throat started. Patient was monitored for 30 minutes and throat irritation became worse. Transferred to urgent care for follow up. Received a dose of diphenhyramine, symptoms lessened, and was able to leave urgent care for home.
60-64 years	Dec., 2020	906721-1	Patient developed dizziness shortly after receiving Pfizer Covid-19 vaccine on 12/21/2020. Patient was brought to the Emergency Department. SBP initially in 70's, rapidly improved to 90's without intervention. Patient denied SOB. No e/o angioedema on exam. SBP improved to 110's after 500cc of NS.
60-64 years	Dec., 2020	906900-1	Pt received vaccine on 12/17/20 and started experiencing side effects such a dizziness, body aches, nausea and vomiting, and body weakness shortly after. The symptoms got progressively worse as the days went by and pt came to the ED on Tuesday, 12/22/20, since symptoms were not improving and acetaminophen and ibuprofen did not help.
60-64 years	Dec., 2020	907437-1	Patient began with hives and itching all over. Patient given 50mg IM Benadryl Patient watched for 40 minutes. All sx improved.
60-64 years	Dec., 2020	907476-1	c/o throat tightness, neck hot and tight about 8 minutes after injection. Gave Epipen at 17:10 and taken by wheelchair to our ER. Employee states she was monitored and given 1 liter of IV fluids and benadryl. States she was discharged home about 3 hours later. Felt exhausted 12/22/20. Today feeling better. Planning to see primary MD 12/24/20 for follow up.
60-64 years	Dec., 2020	907526-1	Per Vaccine recipient approximately 4-4 1/2 hours after receiving vaccine she noticed facial swelling in and around nose, to neck area, to R elbow and a petechial rash near R elbow. She immediately took Benadryl and Pepcid and then went to ER for further evaluation, where she was given a dose of Zyrtec and 5 day course of Prednisone. She left ER with no further complication.
60-64 years	Dec., 2020	907738-1	Approximately 35 minutes after patient received the vaccine, she noted redness around her chest and neck, goin up to her face and both ears. Ears were swollen. She was transferred to the ED for evaluation, where it was noted that she had redness of her throat and chest with slight swelling of her lips. In the ED, she was given prednisone 40mg PO and famotidine 40mg PO. She was observed and discharged after ~90 minutes.

60-64 years	Dec., 2020	908060-1	10 minutes after vaccination received, pt complained of fullness feeling in throat and itchy ears and head. Epi given, pt transferred to ED, rec'd another epi and IV fluids. Discharged after a few hours.
60-64 years	Dec., 2020	908224-1	Throat felt tight and sticky, difficulty swallowing, anxious, tingling from waist up
60-64 years	Dec., 2020	908556-1	As employee entered observation area noted slight headache then complained of SOB VS BP 150/90 states took medication in am O2 Sat 99-100% HR-74 RR-24 lung sounds clear reported lightheadedness, confusion sent to ED via wheelchair
60-64 years	Dec., 2020	908918-1	This resident received the first dose of the Pfizer Covid vaccine at the Covid vaccine clinic at medical Facility. He had a rapid response, experienced low blood glucose and low heart rate. NP and medical director were in attendance. Heart rate remained low despite all measures. He was transferred to Hospital for bradycardia.
60-64 years	Dec., 2020	909577-1	Dizziness, dyspnea, neck swelling
60-64 years	Dec., 2020	909617-1	12/21/2020 AFTER VACCINATION, EXPERIENCED LEFT BODY NUMBNESS. RADIATED FROM TOP TO BOTTOM. CALLED PCP, REFERRED TO PFIZER. PFIZER AND PCP SUGGESTED ALIEVE, TYLENOL IBURPROFREN. ADMITTED TO HOSPITAL DIRECT ADMIT FROM PCP. STAYED 12/22/2020-12/24/2020 DIAGNOSED WITH MENINGITIS F/UP WITH NEUROLOGY JAN 2021
60-64 years	Dec., 2020	910133-1	Noted tongue starting to swell on 12/24 at 1030. Started on left side, then progressed to right side. No SOB, difficulty swallowing or breathing, but staff noted difficulty understanding her speech. Presented to ED at 1300. 50mg Benadryl given IV on 12/24 at 1328 and 125mg solumedrol given IV at 1327. Pt reported improvement in tongue swelling at 1630.
60-64 years	Dec., 2020	910301-1	About another 15min went by and I noticed red hives were on my upper chest that were a little itchy; About another 15min went by and I noticed red hives were on my upper chest that were a little itchy; Approximately 45min after the injection, I started feeling dizzy, palpitations and heart racing.; Approximately 45min after the injection, I started feeling dizzy, palpitations and heart racing.; This is a spontaneous report from a contactable consumer (the patient). A 62-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), lot EK5730, via an unspecified route of administration in left arm, on 18Dec2020 15:15 at single dose for COVID-19 immunization. The vaccine was administered at Hospital Facility. The patient did not receive other vaccine in four weeks. The patient medical history included Hypothyroidism and allergy to Penicillin. The patient's concomitant medications included levothyroxine sodium (LEVOTHYROXINE). The patient on 18Dec2020 at 16:00 approximately 45min after the injection, started feeling dizzy, palpitations and heart racing. About another 15 min went by and the patient noticed red hives on her upper chest that were a little itchy. The events resulted in Emergency room/department or urgent care. The patient received Benadryl, Solumedrol and Pepcid all IV push as treatment. No Covid prior vaccination. Covid was not tested post vaccination. The outcome of the events feeling dizzy, palpitations, heart racing, red hives, little itchy was resolved in Dec2020.
60-64 years	Dec., 2020	910312-1	Tongue started to tingle; mouth swelled up and tongue; mouth swelled up and tongue; my throat with swollen; This is a spontaneous report from a contactable nurse (patient herself). A 62-year-old female patient (non-pregnant) received the first dose of BNT162B2 (Pfizer-BioNTech COVID-19 vaccine, lot# EI040), via intramuscular on 19Dec2020 12:00 in left arm at single dose for covid-19 immunization. There was no medical history and concomitant medications. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The most recent COVID-19 vaccine was administered in hospital. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Clinical course: The nurse received the covid vaccination on 19Dec2020 (also reported as 10Dec) within 6 minutes her tongue started to tingle. 15 minutes later her whole mouth started swelling up and was rushed to the emergency room. Her mouth swelled up and tongue. She was given diphenhydramine hydrochloride (BENADRYL), steroid and epinephrine. She could feel that her throat with swollen also. She spent four hours in the emergency room. She had no allergies. She took no medications. She had no health history. She was healthy 62-year-old. Her son had a severe allergy to bees. And other family members are awesome. She had never gotten stung. Outcome of events were recovered on 19Dec2020. The events were reported as non-serious.; Sender's Comments: A causal association between BNT162B2 and the reported events paraesthesia oral, mouth swelling, swollen tongue, and pharyngeal swelling cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.
60-64 years	Dec., 2020	910621-1	itching; tingly feeling; face appeared more flushed; slight shortness of breath; This is a spontaneous report from a contactable pharmacist. A 63-years-old female patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# EK5730), intramuscularly in right arm on 18Dec2020 14:30 at single dose for Covid-19 immunisation. Medical history included allergic reactions (allergies to medications, food, or other products: Yes, numerous). No other vaccines administered in four weeks. Other medications in two weeks was numerous. Approximately 10-15 minutes after receiving COVID-19 vaccine (18Dec2020 14:45), patient reported itching, tingly feeling, face appeared more flushed. Seemed anxious due to history of allergic reactions and reported slight shortness of breath. Treated with diphenhydramine 50 mg PO and epinephrine 0.5 mg IM and transported to Emergency Department. Observed in that area and released a few hours later as

			symptoms resolved. The outcome of events was recovered on 18Dec2020.; Sender's Comments: A causal association between BNT162B2 and the events pruritus, paraesthesia, flushing, and dyspnea cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.
60-64 years	Dec., 2020	910628-1	blood pressure shot up to 205/112/blood pressure went down to 136/75; head hurt; couldn't hear that well; pulse 137; a heat wave go through her body up to her head; red rash and hives; red rash and hives; This is a spontaneous report from a contactable other healthcare professional (Patient). A 62-year-old female patient (not pregnant) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number and expiration date not provided), via an unspecified route of administration on 21Dec2020 16:00 at single dose for COVID-19 immunization, vaccine location provided as Left arm. Medical history included Penicillin allergy. The patient's concomitant medications were not reported. After about 10 minutes receiving the vaccine on 21Dec2020 16:15, the patient felt a heat wave go through her body up to her head, couldn't hear that well and head hurt. Her blood pressure shot up to 205/112, pulse 137, red rash and hives. The patient was transported via paramedics to the Emergency Room for observation. Her blood pressure went down to 136/75. No treatment was received for all the event. The outcome of the events was recovered on 21Dec2020. Information on the Lot/Batch number has been requested.; Sender's Comments: A causal association between BNT162B2 and the event blood pressure increased cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.
60-64 years	Dec., 2020	910996-1	Patient reports taking Pfizer Covid vaccine and 2 hours after that she reports feeling not well. She recorded that one of the side effects was heart arrhythmias and hence she had her coworker checked her rhythm and she reported that her heart rate was in 180s and hence she was brought to the emergency department for further evaluation. She reports at the time she had palpitations and felt mild lightheadedness and dizziness. She was found to be in SVT with heart rate in the range of 180-220 and she received 1 dose of 6 mg Adenoscan after which she converted to normal sinus rhythm. At the time of my evaluation she is in normal sinus rhythm with heart rate in the range of 90-100. She denies any further palpitations. She reports she had chest tightness for the last 3 days which was assumed to be secondary to asthma and for which she was prescribed prednisone. Currently with the prednisone she does not feel any further chest tightness. She denies any chest pain shortness of breath, fever or chills. She reports remote history of arrhythmia following her foot surgery in the past however does not recall what arrhythmia she had at that time.
60-64 years	Dec., 2020	914805-1	RESIDENT CODED AND EXPIRED
60-64 years	Dec., 2020	914917-1	Death by massive heart attack. Pfizer-BioNTech COVID-19 Vaccine EUA
65+ years	Dec., 2020	902766-1	Vaccinator Nurse noted upon vaccination there was bleeding from site and immediate bruising. Extended post vaccination monitoring to 30 minutes and asked patient to not leave before being reevaluated. Visual monitoring in post vaccination space by this RN. á Upon reassessment @ 1352 pt stated she felt the need to use her inhaler and chest tightness. Pt denies SOB and able to transfer independently to wheelchair. Pt began to cough and was immediately transferred to ED per FNP. á á Upon ED arrival, pt was transferred to back hall 9, report given to RN and assessed by physician. Vital signs 98% on RA, t- 98.2, HR 78.
65+ years	Dec., 2020	902799-1	Patient was feeling nauseated in the morning prior to coming to work and prior to receiving vaccine. He had a banana thinking he would feel better. He then received the vaccine and felt progressively worse experiencing diarrhea, weakness, and malaise.
65+ years	Dec., 2020	903014-1	Patient reported to CNA that they felt like they soiled their pants. CNA confirmed that patient did not soil himself and transferred patient to the restroom. While the patient was on the toilet attempting to have a bowel movement the CNA reported patient had 10 seconds of tonic clonic behavior and then went unresponsive and then back to tonic clonic behavior. This happened 3 times prior to getting patient put back into his bed. Patient went unconscious after last episode while on bed for a more extended period of time while a STAT page was called. Physical Therapist and Aid sternal rubbed him and he had gasp and woke up. Prior to and immediately following the episode his vitals were within normal limits. Neuro exam was unremarkable after patient came to. When he woke up he knew his name, date, and day of the week. He was only confused to where he was. Patient was agreeable to be transported out. EMS was called and transported the patient to Hospital. Patient displayed no seizure activity or neurological deficits in ER. Patient had a CT scan, which came back normal. Virals remained within normal limits and laboratory values were noncontributory. He was diagnosed with a UTI due to the presence of hematuria associated with a syncopal episode. Patient had a Foley catheter upon admission to the nursing home. Patient was administered Ceftriaxone at the hospital and discharged back to Nursing Home on Omnicef the same day. Patient is back at nursing home facility and has not displayed any additional signs of seizure. He is stable and Foley catheter has been removed. Facility spoke to wife who reported that patient did not have a seizure history.

65+ years	Dec., 2020	903588-1	Employee waited for 15 minutes after injection in the Department, 40 minutes after the employee left she called employee health and was instructed to return to the hospital ED if she was able. Dr. and the ED physician evaluated her. She had peri-oral numbness, and some cheek numbness, no motor deficits. SBP was 200 in ED. Single dose of Catapres and then improved B/P. D/C to home. 12/17/2020 - AM mild chin numbness - everything else resolved. B/P remained stable 12/18/2020 - resolved
65+ years	Dec., 2020	903736-1	"Pt was being observed in hospital for reactions per Dr orders due to Pt's history. Pt reported ""itchy"" feeling at 9:50am. At 10:20am Pt reported generalized ""itching provider notified at 10:34. 11:05am Pt received Benadryl at this time Pt had itchy watery eyes and generalized itching. 11:50 Pt sleepy but ""itching better"" dr notified and Pt returned to Assisted Living."
65+ years	Dec., 2020	903806-1	Resident became short of breath 7 hours after vaccine, went to hospital, was COVID+
65+ years	Dec., 2020	903820-1	Day following vaccine, fever, sob - went to hospital, COVID+
65+ years	Dec., 2020	903824-1	developed itching, nausea, light headedness - required transfer to the ED for observation
65+ years	Dec., 2020	903852-1	65-year-old female received COVID-19 vaccine at the Urgent Care Center. She waited around 15 minutes after the vaccine and had no reaction. About 10 minutes later while in her car she noted a numb feeling of her tongue and that the tongue felt swollen but was not necessarily swollen. She subsequently felt that her lips were tingling and had swollen feeling. She returned to the facility and was given an EpiPen shot at around 10:15 AM. Patient was transferred to ED via ambulance. Gradually the symptoms resolved and was discharged from the ED in stable condition
65+ years	Dec., 2020	904107-1	Resident short of breath approximately 10 minutes post vaccination. Staff noted that his baseline upon activity and transferring is generally shortness of breath. Resident wears 2L NC, O2 saturation was 92%, increased to NC to 4 Liters O2 saturation up to 96%. 170/80, heart rate 94, regular rhythm. Sent to hospital.
65+ years	Dec., 2020	904121-1	Patient felt sensation of being hot and heart racing, heart rate was 80 and pulse ox was 99%, denies resp symptoms, patient requested to go to ED to be evaluated, was seen in ED, observed, and discharged home
65+ years	Dec., 2020	904385-1	Patient is a pleasant 83 y.o. female pediatrician with history of Sjogren's, hypothyroidism, hyperlipidemia, hypertension who had been at Hospital to get her Covid vaccine. 30 minutes after doing so she reports being in the lobby and about to walk upstairs and feeling fine. The next thing she knows she wakes up on the stairs with her nose and face bleeding surrounded by healthcare team. She denies any precipitating symptoms such as chest pain, shortness of breath, fevers dizziness, headache. She reports feeling well otherwise in the last few days. I did a thorough bony palpation exam including spine and he only point of tenderness besides on her face was the area above her right ankle. She does not have a history of syncope or collapse
65+ years	Dec., 2020	905191-1	Do not suspect that vaccine caused patient condition and resulting inpatient admission. Suspect patient had COVID-19 at time of vaccination, but had not developed symptoms yet. Here is timeline: Patient went to ED on 12-18-2020 at 22:51 with complaint for fever and shortness of breath. Patient ended up testing positive for COVID-19, 12-19-2020 00:09, but was not symptomatic at time of vaccine. As of 12/21/2020 12:04 pm, patient is still inpatient and on comfort care/hospice.
65+ years	Dec., 2020	905578-1	"Chest and back pain, and then ""limbs went numb"". Couldn't lift glass of water. All limbs were weak and shaky."
65+ years	Dec., 2020	906038-1	Pt noted tightness/swelling around eyes along with itching/burning sensation at same. Then developed itchy erythematous rash starting right shoulder (near where injection was done) and spreading to back. Benadryl 50mg IM given. Was sent to ER for continued monitoring; she did well without further treatment (other than 500mL of saline IV) and was released in good condition. She did not have lightheadedness, lip/tongue/throat swelling, SOB, GI symptoms, or hypotension.
65+ years	Dec., 2020	906300-1	First night local pain (1/10) only. At 45 hours post vaccine, few palpitations. At 49 hours, a few more. At 53 hours, multiple continuing palpitations without letup so went to ER Friday night 12/18. Many PVCs, some bigeminy. This is also now only 5 hours after my BID dosing of carvedilol 25mg. Cardiac and metabolic workup negative -- all normal. Went home after 4 hours. Mild chills at times but never fever. Amount of ectopy and annoying symptoms declined during following day. My internist placed me on additional propranolol beta-blockade to add to carvedilol. Still required some extra propranolol day 5 post-vaccine but otherwise felt basically normal.
65+ years	Dec., 2020	906333-1	Approximately 65 hours post-vaccination patient felt profound fatigue, no appetite, and had increase in baseline chronic cough, and anosmia. Patient was admitted to the hospital on 12/21 due to worsening respiratory symptoms that required supplemental oxygen-initially 2L via nasal cannula. Patient was upgraded to ICU-level of care at 6:30PM 12/21 to receive high-flow nasal cannula, and has had one episode of fever (100.6) 12/22 at 7:00 AM.
65+ years	Dec., 2020	906560-1	Rash on arms
65+ years	Dec., 2020	906570-1	Severe headache and limb numbness ~ 30 minutes after vaccination Sent to emergency department - no treatment needed

65+ years	Dec., 2020	907036-1	Shakes(chills)/ Tachycardia/altered mental status/sent to the hospital for evaluation
65+ years	Dec., 2020	907073-1	Patient was dizzy at vaccine clinic and was taken to ER as a precaution. She left the emergency dept before being seen, stating she felt fine.
65+ years	Dec., 2020	907074-1	EMS called after patient displayed a heart rate of 160, a little over an hour after vaccine administration. Patient was taken to the hospital and diagnosed with an episode of RVR Afib; she was admitted to the hospital.
65+ years	Dec., 2020	907327-1	2-3 MINS after vaccine Administered SHE BEGAN TO EXPERIENCE SHORTNESS OF BREATH FEELING OF A FUZZY TONGUE & DIFFICULTY SWALLOWING. SHE WAS SEEN IN ED WHERE SHE GOT Benadryl & DECADRON
65+ years	Dec., 2020	907478-1	Seizure (Grand mal)
65+ years	Dec., 2020	907860-1	Chest pressure, dizziness, increased troponin lab value.
65+ years	Dec., 2020	907911-1	Patient with past medical history significant for thyroid cancer was given Pfizer COVID-19 vaccine at approximately 1430 at our facility. After receiving vaccine patient felt flushed, face hot, felt something squeezing neck (similar to tight collar). 25 mg PO diphenhydramine given X 1. Patient having shivering on and off. Felt swelling progress up into back of throat. Had to clear throat and swallow harder. At 1511 patient was checked into the emergency department at our hospital. At 1527 famotidine 20 mg IV once given. BP was found to be 232/100. Amlodipine 5 mg IV once given at 1909. Labetalol 10 mg IV once given at 1812, labetalol 20 mg IV once given at 2034, clonidine 0.1 mg PO once given at 2127. Patient sent home at approximately midnight. Diagnosed with possible anaphylaxis and hypertensive urgency (no history of HTN).
65+ years	Dec., 2020	907915-1	Right after patient was given vaccine injection he started to feel lightheaded and woozy. He had just worked the night shift and hadn't eaten anything. No prior illness reported. Patient brought to emergency department to be evaluated. Received 500ml of fluids and symptoms resolved and he went home. Diagnosis of near syncope.
65+ years	Dec., 2020	908189-1	"Pt states night of vaccine on 12/22 she felt dizziness and ""incoherent"". This resolved by 12/23 and today is experiencing headache ""10"" on 0-10 pain scale, fatigue. Advised Urgent Care or ER and pt has declined."
65+ years	Dec., 2020	908869-1	12/18/2020: COVID19 vaccine received. 12/19/2020: Patient noticed petechiae/bruising on arms, legs and face. Worsened over next 48 hours. 12/21/2020: Patient had blood drawn (CMP, PT/INR, CBC) at lab. 12/22/2020: Labs resulted; CMP and PT/INR WNL (exceptions: SCr 1.24, TBil 1.7); CBC with platelet count of 1,000 resulting in patient admission to Hospital. At admission he received 80 mg of prednisone, 40 g of IV Ig and a unit of platelets. 12/23/2020: Continued hospitalization. Patient's platelets improved to 20,000 and he received another 35g of IV Ig. 12/24/2020: Patient discharged with platelets of 38,000.
65+ years	Dec., 2020	908893-1	Patient vaccinated at Nursing home. Transferred to ER the following day when patient developed fever and altered mental status. Found to have acute kidney injury on chronic kidney disease, hyperkalemia. Required emergent hemodialysis for hyperkalemia with ECG findings of peaked T waves.
65+ years	Dec., 2020	909031-1	Patient presented with signs and symptoms of sepsis, developing over 12 to 24 hours 6 days after vaccination. was hypotensive and confused (beyond baseline)
65+ years	Dec., 2020	909061-1	Reported sensation of tongue swelling during post-vaccination observation at 10 minutes. Epinephrine was refused and she was taken to ED for observation where she was given oral dose of Benadryl and Pepcid. Discharged with instructions to return PRN and follow up with PCP. Elevated BP noted.
65+ years	Dec., 2020	909095-1	on 12/24/2020 the resident was sleepy and stayed in bed most of the shift. He stated he was doing okay but requested pain medication for his legs at 250PM. At 255AM on 12/25/2020 the resident was observed in bed lying still, pale, eyes half open and foam coming from mouth and unresponsive. He was not breathing and with no pulse
65+ years	Dec., 2020	909911-1	12/20/2020 12:00 PM DEVELOPED LAPID ATRIAL FIB. WENT TO ER WHEN IT PERSISTED, MEDICAL CENTER. ADMITTED TO INPATIENT; 12/21/2020 - ELECTRICAL CARDIOVERSION. MONITORED OVERNIGHT. 12/22/2020 - DISCHARGED *ON CHRONIC BLOOD THINNER
65+ years	Dec., 2020	910363-1	Patient had mild hypotension, decreased oral intake, somnolence starting 3 days after vaccination and death 5 days after administration. He did have advanced dementia and was hospice eligible based on history of aspiration pneumonia.
65+ years	Dec., 2020	910750-1	Patient was found slumped over in wheelchair, drooling and unable to respond/follow simple instructions; sent to ED for evaluation. CT scans and MRI NEGATIVE for new/recent stroke; resident slurred speech likely due to hypertensive urgency
65+ years	Dec., 2020	911854-1	I received the vaccine shot on 12/23/20 at 3 pm. By 12/24/20, I had pain in my left arm that radiated to my neck and back on the left side. Over the past 4/5 days, I continue to have pain in my left arm, back and neck
65+ years	Dec., 2020	913143-1	Vaccine administered with no immediate adverse reaction at 11:29am. Vaccine screening questions were completed and resident was not feeling sick and temperature was 98F. At approximately

			1:30pm the resident passed away.
65+ years	Dec., 2020	913733-1	My grandmother died a few hours after receiving the moderna covid vaccine booster 1. While I don't expect that the events are related, the treating hospital did not acknowledge this and I wanted to be sure a report was made.
65+ years	Dec., 2020	914621-1	Resident in our long term care facility who received first dose of Moderna COVID-19 Vaccine on 12/22/2020, only documented side effect was mild fatigue after receiving. She passed away on 12/27/2020 of natural causes per report. Has previously been in & out of hospice care, resided in nursing home for 9+ years, elderly with dementia. Due to proximity of vaccination we felt we should report the death, even though it is not believed to be related.
65+ years	Dec., 2020	914690-1	Within 24 hours of receiving the vaccine, fever and respiratory distress, and anxiety developed requiring oxygen, morphine and ativan. My Mom passed away on the evening of 12/26/2020.
65+ years	Dec., 2020	914895-1	Injection given on 12/28/20 - no adverse events and no issues yesterday; Death today, 12/30/20, approx.. 2am today (unknown if related - Administrator marked as natural causes)
65+ years	Dec., 2020	914961-1	pt passed away with an hour to hour and 1/2 of receiving vaccine. per nursing home staff they did not expect pt to make it many more days. pt was unresponsive in room when shot was given. per nursing home staff pt was 14 + days post covid
65+ years	Dec., 2020	914994-1	pt was a nursing home pt. pt received first dose of covid vaccine. pt was monitored for 15 minutes after getting shot. staff reported that pt was 15 days post covid. Pt passed away with in 90 minutes of getting vaccine
Unknown	Dec., 2020	903009-1	Patient complained of vision disturbance confusion dizziness, chills, clammy, no trouble breathing. Nausea, Patient stated she did not have any breakfast. gave patient diphenhydramine 25 mg and EMS arrived to take her to the hospital.
Unknown	Dec., 2020	903010-1	After receiving vaccine patient started complain of vision disturbance, confusion, nurses started he was slow to respond. Nurses also documented that he was acting the same way the day before due to UTI. No SOB . no signs of allergic reaction
Unknown	Dec., 2020	905056-1	"Pt received the COVID Pfizer vaccine at 1324 and at 1335 pt c/o feeling anxious and flushed. Pt VS: 143/94 91 18 99% AA. Pt admitted she had not eaten before coming in for vaccine. Pt put in recliner chair and taking water and rice crispy treat without difficulty and symptoms resolved. Pt kept for continued monitoring. 1350 pt c/o of ""not feeling right"" and that she was going to pass out. Pt layed back in lab chair; O2 at 2L per NC applied. B/p 140/100 HR 127 O2 sat 100% pt pale, cool and shivering; pt c/o she didn't feel right. Benadryl 50mg IM given at 1351 and 911 called. Pt had no hives, No itching lungs clear, HR 103 and O2 sat remained at 100%. Continued to monitor pt: VS 1400 140/90 103 18 100% on 2L/NC. Pt reports no NKA, Meds: Esterace VAg Supp started 4 days ago Levothyroid 75mcg po daily Pt has never had reaction to medication or vaccines in past. Pt still c/o feeling week but better--held off on Epi since EMS had arrived 1400. Pt transferred to ER in stable condition. 1405: ER called and report given."
Unknown	Dec., 2020	905781-1	headache; dizziness; nausea; This is a spontaneous report from a contactable other health professional. A 56-year-old female patient received bnt162b2 (BNT162B2), via an unspecified route of administration on an unspecified date at single dose for immunization. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient experienced headache, dizziness and nausea on an unspecified date with outcome of not recovered. The patient received the vaccine in the emergency department. The reporter stated that the symptoms began immediately after getting the vaccine and are persisting. Information about batch/lot number has been requested.
Unknown	Dec., 2020	905826-1	sent to the emergency room for body rashes and hives.; sent to the emergency room for body rashes and hives.; This is a spontaneous report from a contactable pharmacist. This pharmacist reported similar events for 4 patients. This is a third of four reports. A patient of an unspecified age and gender received BNT162B2(Solution for injection) via an unspecified route of administration on an unspecified date at single dose for immunization. The medical history included allergies to bee stings. The patient's concomitant medications were not reported. The patient sent to the emergency room for body rashes and hives. The outcome of the events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2020502532 same reporter, drug, event different patient
Unknown	Dec., 2020	906123-1	waves of flushing through out her body; severe dry mouth; nausea; elevated heart rate into 120s; panic attack; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in 2020 (at 0810 her time) at single dose for immunization. The patient's medical history and concomitant medications were not reported. The reporter is a Certified Nursing Assistant (CNA) who received the Covid 19 vaccine at 0810 her time. Five minutes after receiving the vaccine (2020) she reported having three episodes of the following symptoms: waves of flushing through out her body, severe dry mouth, nausea and elevated heart rate into 120s. She denied any shortness of breath, swelling or anaphylaxis. She was treated in the Emergency Room (ER) with fluids and lorazepam (ATIVAN) and sent home. She contacted her doctor who advised she was probably having a panic attack and was told her to take lorazepam. She reported sleeping when she got home but experienced the elevated heart rate and flushing again after waking. She spoke to her doctor a second time and was told to return to the ER to be treated for the elevated heart rate. She did not go to the ER because she took more lorazepam and the HR declined into the 90's. She stated her doctor was prescribing a beta blocker for her but advised to go to the ER if her heart rate

			goes over 100 again. She would like to report and Adverse Event. The outcome of the events was unknown. Information regarding lot/batch has been requested.; Sender's Comments: Based on the information available as reported at this point, a possible contributory role of the suspect products cannot be excluded for the reported event flushing, dry mouth, heart rate increased, nausea and panic attack due to temporal association.
Unknown	Dec., 2020	906228-1	fever/chill, extreme fatigue, body aches, headache, near syncope, nausea
Unknown	Dec., 2020	906258-1	Fever, chills, rashes, CP, fatigue, diarrhea, congestion, pain at injection site and numbness to left arm
Unknown	Dec., 2020	906657-1	Tingling mouth; This is a spontaneous report from a contactable physician. A patient of unspecified age and gender received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration in Dec2020 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced tingling mouth in Dec2020. The event happened during the observation period after the vaccine was administered. The reporter thinks that the patient just panicked and overreacted and doesn't think they had a reaction. The patient did go the emergency room (ER) and was discharged the same day. The outcome of tingling mouth was unknown. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.
Unknown	Dec., 2020	906708-1	"bronchitis or pneumonia; pain down arm into fingers; injection site tingling; Chest felt heavy and difficulty breathing; Chest felt heavy and difficulty breathing; bronchitis or pneumonia; rash on both arms with bright purple skin; rash on both arms with bright purple skin; felt like everything was numb and like she was on drugs; felt like everything was numb and like she was on drugs; Severe headache; This is a spontaneous report from a contactable consumer (nurse) via a Pfizer sales representative. A female patient of an unspecified age received the first dose of the bnt162b2 (BNT162B2; also reported as COVID-19 VACCINE), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On an unspecified date, the patient experienced: bronchitis or pneumonia (medically significant), pain down arm into fingers, injection site tingling, chest felt heavy and difficulty breathing, rash on both arms with bright purple skin, felt like everything was numb and like she was on drugs, and severe headache; all of which required hospitalization. The clinical course was reported as follows: The female patient (nurse) took the first dose of the vaccine and experienced pain down arm into fingers, injection site tingling. The patient's chest felt heavy and difficulty breathing; however, the ""tongue never swelled."" Rapid response was called, and the patient was taken to the hospital. The patient was given a ""cocktail"" to treat the reaction. The patient ""felt like everything was numb and like she was on drugs"" The patient also felt like she had bronchitis or pneumonia. The patient also experienced a ""rash on both arms with bright purple skin""; along with a severe headache. Therapeutic measures were taken as a result of pain down arm into fingers, injection site tingling, and chest felt heavy and difficulty breathing. The clinical outcome of the events was unknown. No follow-up attempt possible; information about batch/lot number cannot be obtained."
Unknown	Dec., 2020	907177-1	developed swelling of tongue; dyspnea; skin rash; This is a spontaneous report from a non-contactable consumer. A 35-year-old male patient received BNT162B2, via an unspecified route of administration on an unspecified date in 2020 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. This is a call from CDC this morning regarding a new case, the patient was administered vaccine and developed swelling of tongue, dyspnea, skin rash on an unspecified date in 2020, then treated with dexamethasone, diphenhydramine hydrochloride (BENADRYL), via intramuscular (IM) epinephrine in emergency room (ER). The outcome of events was unknown. She will alert him each time there is a report of severe hypersensitivity for his awareness. Further, the CDC is in the process of appointing a contact who will be able to meet with us regularly on this topic. Their conversation was amicable and demonstrated a willingness to work closely with us as we navigate the issue of hypersensitivity. No follow-up attempts are possible; Information about lot/batch number cannot be obtained.; Sender's Comments: The reported information is limited. Based on the temporal relationship and the description of the events, swelling of tongue, dyspnea, skin rash, there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.
Unknown	Dec., 2020	907180-1	itchy throat; itchy throat/back of the tongue reaction; This is a spontaneous report from a contactable physician. This physician reported similar events for two patients. This is the first report. A female patient of an unspecified age (reported as 50, unit unknown) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date were not provided), via an unspecified route of administration on 17Dec2020 22:00 at a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced itchy throat/back of the tongue reaction. No rash, then they gave her epi 10, ED (emergency department) doctor assessed for 2 hours. No evidence of tongue swelling, hemodynamics was normal. Outcome of the events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on the close temporal relationship and the description of the events, itchy throat/ tongue reaction there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is

			evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.,Linked Report(s) : US-PFIZER INC-2020500303 Same reporter, product, and event, different patient
Unknown	Dec., 2020	907205-1	"Tingling throat; This is a spontaneous report from a contactable physician. This physician reported the same event for two patients. This is the first of two reports. A patient of unspecified age and gender received the first dose of the bnt162b2 (BNT162B2; also reported as COVID-19 vaccine; unknown lot number, NDC number and expiration date), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. It was also reported that it was unknown if other products were received or if an investigation assessment was performed. On 16Dec2020, the patient experienced: tingling throat (non-serious). The physician called regarding the COVID-19 vaccine since they had two events that happened on 16Dec2020; however, the physician stated she needed to ask a question before speaking with Pfizer's Drug Safety Unit (DSU) and reporting the events. The physician stated that two patients reported tingling in their throats during the observation period after the vaccine was administered. The physician thought ""they just panicked and overreacted "" and she did not think they had a reaction. The patients did go the ER (emergency room) and were discharged the same day. The physician wanted to be able to give the second dose. The physician wanted to ask about the side effects of the vaccine. The outcome of the event was unknown. The batch/lot numbers for the vaccine, BNT162B2, were not provided and will be requested during follow up. ; Sender's Comments: Linked Report(s) : US-PFIZER INC-2020504906 same reporter/drug/event, different patient"
Unknown	Dec., 2020	907295-1	Lightheaded, dizziness, flushed face, sweating
Unknown	Dec., 2020	907649-1	sent to the emergency room for body rashes and hives.; sent to the emergency room for body rashes and hives.; This is a spontaneous report from a contactable pharmacist. This pharmacist reported similar events for 4 patients. This is the 1st of four reports. A patient with unspecified age and gender received BNT162B2 via unspecified route of administration on unspecified date at single dose for COVID-19 immunization. Medical history included allergies to bee stings. Concomitant medications were not reported. On unspecified date, the patient was sent to the emergency room for body rashes and hives, and they were recommending that those with a bee sting allergy hold off until they know more. The outcome of events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2020502533 same reporter/ drug/ events, different patient;US-PFIZER INC-2020502534 same reporter/ drug/ events, different patient;US-PFIZER INC-2020502535 same reporter/ drug/ events, different patient
Unknown	Dec., 2020	907650-1	4 different individuals sent to the emergency room for body rashes and hives.; 4 different individuals sent to the emergency room for body rashes and hives.; This is a spontaneous report from a contactable pharmacist. This pharmacist reported similar events for 4 patients. This is a second of four reports. A patient of unspecified age and gender received BNT162B2 (lot/batch number and expiration date not provided), via an unspecified route of administration on an unspecified date at single dose for immunization. Medical history included allergies to bee stings from an unknown date. The patient's concomitant medications were not reported. The patient was sent to the emergency room for body rashes and hives. They are recommending that those with a bee sting allergy hold off until they know more. The outcome of the events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2020502532 same reporter, event and drug but different patient
Unknown	Dec., 2020	907651-1	sent to the emergency room for body rashes and hives.; sent to the emergency room for body rashes and hives.; This is a spontaneous report from a contactable pharmacist. This pharmacist reported same events for 4 patients. This is the 4th of four reports. A patient of unspecified age and gender received BNT162B2 via an unspecified route of administration, on an unspecified date at single dose for immunization. Medical history included allergies to bee stings. It was reported that the patient sent to the emergency room post vaccine for body rashes and hives. There seemed to be a commonality of allergies to bee stings for the 4 different individuals. The pharmacist wondered if there are other reports of this. They are recommending that those with a bee sting allergy hold off until knowing more and wondered if any guidance from Pfizer. Event took place after use of product. Outcome of the events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2020502532 same reporter, drug, event but different patient
Unknown	Dec., 2020	908068-1	chest tightness, throat closing in, sent to Emergency room
			Anaphylaxis; This is a spontaneous report from a contactable pharmacist. A 55-year-old female patient received the bnt162b2 (BNT162B2; also reported as: PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 17Dec2020 at a single dose for COVID-19 immunization. The patient's medical history included eosinophil process allergic reaction, fish, iodine and shellfish allergy; all from an unknown date and unknown if ongoing. Concomitant medications were not reported. The patient previously took rabies vaccine for immunization and experienced anaphylactic reaction on an unspecified date. On 17Dec2020, the patient experienced anaphylaxis; which required hospitalization, and was assessed as medically significant. The patient was hospitalized for anaphylaxis from 18Dec2020 to an unknown date. The clinical course was reported as follows: The pharmacist called about a patient who received the COVID-19 vaccine on

Unknown	Dec., 2020	908262-1	<p>17Dec2020 and started having a reaction approximately 30 minutes later. The patient used epinephrine (EPIPEN) and 50 mg of diphenhydramine hydrochloride (BENADRYL) and returned to the hospital on 18Dec2020. The patient was currently in the intensive care unit (ICU) receiving an epinephrine drip. The patient had a previous history of an anaphylactic reaction to the rabies vaccine, eosinophil process allergic reaction, fish, iodine and shellfish allergy. The patient was stabilized but continued to have reactions (not specified). The pharmacist had not seen the patient and was reaching out to Pfizer on behalf of the physicians. The pharmacist believed this had been reported by the hospital. The pharmacist had no patient information. Therapeutic measures were taken as a result of anaphylaxis. The clinical outcome of the event, anaphylaxis, was unknown. The batch/lot numbers for the vaccine, BNT162B2, were not provided and will be requested during follow up.; Sender's Comments: Based on the information available, a possible contributory role of the suspect products cannot be excluded for the reported event anaphylaxis due to temporal association. However patient previous history of allergic reaction cannot be excluded to have played a contributory role</p>
Unknown	Dec., 2020	910307-1	<p>bilateral periorbital swelling; Myalgia; Fever; This is a spontaneous report from a contactable physician. A 49-year-old male patient received BNT162B2, via an unspecified route of administration on an unspecified date as single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced bilateral periorbital swelling, myalgia and fever on an unspecified date, which were medically significant. Description was as followed: patient went to the emergency department. The vaccines was given on a Wednesday afternoon, and patient presented with bilateral periorbital swelling this morning, myalgias, and fever. Therapeutic measures were taken as a result of swelling, myalgia and fever; the only treatment given was diphenhydramine (BENADRYL) orally. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.; Sender's Comments: The reported information is limited. Based on the close temporal relationship and the description of the events, periorbital swelling, myalgia and fever, there is a reasonable possibility that the events are related to BNT162 vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>
Unknown	Dec., 2020	910315-1	<p>"Anaphylactic Reaction; felt like something was in throat; felt tingling on both hands and fingers; voice started to change; face turning red to white to purple; everything in mouth as tongue felt like it was growing; having chest pain radiating to left scalp, and jaw; couldn't think of the words to say as it was hard to breath; chills; heart rate is racing; This is a spontaneous report from a non-contactable nurse via internet source via Pfizer Sales Representative. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EH9899) via an unspecified route of administration on 18Dec2020 at single dose for covid-19 immunization. Medical history included had a lot of food allergies. The patient's concomitant medications were not reported. The nurse told that her manager (patient) had an anaphylactic reaction shortly after receiving Pfizer's COVID-19 BNT162b2 vaccine on 18Dec20. Patient stated via Social Media indicated that she received the Covid-19 vaccine right after work. Easy breezy didn't feel a thing. She was asked to wait for 15 minutes, 5-10 minutes of waiting, she felt like something was in throat, so she kept clearing it. Patient felt tingling on both hands and fingers. Her voice started to change. She informed the ER team there, the ER nurse described her face turning red to white to purple. ER nurse started an IV right on patient's right AC, gave her a shot of Benadryl, steroids and the epi pen right through pants. Patient felt everything in mouth as tongue felt like it was growing, but she can breath. Patient was route to the ED via wheelchair, everything started to look hazy, she was having chest pain radiating to left scalp, and jaw. Patient couldn't think of the words to say as it was hard to breath. When got to the ED they gave her another dose of Benadryl, solumedrol, decadon, HHN tx with epi and that worked. Patient felt her throat opening up and started talking but then came the chills. It took almost 3 hours to clear the symptoms, even though her heart rate is racing (prob due to the meds), she opted to go home. The outcome of ""heart racing"" was not recovered, of other events were recovered on 18Dec2020. No follow-up attempts are possible. No further information is expected.; Sender's Comments: A possible causal association between administration of BNT162B2 and the onset of anaphylactic reactions with tongue swelling/voice alteration/hard breath/tingling/something in throat/skin discoloration, chill and chest pain cannot be excluded, considering the plausible temporal relationship and the known adverse event profile of the suspect product. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate."</p>
			<p>High blood pressure; heart rate in the 100's/High heart rate; light headed and dizzy; This is a spontaneous report from a non-contactable nurse(patient). This female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at single dose via an unknown route on Dec2020 (reported as on Thursday) for Covid-19 immunization. Medical history and concomitant drug were not provided. Patient received the vaccine on Thursday and within 15 to 20 minutes, she got light headed and dizzy with high blood pressure with a heart rate in the 100's. She went to the ER and was sent home, but her blood pressure continues to be high. Her primary care physician wanted to start her on some blood pressure medication due to continuous high blood pressure. The reporter</p>

Unknown	Dec., 2020	910582-1	was asking if high blood pressure and high heart rate had been reported as an adverse event for the Covid vaccine. Outcome of High blood pressure was not resolved. Outcome of the other events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: A causal association between BNT 162B2 and the events blood pressure increased, dizziness, and heart rate increased cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.
Unknown	Dec., 2020	910624-1	Admitted to the hospital with hypertensive basal ganglia bleed, had a head bleed; This is a spontaneous report from a contactable consumer. A male patient of unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in 2020 at single dose for COVID-19 immunization. Medical history included hypertension. The patient's concomitant medications were not reported. After vaccination, the patient was admitted to the hospital with hypertensive basal ganglia bleed, had a head bleed in 2020. The outcome of event was unknown. Information on the lot/batch number has been requested.
Unknown	Dec., 2020	910626-1	resp distress; This is a spontaneous report from a non-contactable consumer (patient). An elderly male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration at 16Dec2020 12:00 pm at single dose for covid-19 immunization. Vaccine location was right arm and it was the first dose. The patient medical history and concomitant medications were not reported. No known allergies. Patient was not diagnosed with COVID-19 prior to vaccination. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced respiratory distress on 19Dec2020, he was hospitalized for three days. Patient received treatment for the adverse event. Since the vaccination, the patient has been tested for COVID-19 with nasal swab on 19Dec2020, it was negative. The action taken in response to the events for BNT162B2 was not applicable. The outcome of events was unknown. The event was serious, the seriousness criteria was Caused/prolonged hospitalization. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
Unknown	Unknown Date	905250-1	Hives Pharyngeal Irritation Improve with IM Epinephrine
Unknown	Unknown Date	908448-1	Left arm leg and face numbness bilateral legweakness Vaccine given at 915 am Symptoms started at 11 am Called Pfizer to report at 1151 am Saw primary doctor at 2 pm Return to primary md again 12/22/20 Referral to neurosurgeon 11/22/20 Hospitalized 11/22/20 to 11/24/20 lept Meningeal inflammation hospital

Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).

Notes:

Caveats: VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine.

Key considerations and limitations of VAERS data:

- Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause.
- Reports may include incomplete, inaccurate, coincidental and unverified information.
- The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines.
- VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available.
- VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. [More information. \(/wonder/help/vaers.html#Suppress\)](#)

Data contains VAERS reports processed as of the previous Friday. The VAERS data in WONDER are updated weekly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. [More information. \(/wonder/help/vaers.html#Reporting\)](#)

Values of Event Category field vary in their availability over time due to changes in the reporting form. The "Emergency Room/Office Visit" value was available only for events reported using the VAERS-1 form, active 07/01/1990 to 06/29/2017. The "Congenital Anomaly/Birth Defect", "Emergency Room", and "Office Visit" values are available only for events reported using the VAERS 2.0 form, active 06/30/2017 to present. These changes must be considered when evaluating count of events for these categories.

Help: See [The Vaccine Adverse Event Reporting System \(VAERS\) Documentation \(/wonder/help/vaers.html\)](#) for more information.

Query Date: Jan 8, 2021 6:37:17 PM

Suggested Citation:

United States Department of Health and Human Services (DHHS), Public Health Service (PHS), Centers for Disease Control (CDC) / Food and Drug Administration (FDA), Vaccine Adverse Event Reporting System (VAERS) 1990 - last month, CDC WONDER On-line Database. Accessed at <http://wonder.cdc.gov/vaers.html> on Jan 8, 2021 6:37:17 PM

Query Criteria:

Event Category: Death; Life Threatening; Permanent Disability; Hospitalized; Emergency Room *

State / Territory: The United States/Territories/Unknown

Vaccine Products: COVID19 VACCINE (COVID19)

VAERS ID: All

Group By: Age; Month Reported; VAERS ID

Show Totals: False

Show Zero Values: Disabled

Content source: [CDC WONDER](#)